



Twin hammer impact wrench

1/2" 12.5mm
680 Nm
0.63 MPa

1/4" 6.3mm
10000 rpm
165 l/min



COLOR BOX

- square driver 1/2", idle speed 1650 min-1
- twin hammer
- max. torque: 680 Nm

YATO	Nm	Weight	Box
YT-09513	680	1550	10

Twin hammer impact wrench

1/2" 119 l/min
0.63 MPa

550 Nm
1/4" TWIN HAMMER TYPE
7500 rpm
CE



COLOR BOX

- square driver 1/2", idle speed 1190 min-1
- twin hammer
- max. torque: 550 Nm

YATO	Nm	Weight	Box
YT-09511	550	2680	8

Twin hammer impact wrench

3/8" 142 l/min
0.63 MPa
400 Nm
1/4" TWIN HAMMER TYPE
10000 rpm
CE



COLOR BOX

- square driver 3/8", idle speed 1420 min-1
- twin hammer
- max. torque: 400 Nm

YATO	Nm	Weight	Box
YT-09501	400	1750	10

Twin hammer impact wrench

1/2" 142 l/min
0.63 MPa
570 Nm
1/4" TWIN HAMMER TYPE
10000 rpm
CE



COLOR BOX

- square driver 1/2", idle speed 1420 min-1
- twin hammer
- max. torque: 570 Nm

YATO	Nm	Weight	Box
YT-09505	570	1800	10

Twin hammer impact wrench

1/2" 250 l/min
0.62 MPa

540 Nm
1/4" TWIN HAMMER TYPE
7000 rpm
CE




COLOR BOX

- square driver 1/2", idle speed 2500 min-1
- twin hammer
- max. torque: 540 Nm

YATO	Nm	Weight	Box
YT-0952	540	2900	8

Impact wrench

1/2" 12.5mm STANDARD 0.6-0.8 MPa
850 Nm 7000 119 l/min



YATO	Nm	Weight	Box
YT-09525	850	1280	6

Twin hammer impact wrench

1/2" 127.5 l/min 0.62 MPa 475 Nm COMPOSITE BODY
1/4" TWIN HAMMER TYPE 10000 10000 CE



- composite housing, square drive 1/2", idle speed 10000 min-1
- twin hammer
- max. torque: 475Nm

YATO	Nm	Weight	Box
YT-0950	475	1280	10

Pneumatic wrench

1" 1/2" 560 l/min PINE LESS HAMMER TYPE
0.63 MPa 4000 2600 Nm CE



- application: automotive service stations, trucks
- short anvil, square drive 1", idle speed 4,000 min-1
- setting with 3 forward and 3 reverse speed
- max torque: 2600Nm

YATO	Nm	Weight	Box
YT-0959	2600	10800	2

Twin hammer impact wrench

1/2" 153 l/min 0.63 MPa 1150 Nm COMPOSITE BODY
1/4" TWIN HAMMER TYPE 10000 10000 CE



COLOR BOX



- composite housing, square drive 1/2", idle speed 1530 min-1
- twin hammer
- max. torque: 1150Nm

YATO	Nm	Weight	Box
YT-09540	1150	2450	10

Twin hammer impact wrench

3/4" 660 l/min 0.62 MPa 1300 Nm
3/8" TWIN HAMMER TYPE 5000 5000 CE



COLOR BOX



- square driver 3/4", idle speed 6600 min-1
- dyna-pact type
- max. torque: 1300 Nm

YATO	Nm	Weight	Box
YT-09564	1380	4500	4

Pneumatic wrench

1" 1/2" 560 l/min PINE LESS HAMMER TYPE
0.63 MPa 4000 2600 Nm CE



- application: automotive service stations, trucks
- long anvil, square drive 1", idle speed 4,000 min-1
- setting with 3 forward and 3 reverse speed
- max torque: 2600Nm

YATO	Nm	Weight	Box
YT-0960	2600	13000	2

Twin hammer impact wrench

1/2" 480 l/min 0.63 MPa 1356 Nm COMPOSITE BODY
1/4" TWIN HAMMER TYPE 10000 10000 CE



COLOR BOX



- composite housing, square drive 1/2", idle speed 10000 min-1
- twin hammer
- max. torque: 1356Nm

YATO	Nm	Weight	Box
YT-0953	1356	2100	10

Twin hammer impact wrench

3/4" 195 l/min 0.62 MPa 1626 Nm COMPOSITE BODY
1/4" TWIN HAMMER TYPE 5750 5750 CE



COLOR BOX



- composite housing, square drive 3/4", idle speed 5750 min-1
- twin hammer
- max torque: 1626Nm

YATO	Nm	Weight	Box
YT-0957	1626	3270	2

Pneumatic wrench

1" 25mm STANDARD 1/2 355 l/min
3200 Nm 3500 0.6-1 MPa



YATO	Nm	Weight	Box
YT-09615	3200	3200	1

Ratchet air wrench

1/2" 68 Nm 110 l/min 1/4" 0.62 MPa 160 min CE



COLOR BOX



YATO	Nm	l/min	1/4"
YT-0980	68	1200	20

1/2" 80 Nm 120 l/min 1/4" 0.62 MPa 160 min CE



COLOR BOX



YATO	Nm	l/min	1/4"
YT-0981	80	1200	20

Ratchet wrench kit

1/2" 68 Nm 110 l/min 1/4" 0.62 MPa 160 min CV OILER POT CE



- 1/2", L=75 mm;
- 6 mm x 1/2";
- 1/2";
- H4, H5, H6, H7, H8;
- T20, T25, T27, T30, T40;
- 5.5, 6.5, 8.0 mm;
- PH2, PH3, PH4;
- 10, 11, 12, 13, 14, 17, 19 mm

YATO	Nm	l/min	1/4"
YT-0982	68	2900	4

Air grinder

CE 160 l/min 0.62 MPa 1/4" 20000 min 6mm



YATO	l/min	MPa	1/4"	6mm
YT-0965	750	25		

113 l/min 0.62 MPa 6mm 1/4" 20000 min CE



YATO	l/min	MPa	1/4"	6mm
YT-0963	550	20		

Die grinder kit

11 PCS 0.62 MPa 20000 min CE 113 l/min 1/4" 6mm



YATO	l/min	MPa	1/4"	6mm
YT-0964	700	10		

Ratchet air wrench

3/8" 34 Nm 0.62 MPa 300 min 51 l/min 1/4" CE



COLOR BOX



YATO	Nm	l/min	1/4"
YT-0983	34	480	20

Air saw with accessories

0.62 MPa 196 l/min 1/4" CE



YATO	l/min	MPa	1/4"
YT-09951	740	10	

Air sander

230 l/min 0.62 MPa 1/4" 9000 min 150 mm CE



- * idle speed 9000 min-1
- * pad size 6" (150 mm) with velcro

YATO	l/min	MPa	1/4"
YT-0967	2000	10	

Ratchet air wrench

1/2" 95 Nm 0.62 MPa 150 mm
71 l/min 1/4" CE



YATO	Nm	🔒	📦
YT-0984	95	1256	15

Air sander pad

150 mm 12000 rpm
KEEP HOOD PARTS M8



- pad size: 5" (150mm)
- self-generated vacuum, idle speed: 12000min-1

YATO	🔒	📦
YT-0975	120	10/60

Metal cutting disc set

5 PCS 75 mm 9.5 mm 2 mm

for YT-0993



YATO	🔒	📦
YT-0994	20	12/48

Reversible air drill

180 l/min 0.62 MPa 1/4" 0-1800 rpm 10mm CE



- jacob's chuck
- max hole size 3/8" (10mm)

YATO	🔒	📦
YT-0970	1200	20

Reversible air drill

0.62 MPa 113 l/min 1/4" 700 l/min CE



YATO	🔒	📦
YT-09701	1450	10

Air angle grinder

0.62 MPa 963 l/min 1/4" CE



YATO	size	🔒	📦
YT-09680	4"	1700	10
YT-09681	5"	1700	10

Air cut-off tool

0.62 MPa 160 l/min 1/4" 0-1800 rpm 18000 min-1 CE



- 3" air cut-off tool
- quickly cut off mufflers and tail pipes
- idle speed 18000 min-1
- average air consumption 17 CFM

YATO	🔒	📦
YT-0993	900	20

Reversible air drill

0.63 MPa 0-1800 rpm 1/4" max 10mm CE



YATO	🔒	📦
YT-09702	12	

Angle polisher

0.62 MPa 226 l/min 1/4" 0-2500 rpm CE



YATO	🔒	📦
YT-09755	1910	10

Air hammer

0.62 MPa 110 l/min 1/4" 3200 RPM CE



• blows per minute 3200min-1

YATO		
YT-0990	2300	10

Air belt sander

20000 RPM STANDARD 200 l/min
0.63 MPa BELT SIZE 20x520mm DRY BELT REPLACEMENT LIGHTWEIGHT SHA

NEW



YATO	belt size/rozmiar pasa(mm)	
YT-09742	20x520	10

Spray gun with fluid cup

0.6L 380 l/min HVLP
1.3mm 0.30 MPa CE



YATO		
YT-2351	990	10

Spot drill & hook

0.62 MPa 300 l/min 1/4" 18000 RPM CE



YATO		
YT-09711		10

Air sand blaster

1/4" 6.3mm 160 l/min Al
6.3mm 1m HOSE W/2 0.80 MPa CE



YATO		
YT-2375		10

Spray gun with fluid cup

0.1L 80 l/min
1.0mm 0.25 MPa



YATO		
YT-2355	360	20

Air belt sander

20000 RPM STANDARD 170 l/min
0.63 MPa BELT SIZE 10x330mm DRY BELT REPLACEMENT LIGHTWEIGHT SHA

NEW



YATO	belt size/rozmiar pasa(mm)	
YT-09741	10x330	10

Spray gun with fluid cup

0.6L 300 l/min
1.4mm 0.55 MPa



YATO		
YT-2350	780	10

Plastic tank

0.6L



YATO	volume	
YT-2363	0.6L	180 20
YT-2364	0.1L	60 100

Spray gun with fluid cup



1.5 mm
410 l/min
0.30 MPa
0.6L
HVL P

COLOR BOX

YATO	
YT-2341	20

Gun suitable for sand-blasting



1.0l
160 l/min
Al
0.80 MPa

COLOR BOX

YATO	
YT-2376	20

Pneumatic riveting machine



0.70 MPa
54 l/min
180°
1/4"
6.3 mm
x3
x3

NEW

L₁ = 83.6 ± 1.9 dB;
L₂ = 97.4 ± 2.8 dB;
a_h = 0.66 ± 0.21 m/s²

YATO	Ø(mm)	L (mm)	F (kg)	F (N)	
YT-36171	2.4; 3.2; 4.0; 4.8; 5.0	18	1060	10400	10

Spray gun with fluid cup



0.8 mm
220 l/min
0.30 MPa
0.1L
HVL P

COLOR BOX

YATO	
YT-2357	20

Inflating gun with extension




0.85l
130 l/min
Al
0.80 MPa

COLOR BOX

YATO	
YT-2374	2/12

Inflating gun with extension



0.8 MPa (max.)
PP
BRASS
MC6ADZ

NEW

YATO	
YT-23731	20/40

Spray gun with fluid cup



1.8 mm
380 l/min
0.40 MPa
1.0l

COLOR BOX

YATO	
YT-2346	10

Inflating gun with extension



1/4" 6.3 mm 0.8 MPa (max.) Al CE

COLOR BOX

YATO	
YT-2373	20/40

Nozzle set



1/4 mm

* 3 pcs: needle, paint nozzle, air cap

YATO		
YT-2361	130	80

Filter - reducer

0.93 MPa (max.)
90 cm³
60°C max.
1/2" 12.5



COLOR BOX

YATO
YT-2383

25/50

Mini filter

1.4 MPa (max.)
8 cm³
1/4" 6.3mm



COLOR BOX

YATO
YT-2380

25/50

Filter - reducer

0.93 MPa (max.)
25 cm³ FILTER FILTER
15 cm³ FILTER FILTER
60°C max.
1/4" 6.3mm



COLOR BOX

YATO
YT-2384

25/50

Tire-inflating gun

480 mm 1.8 MPa 6.3 mm 360°



COLOR BOX

YATO
YT-23701

20

Filter - reducer

0.93 MPa (max.)
15 cm³
60°C max.
1/4" 6.3mm



COLOR BOX

YATO
YT-2382

25/50

Filter - reducer

0.93 MPa (max.)
90 cm³ FILTER FILTER
60 cm³ FILTER FILTER
60°C max.
1/4" 6.3mm



COLOR BOX

YATO
YT-2385

25/50

Pneumatic hose reel

15m 10 MPa 2.0 MPa (max.) STANDARD PVC



YATO
YT-24240

size
10MMX15M

2

Pneumatic hose reel

10m 10 MPa 2.0 MPa (max.) PVC

EASILY MOUNTS TO WORKBENCH OR WALL
ŁATWY MONTAŻ DO STOLU ROBOCZEGO LUB ŚCIANY
INCLUDES 4 ANCHORS
ZAWIERA 4 KOTWY

NEW



YATO
YT-24242

size
10M

4

Pneumatic hose reel

14m 10 MPa 2.0 MPa (max.) PVC

EASILY MOUNTS TO WORKBENCH OR WALL
ŁATWY MONTAŻ DO STOLU ROBOCZEGO LUB ŚCIANY
INCLUDES 4 ANCHORS
ZAWIERA 4 KOTWY

NEW



YATO
YT-24243

size
14M

4