



Roller cabinet



YATO	size (mm)	W	H
YT-09000	932X665X453	45	1

Service tool cabinet with tools




1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30; 1/2" (12.7 mm); (255 mm); 72T; CrV 6140; 1/2" (12.7 mm); (255 mm); CrV 50BV30; 1/2" (12.7 mm); (127 mm); CrV 50BV30; 1/2" (12.7 mm); CrV 50BV30; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV; 22, 24, 27, 28, 30, 32 mm; CrV

1/2" (12.7 mm): E10, E12, E14, E16, E18, E20 (L=38 mm); CrV 50BV30; M5, M6, M7, M10, M12 (L=30 mm); AISI S2; 1/2" (12.7 mm); 10 mm; CrV 6150; 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm; CrV 6150; T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150; 180 mm; 180 mm; 160 mm; 160 mm LONG NOSE; 160 mm BENT NOSE; 3x75, 4x100, 5x75, 6x100 mm; S2; 1.4x50, 2.0x50, 2.4x50 mm; PH00x50, PH0x50, PH1x50 mm; S2; PH0x75, PH1x75, PH2x100 mm; S2 300 g (L=300 mm); 40 mm (L=350 mm); 10x8x142 mm, 12x10x152 mm, 16x13x172 mm; 250 mm; CrV; 125 mm; CrMo; 300 mm; CrV; 140 mm; 200 mm; 19 mm x 20 mm; 4x190 mm; 250 V; 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0 mm; #2, 200 mm; #2, 200 mm; #2, 200 mm; #2, 200 mm; 300 mm; 2 m; 3m x 16 mm; 0.02-1.00 mm; 2.4, 3.2, 4.0, 4.8 mm; 9.6x3.2, 9.6x4.0, 12.7x4.0, 9.6x4.8, 12.7x4.8 mm

YATO	size (mm)	W	H
YT-55291	932X665X453	63	1

Roller cabinet with tools



- 1/2" (12.7 mm): 6, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 (L=38 mm); 27, 30, 32 mm (L=42 mm); 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 (L=25 mm); CRV 50BV30;
- 1/2" (12.7 mm): 10, 13, 14, 15, 17, 19, 21 mm (L=76 mm); 1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 (L=50 mm); CRV 50BV30;
- 1/2" (12.7 mm): E10, E11, E12, E14, E16; 1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;
- 1/2" (12.7 mm): CRV 50BV30;
- 1/2" (12.7 mm): (255 mm); 1/4" (6.3 mm): (152.4 mm); CRV 50BV30;
- 1/4" (6.3 mm): (150 mm); CRV 50BV30;
- 1/4" (6.3 mm): PH1 (x2), PH2 (x2), PH3; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): PZ1, PZ2, PZ3; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T8, T10, T15, T20, T25, T30, T40; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150;
- 200 mm; CrV; 3-6 mm (L=52 mm); 6-8 (L=58 mm); 8-11 (L=68 mm); 11-14 (L=75 mm); 14-18 (L=80 mm); 18-25 (L=88 mm);
- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm; CrV;
- T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;
- 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm; CrV 6150;
- 6.0x38, 2.0x75, 3.0x75, 4.0x100, 5.0x100, 6.0x100 mm; S2; PH0x100, PH1x100, PH2x38, PH2x150, PH3x150 mm; S2; T7x75, T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100 mm; S2; 6.0x150 mm; PH2x150 mm; CrV 6150;
- 180 mm; 340 g; 160 mm;
- 200 mm; 12.5x152, 16.0x172 mm; CrV 6150;
- 250 mm; 3.0x150, 4.0x150, 5.0x150, 6.0x150, 8.0x150 mm; CrV 6150; 8.0x112 mm; CrV 6150;
- 400 g;
- M3x0.5 (x3), M4x0.7 (x3), M5x0.8 (x3), M6x1.0 (x3), M7x1.0 (x3), M8x1.25 (x3), M10x1.5 (x3), M12x1.75 (x3), HSS M2;
- M3, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25, M10x1.5, M12x1.75, HSS M2;
- M7-M9; #2, 200 mm; #2, 200 mm; #2, 200 mm;
- M3-M12; 3mmx16 mm; 0-150 mm; 300 mm;
- 1 LED;


YATO	size (mm)		
YT-55290	958x766x465	72	1

189PCS 14 TEST RELAT	95x766 x465 mm	7x	BALL BEARING ŁOŻYSKA KULKOWE	DRAWER LOCKING BIKOKŁAD	NON SLIP POCZYNKIANTY POCZYNKIANTY SLAT	CENTRAL LOCK ZAMEK	DOUBLE HANDLE PODWOJNE SIACZY	UNIVERSAL PERFORATED UNIWERSALNA PERFORACJA	2x BRAKE HAMULCE	CORNER BUMPERS NATKOZE DOBUDOW	3x	125mm
---	---	---	---	--	--	---	--	--	---	---	---	--



YATO 	size (mm)		
YT-55292	958X766X465	81	1

Service tool cabinet with tools



○ □ H4, H5, H6, H7, H8, H10, H12 (L=30 mm); H4, H5, H6, H7, H8, H10, H12 (L=75 mm); AISI S2; ○ □ M5, M6, M7, M10, M12 (L=30 mm); M5, M6, M7, M10, M12 (L=75 mm); AISI S2; ○ □ T20, T25, T30, T40, T45, T50, T55 (L=30 mm); T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2; □ 1/2" (12.7 mm); 3/8" (9.5 mm); 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV; 22, 24, 27, 28, 30, 32 mm; CrV

1/2" (12.7 mm); 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30; 1/2" (12.7 mm); (255 mm); 72T; CrV 6140; 1/2" (12.7 mm); (127 mm); CrV 50BV30; 1/2" (12.7 mm); CrV 50BV30; 1/4" (6.3 mm); 8, 10, 11, 12, 13 mm; CrV 50BV30; 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 6140; 1/4" (6.3 mm); CrV 50BV30; 1/4" (6.3 mm); (155 mm); 72T; CrV 6140; 1/4" (6.3 mm); (152.4 mm); CrV 50BV30; 180 mm; 180 mm; 180 mm LONG NOSE; 180 mm BENT NOSE


3x75, 5x100, 5x150, 6x38, 6x100, 6x150, 8x150 mm; CrMo; PH0x100, PH1x75, PH1x100, PH2x38, PH2x100, PH2x150, PH3x150 mm; CrMo; 180, 250 mm; 280 mm

3/4" (19.0 mm); 21, 22, 24, 27, 28, 29, 30, 32, 34, 36, 41, 46, 50, 55 mm; CrV 50BV30; 3/4" (19.0 mm); (200 mm); CrV 6140; 3/4" (19.0 mm); CrV 50BV30; 3/4" (19.0 mm); (500 mm); 72T; CrV 6140; 3/4" (19.0 mm); (500 mm); CrV 50BV30

○ □ 1/2" (12.7 mm) x 5/16" (7.9 mm); + PH3 (L=35 mm); PH1, PH2, PH3 (L=75 mm); 8 mm (L=35 mm); 8 mm (L=75 mm); 12-38 mm; 3" (75 mm); 82 mm; 200 mm; 135 mm; 300, 400, 500 mm


YATO	size (mm)	kg	box
YT-55293	958X766X465	94	1

Roller cabinet with tools



- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24 (L=38 mm), 27, 30, 32 mm (L=42 mm); 3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 (L=28 mm), 17, 18, 19 (L=30 mm); CRV 508V30; 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 (L=25 mm); CRV 508V30;
- 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 (L=50 mm); CRV508V30;
- 3/8" (9.5 mm): E10, E12, E14, E16; 1/4" (6.3 mm): E4, E5, E8, E7, E8, CRV 508V30;
- 1/2" (12.7 mm): CRV 508V30; 3/8" (9.5 mm): CRV 508V30; 1/4" (6.3 mm): CRV 508V30;
- 1/2" (12.7 mm): (78, 127, 254 mm), CRV 508V30; 3/8" (9.5 mm): (42, 76, 152, 4 mm), CRV 508V30; 1/4" (6.3 mm): (50, 8, 101, 6 mm), CRV 508V30;
- 1/2" (12.7 mm): (255 mm), CRV 508V30;
- 1/4" (6.3 mm): PH1, PH2, AISI S2 / CrV 6150; 1/4" (6.3 mm): 4, 5, 5 mm; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, AISI S2 / CrV 6150; 3/8" (9.5 mm): T20, T25, T30, T40, T45, T50; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60, T30x100, T40x100, T45x100, T52, AISI S2 / CrV 6150; 1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150;
- 3/8" (9.5 mm): 6, 7, 8, 10 mm; 6x82 mm; AISI S2 / CrV 6150; 1/2" (12.7 mm): 4, 5, 6, 7, 8, 9, 10, 12, 14 mm; 5x100, 6x100, 8x100 mm; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): M5, M6, M8, M10, M12, M6x100, M8x100, M10x100, M12x100 mm; AISI S2 / CrV 6150; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm; CrV;
- 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 22x24 mm; CrV;
- ESX6, E10XE12, E14XE18, E20XE24, CrV 6150;
- 6, 0x38, 2, 0x75, 3, 0x75, 6, 0x100 mm; S2; PH0x75, PH1x150, PH2x38, S2; T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100, T30x100 mm; S2;
- 6, 0x100, 8, 0x150, 8, 0x200 mm; PH2x100, PH2x150 mm; CrV 6150;
- 500 g; 35 mm; 180 mm;
- T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150;
- 18 mm; 200 mm;
- 140 mm; 200 mm;
- 3.8x150, 3.3x120, 5.5x130, 12x130 L 120 mm; CrV;
- M14x80mm, M18x80; CrMo; 200 mm;
- 1.0 kg x 400 mm;
- 20 - 200 Nm;
- 8 mm, 10 mm, 13 mm;
- 17 mm, 19 mm; 6p/36 mm, 14p/74 mm;
- 13LED; 16 mm;
- 100x17 mm; 10x10;

Roller cabinet with tools



The Ultimate Driving Machine



- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 18.21, 22, 23, 24 (L=38 mm); 27, 30, 32 mm (L=42 mm); 3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 (L=28 mm); 17, 18, 19 (L=30 mm); CRV 50BV30;
- 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 (L=25 mm); CRV 50BV30;
- 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 (L=50 mm); CRV 50BV30;
- 3/8" (9.5 mm): E10, E12, E14, E16, 1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;
- 1/2" (12.7 mm): CRV 50BV30; 3/8" (9.5 mm): CRV 50BV30; 1/4" (6.3 mm): CRV 50BV30;
- 1/2" (12.7 mm): (76, 127, 254 mm); CRV 50BV30; 3/8" (9.5 mm): (42, 76, 152, 4 mm); CRV 50BV30; 1/4" (6.3 mm): (50, 8, 101, 8 mm); CRV 50BV30;
- 1/2" (12.7 mm): (255 mm); CRV 50BV30;
- 1/4" (6.3 mm): PH1, PH2; ALISI S2 / CrV 6150; 1/4" (6.3 mm): 4, 5, 5 mm; ALISI S2 / CrV 6150;
- 1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40; ALISI S2 / CrV 6150; 3/8" (9.5 mm): T20, T25, T30, T40, T45, T50; ALISI S2 / CrV 6150;
- 1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60, T65, T70, T75, T80, T85, T90, T95, T100, T105, T110, T115, T120, T125, T130, T135, T140, T145, T150, T155, T160, T165, T170, T175, T180, T185, T190, T195, T200, T205, T210, T215, T220, T225, T230, T235, T240, T245, T250, T255, T260, T265, T270, T275, T280, T285, T290, T295, T300, T305, T310, T315, T320, T325, T330, T335, T340, T345, T350, T355, T360, T365, T370, T375, T380, T385, T390, T395, T400, T405, T410, T415, T420, T425, T430, T435, T440, T445, T450, T455, T460, T465, T470, T475, T480, T485, T490, T495, T500, T505, T510, T515, T520, T525, T530, T535, T540, T545, T550, T555, T560, T565, T570, T575, T580, T585, T590, T595, T600, T605, T610, T615, T620, T625, T630, T635, T640, T645, T650, T655, T660, T665, T670, T675, T680, T685, T690, T695, T700, T705, T710, T715, T720, T725, T730, T735, T740, T745, T750, T755, T760, T765, T770, T775, T780, T785, T790, T795, T800, T805, T810, T815, T820, T825, T830, T835, T840, T845, T850, T855, T860, T865, T870, T875, T880, T885, T890, T895, T900, T905, T910, T915, T920, T925, T930, T935, T940, T945, T950, T955, T960, T965, T970, T975, T980, T985, T990, T995, T1000, T1005, T1010, T1015, T1020, T1025, T1030, T1035, T1040, T1045, T1050, T1055, T1060, T1065, T1070, T1075, T1080, T1085, T1090, T1095, T1100, T1105, T1110, T1115, T1120, T1125, T1130, T1135, T1140, T1145, T1150, T1155, T1160, T1165, T1170, T1175, T1180, T1185, T1190, T1195, T1200, T1205, T1210, T1215, T1220, T1225, T1230, T1235, T1240, T1245, T1250, T1255, T1260, T1265, T1270, T1275, T1280, T1285, T1290, T1295, T1300, T1305, T1310, T1315, T1320, T1325, T1330, T1335, T1340, T1345, T1350, T1355, T1360, T1365, T1370, T1375, T1380, T1385, T1390, T1395, T1400, T1405, T1410, T1415, T1420, T1425, T1430, T1435, T1440, T1445, T1450, T1455, T1460, T1465, T1470, T1475, T1480, T1485, T1490, T1495, T1500, T1505, T1510, T1515, T1520, T1525, T1530, T1535, T1540, T1545, T1550, T1555, T1560, T1565, T1570, T1575, T1580, T1585, T1590, T1595, T1600, T1605, T1610, T1615, T1620, T1625, T1630, T1635, T1640, T1645, T1650, T1655, T1660, T1665, T1670, T1675, T1680, T1685, T1690, T1695, T1700, T1705, T1710, T1715, T1720, T1725, T1730, T1735, T1740, T1745, T1750, T1755, T1760, T1765, T1770, T1775, T1780, T1785, T1790, T1795, T1800, T1805, T1810, T1815, T1820, T1825, T1830, T1835, T1840, T1845, T1850, T1855, T1860, T1865, T1870, T1875, T1880, T1885, T1890, T1895, T1900, T1905, T1910, T1915, T1920, T1925, T1930, T1935, T1940, T1945, T1950, T1955, T1960, T1965, T1970, T1975, T1980, T1985, T1990, T1995, T2000, T2005, T2010, T2015, T2020, T2025, T2030, T2035, T2040, T2045, T2050, T2055, T2060, T2065, T2070, T2075, T2080, T2085, T2090, T2095, T2100, T2105, T2110, T2115, T2120, T2125, T2130, T2135, T2140, T2145, T2150, T2155, T2160, T2165, T2170, T2175, T2180, T2185, T2190, T2195, T2200, T2205, T2210, T2215, T2220, T2225, T2230, T2235, T2240, T2245, T2250, T2255, T2260, T2265, T2270, T2275, T2280, T2285, T2290, T2295, T2300, T2305, T2310, T2315, T2320, T2325, T2330, T2335, T2340, T2345, T2350, T2355, T2360, T2365, T2370, T2375, T2380, T2385, T2390, T2395, T2400, T2405, T2410, T2415, T2420, T2425, T2430, T2435, T2440, T2445, T2450, T2455, T2460, T2465, T2470, T2475, T2480, T2485, T2490, T2495, T2500, T2505, T2510, T2515, T2520, T2525, T2530, T2535, T2540, T2545, T2550, T2555, T2560, T2565, T2570, T2575, T2580, T2585, T2590, T2595, T2600, T2605, T2610, T2615, T2620, T2625, T2630, T2635, T2640, T2645, T2650, T2655, T2660, T2665, T2670, T2675, T2680, T2685, T2690, T2695, T2700, T2705, T2710, T2715, T2720, T2725, T2730, T2735, T2740, T2745, T2750, T2755, T2760, T2765, T2770, T2775, T2780, T2785, T2790, T2795, T2800, T2805, T2810, T2815, T2820, T2825, T2830, T2835, T2840, T2845, T2850, T2855, T2860, T2865, T2870, T2875, T2880, T2885, T2890, T2895, T2900, T2905, T2910, T2915, T2920, T2925, T2930, T2935, T2940, T2945, T2950, T2955, T2960, T2965, T2970, T2975, T2980, T2985, T2990, T2995, T3000, T3005, T3010, T3015, T3020, T3025, T3030, T3035, T3040, T3045, T3050, T3055, T3060, T3065, T3070, T3075, T3080, T3085, T3090, T3095, T3100, T3105, T3110, T3115, T3120, T3125, T3130, T3135, T3140, T3145, T3150, T3155, T3160, T3165, T3170, T3175, T3180, T3185, T3190, T3195, T3200, T3205, T3210, T3215, T3220, T3225, T3230, T3235, T3240, T3245, T3250, T3255, T3260, T3265, T3270, T3275, T3280, T3285, T3290, T3295, T3300, T3305, T3310, T3315, T3320, T3325, T3330, T3335, T3340, T3345, T3350, T3355, T3360, T3365, T3370, T3375, T3380, T3385, T3390, T3395, T3400, T3405, T3410, T3415, T3420, T3425, T3430, T3435, T3440, T3445, T3450, T3455, T3460, T3465, T3470, T3475, T3480, T3485, T3490, T3495, T3500, T3505, T3510, T3515, T3520, T3525, T3530, T3535, T3540, T3545, T3550, T3555, T3560, T3565, T3570, T3575, T3580, T3585, T3590, T3595, T3600, T3605, T3610, T3615, T3620, T3625, T3630, T3635, T3640, T3645, T3650, T3655, T3660, T3665, T3670, T3675, T3680, T3685, T3690, T3695, T3700, T3705, T3710, T3715, T3720, T3725, T3730, T3735, T3740, T3745, T3750, T3755, T3760, T3765, T3770, T3775, T3780, T3785, T3790, T3795, T3800, T3805, T3810, T3815, T3820, T3825, T3830, T3835, T3840, T3845, T3850, T3855, T3860, T3865, T3870, T3875, T3880, T3885, T3890, T3895, T3900, T3905, T3910, T3915, T3920, T3925, T3930, T3935, T3940, T3945, T3950, T3955, T3960, T3965, T3970, T3975, T3980, T3985, T3990, T3995, T4000, T4005, T4010, T4015, T4020, T4025, T4030, T4035, T4040, T4045, T4050, T4055, T4060, T4065, T4070, T4075, T4080, T4085, T4090, T4095, T4100, T4105, T4110, T4115, T4120, T4125, T4130, T4135, T4140, T4145, T4150, T4155, T4160, T4165, T4170, T4175, T4180, T4185, T4190, T4195, T4200, T4205, T4210, T4215, T4220, T4225, T4230, T4235, T4240, T4245, T4250, T4255, T4260, T4265, T4270, T4275, T4280, T4285, T4290, T4295, T4300, T4305, T4310, T4315, T4320, T4325, T4330, T4335, T4340, T4345, T4350, T4355, T4360, T4365, T4370, T4375, T4380, T4385, T4390, T4395, T4400, T4405, T4410, T4415, T4420, T4425, T4430, T4435, T4440, T4445, T4450, T4455, T4460, T4465, T4470, T4475, T4480, T4485, T4490, T4495, T4500, T4505, T4510, T4515, T4520, T4525, T4530, T4535, T4540, T4545, T4550, T4555, T4560, T4565, T4570, T4575, T4580, T4585, T4590, T4595, T4600, T4605, T4610, T4615, T4620, T4625, T4630, T4635, T4640, T4645, T4650, T4655, T4660, T4665, T4670, T4675, T4680, T4685, T4690, T4695, T4700, T4705, T4710, T4715, T4720, T4725, T4730, T4735, T4740, T4745, T4750, T4755, T4760, T4765, T4770, T4775, T4780, T4785, T4790, T4795, T4800, T4805, T4810, T4815, T4820, T4825, T4830, T4835, T4840, T4845, T4850, T4855, T4860, T4865, T4870, T4875, T4880, T4885, T4890, T4895, T4900, T4905, T4910, T4915, T4920, T4925, T4930, T4935, T4940, T4945, T4950, T4955, T4960, T4965, T4970, T4975, T4980, T4985, T4990, T4995, T5000, T5005, T5010, T5015, T5020, T5025, T5030, T5035, T5040, T5045, T5050, T5055, T5060, T5065, T5070, T5075, T5080, T5085, T5090, T5095, T5100, T5105, T5110, T5115, T5120, T5125, T5130, T5135, T5140, T5145, T5150, T5155, T5160, T5165, T5170, T5175, T5180, T5185, T5190, T5195, T5200, T5205, T5210, T5215, T5220, T5225, T5230, T5235, T5240, T5245, T5250, T5255, T5260, T5265, T5270, T5275, T5280, T5285, T5290, T5295, T5300, T5305, T5310, T5315, T5320, T5325, T5330, T5335, T5340, T5345, T5350, T5355, T5360, T5365, T5370, T5375, T5380, T5385, T5390, T5395, T5400, T5405, T5410, T5415, T5420, T5425, T5430, T5435, T5440, T5445, T5450, T5455, T5460, T5465, T5470, T5475, T5480, T5485, T5490, T5495, T5500, T5505, T5510, T5515, T5520, T5525, T5530, T5535, T5540, T5545, T5550, T5555, T5560, T5565, T5570, T5575, T5580, T5585, T5590, T5595, T5600, T5605, T5610, T5615, T5620, T5625, T5630, T5635, T5640, T5645, T5650, T5655, T5660, T5665, T5670, T5675, T5680, T5685, T5690, T5695, T5700, T5705, T5710, T5715, T5720, T5725, T5730, T5735, T5740, T5745, T5750, T5755, T5760, T5765, T5770, T5775, T5780, T5785, T5790, T5795, T5800, T5805, T5810, T5815, T5820, T5825, T5830, T5835, T5840, T5845, T5850, T5855, T5860, T5865, T5870, T5875, T5880, T5885, T5890, T5895, T5900, T5905, T5910, T5915, T5920, T5925, T5930, T5935, T5940, T5945, T5950, T5955, T5960, T5965, T5970, T5975, T5980, T5985, T5990, T5995, T6000, T6005, T6010, T6015, T6020, T6025, T6030, T6035, T6040, T6045, T6050, T6055, T6060, T6065, T6070, T6075, T6080, T6085, T6090, T6095, T6100, T6105, T6110, T6115, T6120, T6125, T6130, T6135, T6140, T6145, T6150, T6155, T6160, T6165, T6170, T6175, T6180, T6185, T6190, T6195, T6200, T6205, T6210, T6215, T6220, T6225, T6230, T6235, T6240, T6245, T6250, T6255, T6260, T6265, T6270, T6275, T6280, T6285, T6290, T6295, T6300, T6305, T6310, T6315, T6320, T6325, T6330, T6335, T6340, T6345, T6350, T6355, T6360, T6365, T6370, T6375, T6380, T6385, T6390, T6395, T6400, T6405, T6410, T6415, T6420, T6425, T6430, T6435, T6440, T6445, T6450, T6455, T6460, T6465, T6470, T6475, T6480, T6485, T6490, T6495, T6500, T6505, T6510, T6515, T6520, T6525, T6530, T6535, T6540, T6545, T6550, T6555, T6560, T6565, T6570, T6575, T6580, T6585, T6590, T6595, T6600, T6605, T6610, T6615, T6620, T6625, T6630, T6635, T6640, T6645, T6650, T6655, T6660, T6665, T6670, T6675, T6680, T6685, T6690, T6695, T6700, T6705, T6710, T6715, T6720, T6725, T6730, T6735, T6740, T6745, T6750, T6755, T6760, T6765, T6770, T6775, T6780, T6785, T6790, T6795, T6800, T6805, T6810, T6815, T6820, T6825, T6830, T6835, T6840, T6845, T6850, T6855, T6860, T6865, T6870, T6875, T6880, T6885, T6890, T6895, T6900, T6905, T6910, T6915, T6920, T6925, T6930, T6935, T6940, T6945, T6950, T6955, T6960, T6965, T6970, T6975, T6980, T6985, T6990, T6995, T7000, T7005, T7010, T7015, T7020, T7025, T7030, T7035, T7040, T7045, T7050, T7055, T7060, T7065, T7070, T7075, T7080, T7085, T7090, T7095, T7100, T7105, T7110, T7115, T7120, T7125, T7130, T7135, T7140, T7145, T7150, T7155, T7160, T7165, T7170, T7175, T7180, T7185, T7190, T7195, T7200, T7205, T7210, T7215, T7220, T7225, T7230, T7235, T7240, T7245, T7250, T7255, T7260, T7265, T7270, T7275, T7280, T7285, T7290, T7295, T7300, T7305, T7310, T7315, T7320, T7325, T7330, T7335, T7340, T7345, T7350, T7355, T7360, T7365, T7370, T7375, T7380, T7385, T7390, T7395, T7400, T7405, T7410, T7415, T7420, T7425, T7430, T7435, T7440, T7445, T7450, T7455, T7460, T7465, T7470, T7475, T7480, T7485, T7490, T7495, T7500, T7505, T7510, T7515, T7520, T7525, T7530, T7535, T7540, T7545, T7550, T7555, T7560, T7565, T7570, T7575, T7580, T7585, T7590, T7595, T7600, T7605, T7610, T7615, T7620, T7625, T7630, T7635, T7640, T7645, T7650, T7655, T7660, T7665, T7670, T7675, T7680, T7685, T7690, T7695, T7700, T7705, T7710, T7715, T7720, T7725, T7730, T7735, T7740, T7745, T7750, T7755, T7760, T7765, T7770, T7775, T7780, T7785, T7790, T7795, T7800, T7805, T7810, T7815, T7820, T7825, T7830, T7835, T7840, T7845, T7850, T7855, T7860, T7865, T7870, T7875, T7880, T7885, T7890, T7895, T7900, T7905, T7910, T7915, T7920, T7925, T7930, T7935, T7940, T7945, T7950, T7955, T7960, T7965, T7970, T7975, T7980, T7985, T7990, T7995, T8000, T8005, T8010, T8015, T8020, T8025, T8030, T8035, T8040, T8045, T8050, T8055, T8060, T8065, T8070, T8075, T8080, T8085, T8090, T8095, T8100, T8105, T8110, T8115, T8120, T8125, T8130, T8135, T8140, T8145, T8150, T8155, T8160, T8165, T8170, T8175, T8180, T8185, T8190, T8195, T8200, T8205, T8210, T8215, T8220, T8225, T8230, T8235, T8240, T8245, T8250, T8255, T8260, T8265, T8270, T8275, T8280, T8285, T8290, T8295, T8300, T8305, T8310, T8315, T8320, T8325, T8330, T8335, T8340, T8345, T8350, T8355, T8360, T8365, T8370, T8375, T8380, T8385, T8390, T8395, T8400, T8405, T8410, T8415, T8420, T8425, T8430, T8435, T8440, T8445, T8450, T8455, T8460, T8465, T8470, T8475, T8480, T8485, T8490, T8495, T8500, T8505, T8510, T8515, T8520, T8525, T8530, T8535, T8540, T8545, T8550, T8555, T8560, T8565, T8570, T8575, T8580, T8585, T8590, T8595, T8600, T8605, T8610, T8615, T8620, T8625, T8630, T8635, T8640, T8645, T8650, T8655, T8660, T8665, T8670, T8675, T8680, T8685, T8690, T8695, T8700, T8705, T8710, T8715, T8720, T8725, T8730, T8735, T8740, T8745, T8750, T8755, T8760, T8765, T8770, T8775, T8780, T8785, T8790, T8795, T8800, T8805, T8810, T8815, T8820, T8825, T8830, T8835, T8840, T8845, T8850, T8855, T8860, T8865, T8870, T8875, T8880, T8885, T8890, T8895, T8900, T8905, T8910, T8915, T8920, T8925, T8930, T8935, T8940, T8945, T8950, T8955, T8960, T8965, T8970, T8975, T8980, T8985, T8990, T8995, T9000, T9005, T9010, T9015, T9020, T9025, T9030, T9035, T9040, T9045, T9050, T9055, T9060, T9065, T9070, T9075, T9080, T9085, T9090, T9095, T9100, T9105, T9110, T9115, T9120, T9125, T9130, T9135, T9140, T9145, T9150, T9155, T9160, T9165, T9170, T9175, T9180, T9185, T919

264 mm 5 mm 1997 1997	85x876 x405 mm	7x	BALL BEARING ŁOŻYSKA KULKOWE	2 LOCKING ŚLIZGACZ	NON SLIP PODŁOGA ANTYPOŚLIZGOWA	CENTRAL LOCK CESTOWNY ZAMEK	125 mm
CORNER BUMPERS NARÓŻNIKI COŚCINKI	3x	UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA	2x BRAKE HAMULCE	DOUBLE WALLS POWOLIŚCIANIE			




Mercedes-Benz



-  1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 18.21, 22, 23.24 (L=38 mm); 27, 30, 32 mm (L=42 mm);
 3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 (L=28 mm); 17, 18, 19 (L=30 mm); CRV 50BV30;
 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 (L=25 mm); CRV 50BV30;
 1/4" (6.3 mm): 4, 5, 6, 7, 8, 8, 10, 11, 12, 13, 14 (L=50 mm) CRV50BV30;
 3/8" (9.5 mm): E10/E12, E4, E16;
 1/4" (6.3 mm): E4, E5, E8, ET, E8, CRV 50BV30;
 1/2" (12.7 mm): CRV 50BV30;
 3/8" (9.5 mm): CRV 50BV30;
 1/4" (6.3 mm): CRV 50BV30;
 1/2" (12.7 mm): (78, 127, 254 mm) CRV 50BV30;
 3/8" (9.5 mm): (42.78, 152.4 mm) CRV 50BV30;
 1/4" (6.3 mm): (50.6, 101.6 mm) CRV 50BV30;
 1/2" (12.7 mm): (255 mm) CRV 50BV30;
 1/4" (6.3 mm): PH1, PH2, AISI S2 / CrV 6150;
 1/4" (6.3 mm): 4, 5, 5 mm AISI S2 / CrV 6150;
 1/4" (6.3 mm): 78, 117, 18, 110, 115, 120, 125, 127, 130, 140, AISI S2 / CrV 6150;
 3/8" (9.5 mm): 120, 125, 130, 140, 145, 150, AISI S2 / CrV 6150;
 1/2" (12.7 mm): 120, 125, 127, 130, 140, 145, 150, 155, 160, 22.24 AISI S2 / CrV 6150;
 1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150;
 3/8" (9.5 mm): 4, 5, 6, 7, 8, 10 mm; 7x36 6x92 mm AISI S2 / CrV 6150;
 1/2" (12.7 mm): 4, 5, 6, 7, 8, 9, 10, 12, 14 mm; 11x50 mm AISI S2 / CrV 6150;
 1/2" (12.7 mm): M5, M6, M8, M10, M12; 34x42 mm AISI S2 / CrV 6150;
 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm; CrV;
 6x7.8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 22x24 mm; CrV;
 6, 6X6E8, E10XE12, E14XE18, E20XE24, CrV 6150;
 8.0x38, 2.0x75, 3.0x75, 6.0x100 mm; S2; PH40x75, PH1x150, PH2x38, S2, TBx75, TBx75, T10x100, T15x100, T20x160, T25x100, T27x100, T30x100 mm; S2;
 8.0x100, 6.0x150, 8.0x200 mm; PH2x100 PH2x150 mm; CrV 6150;
 Ø 500 g;
 35 mm;
 180 mm;
 T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;
 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm 7 mm; CrV 6150;
 18 mm;
 200 mm;
 140 mm;
 200 mm;
 Ø 3.8x150, 3.3x120, 5.5x130, 12x130, L 120 mm; CrV;
 M14x80mm M16x90, CrMo;
 200 mm;
 1.0 kg x 400 mm;
 20 - 200 Nm;
 8 mm, 10 mm, 13 mm;
 17 mm, 19 mm;
 14p/74 mm, 14p/84 mm;
 13LED;
 17x75 mm;
 100x17 mm;
 100x17;
 14.16 mm;
 10x10;

YATO	size (mm)		
YT-55296	958x766x465	72	1

Roller cabinet with tools



PORSCHE



- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24 (L=38 mm); 27, 30, 32 mm (L=42 mm); 3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 (L=28 mm); 17, 18, 19 (L=30 mm); CRV 50BV30;
- 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 (L=25 mm); CRV 50BV30;
- 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 (L=50 mm); CRV50BV30;
- 3/8" (9.5 mm): E10, E12, E14, E16;
- 1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;
- 1/2" (12.7 mm): CRV 50BV30;
- 3/8" (9.5 mm): CRV 50BV30;
- 1/4" (6.3 mm): CRV 50BV30;
- 1/2" (12.7 mm): (76, 127, 254 mm); CRV 50BV30;
- 3/8" (9.5 mm): (42, 76, 152, 4 mm); CRV 50BV30;
- 1/4" (6.3 mm): (50, 8, 101, 6 mm); CRV 50BV30;
- 1/2" (12.7 mm): (255 mm); CRV 50BV30;
- 1/4" (6.3 mm): PH1, PH2; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 4, 5, 5 mm; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40; AISI S2 / CrV 6150;
- 3/8" (9.5 mm): T20, T25, T30, T40, T45, T50; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T90, T30x100, T40x100, T45x100, T50x100, T55x100 mm; T60x200 mm; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150;
- 3/8" (9.5 mm): 6, 7, 8, 10 mm; 7x36 mm; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): 4, 5, 6, 7, 8, 9, 10, 12, 14 mm; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): M5, M6, M8, M10, M12, M6x100, M8x100, M10x100, M12x100 mm; AISI S2 / CrV 6150;
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm; CrV;
- 6x7.8x9; 10x11; 12x13; 14x15; 16x17; 18x19; 22x24 mm; CrV;
- E6XE8, E10XE12, E14XE16, E20XE24; CrV 6150;
- 6.0x38, 2.0x75, 3.0x75, 6.0x100 mm; S2; PH0x75, PH1x150, PH2x38, S2; T6x75, T8x75, T10x100, T15x100, T20x100, T25x100, T27x100, T30x100 mm; S2;
- 6.0x100, 8.0x150, 8.0x200 mm; PH2x100, PH2x150 mm; CrV 6150;
- Ø 500 g; 35 mm; 180 mm;
- T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150;
- 18 mm; 200 mm;
- 140 mm; 200 mm;
- Ø 3.8x150, 3.3x120, 5.5x130, 12x130, L 120 mm; CrV;
- M14x80mm, M16x80, CrMo; 200 mm;
- 1.0 kg x 400 mm;
- 20 - 200 Nm;
- 8 mm, 10 mm, 13 mm;
- 17 mm, 19 mm; 8p/38 mm, 14p/19 mm;
- 13LED; 16 mm;
- 100x17; 10x10;
- 16 mm; 17 mm;

YATO	size (mm)		
YT-55297	958x766x465	72	1

Roller cabinet with tools



- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24 (L=38 mm); 27, 30, 32 mm (L=42 mm);
- 3/8" (9.5 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16 (L=28 mm); 17, 18, 19 (L=30 mm); CRV 50BV30;
- 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 (L=25 mm); CRV 50BV30;
- 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 (L=50 mm); CRV 50BV30;
- 3/8" (9.5 mm): E10, E12, E14, E16;
- 1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;
- 1/2" (12.7 mm): CRV 50BV30;
- 3/8" (9.5 mm): CRV 50BV30;
- 1/4" (6.3 mm): CRV 50BV30;
- 1/2" (12.7 mm): (78, 127, 254 mm); CRV 50BV30;
- 3/8" (9.5 mm): (42, 76, 152, 4 mm); CRV 50BV30;
- 1/4" (6.3 mm): (50, 8, 101, 6 mm); CRV 50BV30;
- 1/2" (12.7 mm): (255 mm); CRV 50BV30;
- 1/4" (6.3 mm): PH1, PH2; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 4, 5, 5 mm; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40; AISI S2 / CrV 6150;
- 3/8" (9.5 mm): T20, T25, T30, T40, T45, T50; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150;
- 3/8" (9.5 mm): 6, 7, 8, 10 mm; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): 4, 5, 6, 7, 8, 9, 10, 12, 14 mm; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): M5, M6, M8, M10, M12; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm; CRV;
- 8, 10, 12, 13, 14, 17 mm; CRV;
- 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 22x24 mm; CRV;
- 6x8x8, E10x12, E14x18, E20x24; CrV 6150;
- 6, 8x38, 2, 3x75, 3, 3x75, 6, 8x100 mm; S2; PH0x75, PH1x150, PH2x38, S2; T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100, T30x100 mm; S2;
- 6, 8x100, 8, 8x150, 8, 8x200 mm; PH2x100, PH2x150 mm; CrV 6150;
- 500 g; 35 mm; 180 mm;
- T10, T15, T20, T25, T27, T30, T40, T45, T50; CRV 6150;
- 1, 5, 2, 2, 5, 3, 4, 5, 6, 8, 10, mm; CrV 6150;
- 1/16": 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"; CrV 6150;
- 18 mm; 200 mm;
- 140 mm; 200 mm;
- 3, 8x150, 3, 3x120, 5, 5x130, 12x130 L 120 mm; CrV;
- M14x80mm, M15x80; CrMo; 200 mm;
- 1.0 kg x 400 mm;
- 20 - 200 Nm;
- 8 mm, 10 mm, 13 mm;
- 17 mm, 19 mm; 30p/76 mm, 15p/92 mm;
- 13, LED; 3/8" (9.5 mm); 14 mm;
- 100x17; 10x10;
- 16 mm;



YATO	size (mm)		
YT-55298	958x766x465	72	1

Service tool cabinet with tools



450kg



size:
• 540x391x58mm
• 540x391x128mm
• 540x391x195mm

12 interchangeable trays with YATO tools

YT-5531



YT-5532



YT-5533



YT-5534



YT-5535



YT-5536



YT-5537



YT-5538



YT-5539



YT-5540



YT-5541



YT-5542



DRAWER / SZUFLADA 1

3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm; CrV 50BV30; 3/8" (9.5 mm): 78, 152.4 mm; CrV 50BV30; 3/8" (9.5 mm); CrV 50BV30; 3/8" (9.5 mm); (200 mm); 7/2"; CrV 6140; 3/8" (9.5 mm); (198 mm); CrV 50BV30; 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30; 1/2" (12.7 mm); (127 mm); CrV 50BV30; 1/2" (12.7 mm); CrV 50BV30; 1/2" (12.7 mm); (255 mm); 7/2"; CrV 6140; 1/2" (12.7 mm); (255 mm); CrV 50BV30; 1/2" (12.7 mm); 16, 21 mm; CrV 50BV30; 1/4" (6.3 mm); 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm; CrV 50BV30; 1/4" (6.3 mm); 8, 10, 11, 12, 13 mm; CrV 50BV30; 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 6140; 1/4" (6.3 mm); CrV 50BV30; 1/4" (6.3 mm); (155 mm); 7/2"; CrV 6140; 1/4" (6.3 mm); (150 mm); CrV 50BV30; 1/4" (6.3 mm); (152.4 mm); CrV 50BV30

DRAWER / SZUFLADA 2

3x75, 5x100, 5x150, 6x38, 6x100, 6x150, 8x150 mm; CrMo; PH0x100, PH1x75, PH1x100, PH2x38, PH2x100, PH2x150, PH3x150 mm; CrMo; 80mm; 80mm; 160 mm LONG NOSE; 160 mm BENT NOSE

DRAWER / SZUFLADA 3

22, 24, 27, 28, 30, 32 mm; CrV; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV; 1/2" (12.7 mm); 6, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm (L=76 mm); CrV 50BV30

DRAWER / SZUFLADA 4

300 g (L=300 mm); 40 mm (L=350 mm); 10x8x142 mm; 12x10x152 mm; 16x13x172 mm; H4, H5, H6, H7, H8, H10, H12 (L=30 mm); H4, H5, H6, H7, H8, H10, H12 (L=75 mm); AISI S2; M5, M6, M8, M10, M12 (L=30 mm); M5, M6, M8, M10, M12 (L=75 mm); AISI S2; T20, T25, T30, T40, T45, T50, T55 (L=30 mm); T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2; H12 (12.7 mm); 3/8" (9.5 mm); 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm; CrV

YATO	size (mm)		
YT-5530	958X766X465	78	1

Service tool cabinet with tools



DRAWER / SZUFLADA 1

Figure 1 displays two schematic diagrams of the 128- and 256-element arrays. The top diagram illustrates the 128-element array, showing a grid of elements with dimensions 127 mm by 127 mm. The bottom diagram illustrates the 256-element array, showing a grid of elements with dimensions 255 mm by 255 mm. Both diagrams include labels for various dimensions and hole sizes, such as 3/8" (9.5 mm), 1/2" (12.7 mm), and 1/4" (6.3 mm).

DRAWER / SZUFLADA 2

3x75, 5x100, 5x150, 6x38, 6x100, 6x150, 8x150 mm; CrMo;
PH0x100, PH1x75, PH1x100, PH2x38, PH2x100,
PH2x150, PH3x150 mm, CrMo, 160 mm, 160 mm,
160 mm LONG NOSE; 160 mm BENT NOSE

DRAWER / SZUFLADA 3

 22, 24, 27, 28, 30, 32 mm; CrV; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV; 1/2" (12.7 mm); 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm (L=75 mm); CrV 50BV30

DRAWER / SZUFLADA 4

300 g (L=300 mm); 40 mm (L=350 mm);
 10x8x142 mm, 12x10x152 mm, 15x13x172 mm; ○ H4, H5, H6, H7,
 H8, H10, H12 (L=75 mm); H4, H5, H6, H7, H8, H10, H12 (L=75 mm); AISI
 S2; □ M5, M6, M8, M10, M12 (L=30 mm); M5, M6, M8, M10, M12
 (L=75 mm); AISI S2; ☆ T20, T25, T30, T40, T45, T50, T55 (L=75 mm);
 T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2; □ 142 (12.7
 mm), 38" (9.5 mm) ○ 6x7, 8x9, 10x11, 12x13, 14x15, 16x17,
 18x19 mm; CrV

YATO 	size (mm)		
YT-55300	975X765X465	78	1

YT-5531



YT-5532



YT-5533



YT-5534



YT-5535



YT-5536



YT-5537



YT-5538



YT-5539



YT-5540



YT-5541



YT-5542




Service tool cabinet with tools



- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm; CrV;
- 8x10, 11x12, 13x14, 15x17 mm; CrV 6140;
- 1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV 50BV30;
- 1/2" (12.7 mm), 3/8" (9.5 mm); 63-120 mm; CrV;
- 200 mm; 140 mm;
- 190 - 770 mm; 100 mm;
- 6-24 V; 1.5 V; 9 LED
- 1/2" (12.7 mm): 20, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm);
- 3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm);
- 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
- 1/4" (6.3 mm): 8, 10, 11, 12 (L=50 mm); CrV 50BV30;
- 1/2" (12.7 mm): 10, 12, 13, 14, 17, 19 mm; CrV 50BV30;
- 1/2" (12.7 mm): 17, 19, 21 mm; CrMo SCM-440;
- 3/8" (9.5 mm): E10, E12, E14, E16, E18, 1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 6150;
- 1/2" (12.7 mm): (127, 254 mm); 3/8" (9.5 mm): (76, 152.4 mm);
- 1/4" (6.3 mm): (50.8 mm); CrV 50BV30;
- 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
- 1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
- 3/8" (9.5 mm): 16, 21 mm; CrV 50BV30; 3/8" (9.5 mm): 14 mm; CrV;
- 1/2" (12.7 mm); (255 mm); 3/8" (9.5 mm); (200 mm);
- 1/4" (6.3 mm); (155 mm); 7/2"; CrV 6140;
- 1/4" (6.3 mm); (150 mm); CrV 50BV30;
- 3/8" (9.5 mm) x 5/16" (7.9 mm); CrV 6140;
- 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
- 5/16" (7.9 mm); 5.5, 6.5 mm (L=70 mm);
- 1/4" (6.3 mm): 3, 4, 5, 5.5, 6 mm (L=25 mm); AISI S2;
- 5/16" (7.9 mm): PH1 x2, PH2 x2, PH3 (L=70 mm);
- 1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2;
- 1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=70 mm); AISI S2;
- 5/16" (7.9 mm): T20, T30, T40, T45, T50, T55, T60 (L=70 mm); AISI S2;
- 5/16" (7.9 mm): 4, 5, 6, 7, 8 mm (L=70 mm);
- 1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 mm (L=25 mm); AISI S2;
- 5/16" (7.9 mm): M5, M6, M8, M10, M12 (L=70 mm); AISI S2
- 6x38, 3x75 mm; S2;
- PH0x75, PH2x38 mm; S2;
- 6x100 mm; CrV 6150;
- PH2x100 mm; CrV 6150;
- 180 mm; CrV 50;
- 160 mm; CrV 50;
- 160 mm; LONG NOSE; CrV 6150;
- 150 mm;
- 180 mm; CrV 50;
- 180 mm; CrMo;
- 180 mm; CrV 50;
- 180 mm; CrV 50;
- 180 mm; CrV 50;
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

YATO	size (mm)		
YT-55280	905X685X455	50	1


Service tool cabinet with tools



- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24 (L=38 mm); 27, 30, 32 mm (L=42 mm); 3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 (L=28 mm); 17, 18, 19 (L=30 mm); CRV 50BV30;
- 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 (L=25 mm); CRV 50BV30;
- 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 (L=50 mm); CRV50BV30;
- 3/8" (9.5 mm): E10, E12, E14, E16;
- 1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;
- 1/2" (12.7 mm): CRV 50BV30;
- 3/8" (9.5 mm): CRV 50BV30;
- 1/4" (6.3 mm): CRV 50BV30;
- 1/2" (12.7 mm): (76, 127, 254 mm); CRV 50BV30; 1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CRV;
- 3/8" (9.5 mm): (42.76, 152.4 mm) CRV 50BV30;
- 1/4" (6.3 mm): (50.8, 101.6 mm); CRV 50BV30;
- 1/2" (12.7 mm): (255 mm); CRV 50BV30;
- 1/4" (6.3 mm): PH1, PH2; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 4, 5.5 mm; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T5, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40; AISI S2 / CrV 6150;
- 3/8" (9.5 mm): T20, T25, T30, T40, T45, T50; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150;
- 3/8" (9.5 mm): 6, 7, 8, 10 mm; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): 4, 5, 6, 7, 8, 9, 10, 12, 14 mm; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): M5, M6, M8, M10, M12; AISI S2 / CrV 6150;
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm; CrV;
- 8, 10, 12, 13, 14, 17 mm; CrV;
- 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 22x24 mm; CrV;
- E6XE8, E10XE12, E14XE18, E20XE24; CrV 6150;
- 6.0x38, 2.0x75, 3.0x75, 6.0x100 mm; S2, PH0x75, PH1x150, PH2x38, S2, T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100, T30x100 mm; S2;
- 6.0x100, 6.0x150, 8.0x200 mm; PH2x100, PH2x150 mm; CrV 6150;
- 500 g; 35 mm; 180 mm;
- T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150;
- 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"; CrV 6150;
- 18 mm; 200 mm; 140 mm;
- 200 mm; 3.8x150, 3.8x120, 5.5x130, 12x130, 120 mm; CrV;
- M14x80mm; M16x80; CrMo; 200 mm;
- 1.0 kg x 400 mm;
- 20 - 200 Nm; 3/8" (9.5 mm); 14 mm;
- 8 mm, 10 mm, 13 mm; 17 mm, 19 mm;
- 3/8" (10.0 mm); 1/2" (12.5 mm); 63-120mm; CrV;

YATO	size (mm)	
YT-55302	905X685X455	1

Service tool cabinet with tools




- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24 (L=38 mm); 27, 30, 32 mm (L=42 mm).
- 3/8" (9.5 mm): CRV 50BV30;
- 1/4" (6.3 mm): CRV 50BV30;
- 1/4" (6.3 mm): (150 mm); CRV 50BV30;
- 1/4" (150 mm); CRV 50BV30;
- 1/2" (12.7 mm); (255 mm); CRV 6140;
- 1/2" (12.7 mm); (76, 127, 254 mm); CRV 50BV30; 1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV;
- 3/8" (9.5 mm); (42, 76, 152, 4 mm); CRV 50BV30; 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;
- 1/4" (6.3 mm); (50, 8, 101, 6 mm); CRV 50BV30;
- 1/2" (12.7 mm): T20, T27, T30, T40, T45, T50, AISI S2 / CrV 6150;
- 1/2" (12.7 mm): 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150;
- 1/2" (12.7 mm): M5, M6, M8, M10, AISI S2 / CrV 6150;
- 250 mm; 160 mm; 160 mm;
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm; CrV;
- 6.0x100 mm; S2; 18 mm;
- 180 mm; PH2x100, CrV 6150;
- M14x30mm; M16x30; CrMo; 200 mm;
- 1.0 kg x 400 mm;
- 17 mm, 19 mm; 3/8" (9.5 mm); 14 mm;

21



YATO	size (mm)	
YT-55304	958x766x465	1


Mobile workbench



- 6 drawers w/o tools
- self-lock drawers, with 2 keys
- metal worktop
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	1
YT-09001	1130x570x1000	82.5	1


Mobile workbench



- 6 drawers + 6 mini drawers w/o tools
- self-lock drawers, with 2 keys
- metal worktop
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	1
YT-09003	1130x570x1000	102	1


Roller cabinet



- 6 drawers w/o tools
- self-lock drawers, with 2 keys
- plastic worktop, non-slip, max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	1
YT-0902	958x766x465	60	1

Mobile workbench



- 6 drawers w/o tools
- self-lock drawers, with 2 keys
- metal worktop
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	1
YT-09002	1130x570x1000	87	1


Roller cabinet



- 7 drawers w/o tools
- self-lock drawers, with 2 keys
- plastic worktop, non-slip, max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	1
YT-09031	958x465x766	57	1

Roller cabinet



- 7 drawers w/o tools
- self-lock drawers, with 2 keys
- plastic worktop with pulling handle, non-slip, max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	1
YT-0903	958x766x465	63	1

Roller cabinet


- 7 drawers w/o tools
- self-lock drawers, with 2 keys
- stainless steel worktop with pulling handle, non-slip, max load 450kgs
- castor wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	drawers	kg	box
YT-0904	7	65	1

Roller cabinet


drawers size:
• 540x381x58mm
• 540x381x128mm

- 7 drawers w/o tools
- self-lock drawers, with 2 keys
- plastic worktop with pulling handle, non-slip, max load 450kgs
- castor wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	box
YT-09140	990X750X450	56	1

Roller cabinet


- 3 middle drawers with ball bearings
- self-lock drawers
- plastic worktop with pulling handle, non-slip, max load 450kgs
- castor wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	box
YT-55281	905X685X455	56	1

Roller cabinet


- 7 drawers w/o tools
- self-lock drawers, with 2 keys
- wood worktop with pulling handle, non-slip, max load 450kgs
- castor wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	box
YT-09141	1110X1020X460	90	1

Roller cabinet


- 7 drawers w/o tools
- self-lock drawers, with 2 keys
- wood worktop with pulling handle, non-slip, max load 450kgs
- castor wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	box
YT-09008	995X950X550	112	1

Workshop trolley


YATO	trays	kg	box
YT-55210	3	130	1

Roller cabinet

995x680 x458mm	6x	DRAWERS LOCKING BLOKADA SZUFLAD	CENTRAL LOCK CENTRALNY ZAMEK	NON SLIP ANTI-SKID POWLOZNIENIE BLAT
300kg maks.	BALL BEARINGS ŁOŻYSKA KULKOWE	127 mm	2x BRAKE HAMULCE	2x T



YATO	trays	
YT-0913	6	1

Roller cabinet

975x765 x465mm	6x	NON SLIP ANTI-SKID POWLOZNIENIE BLAT	CORNER BUMPERS NARÓŻNIKI OGRANICZNIKI
2x T	DRAWERS LOCKING BLOKADA SZUFLAD	UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA	
BALL BEARINGS ŁOŻYSKA KULKOWE	DOUBLE WALLS POWŁOKI SŁABY	125 mm	2x BRAKE HAMULCE



YATO	drawers	
YT-55299	6	1

Aluminium Tool box



YATO	size (mm)	
YT-0881ZL	455x320x150	1

Roller cabinet

995x680 x458mm	7x	DRAWERS LOCKING BLOKADA SZUFLAD	CENTRAL LOCK CENTRALNY ZAMEK	NON SLIP ANTI-SKID POWLOZNIENIE BLAT
300kg maks.	BALL BEARINGS ŁOŻYSKA KULKOWE	127 mm	2x BRAKE HAMULCE	2x T



YATO	drawers	
YT-0914	7	1

Separate board for drawer



for YT-0902, YT-0903, YT-0904, YT-0905

YATO	size (mm)	
YT-0910	391x58x4	24
YT-0911	391x128x4	12

Dustbin



for YT-0902, YT-0903, YT-0904, YT-0905

YATO	size (mm)	
YT-0908	300x300x190	4

Bottle holder



for YT-0902, YT-0903, YT-0904, YT-0905

YATO	size (mm)	
YT-0909	250x110x80	6

Drawer insert


4 PCS	CrV
----------	-----



8" (200mm); 10" (250mm);
6" (150mm); CrMo;
10" (250mm); CrMo;

YATO	size (mm)	drawers
YT-55444	391x180	1/3

Drawer insert / Impact sockets set
35
PCS

CrMo
SCM-440


1/2" (12.5 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
 3/8" (9.5 mm): 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrMo SCM-440;
 3/8"x75mm; 1/2"x125mm; CrMo SCM-440;
 3/8"(F)x1/4"(M); 3/8"(F)x1/2"(M); 1/2"(F)x3/4"(M); CrMo SCM-440;
 1/2"(12.7mm); CrMo SCM-440;

YATO	size (mm)	drawers
YT-55446	391x180	1/3

Drawer insert / Combination spanners
16
PCS

CrV


6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19;
 20; 21 mm; CrV

YATO	size (mm)	drawers
YT-5531	391x180	1/3

Drawer insert / Bi-hexagonal ring spanner
7
PCS

CrV


6x7; 8x9; 10x11; 12x13; 14x15; 16x17; 18x19 mm; CrV

YATO	size (mm)	drawers
YT-5533	391x180	1/3

Drawer insert / Screwdrivers set
13
PCS

S2


1,4x50mm; 2,0x50mm; 2,4x50mm;
 3x75mm; 5x75mm; 6x100mm;
 PH00x50mm; PH0x50mm; PH1x50mm;
 PH0x75mm; PH1x75mm; PH2x100mm; PH3x150mm;

YATO	size (mm)	drawers
YT-55448	391x180	1/3

Drawer insert / Combination spanners
6
PCS

CrV


22; 24; 27; 28; 30; 32 mm; CrV

YATO	size (mm)	drawers
YT-5532	391x180	1/3

Drawer insert / Pliers
4
PCS

CrV


YATO	size (mm)	drawers
YT-5534	391x180	1/3

Drawer insert / Double open end spanner set and Hex key
26
PCS

CrV


6x7mm; 24x27mm; 30x32mm;
 8x10mm; 10x12mm; 11x13mm; 12x14mm; 22x23mm; CrV;
 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm; CrV 6150;
 T10, T15, T20, T25, T27, T30, T40, T45, T50mm; CrV 6150;

YATO	size (mm)	drawers
YT-55452	391x180	1/3

Drawer insert / Slotted screwdrivers spanners
7
PCS

S2


3x75; 5x100; 5x150;
 6x38; 6x100; 6x150; 8x150 mm; S2

YATO	size (mm)	drawers
YT-5535	391x180	1/3

Drawer insert / Hammers and chisels
5
PCS

CrV


300 g (L=300 mm); 40 mm (L=350 mm);

YATO	size (mm)	drawers
YT-5540	391x180	1/3

Drawer insert / Socket set

24 PCS CrV 50BV30



1/2": 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20;
21; 22; 23; 24; 27; 30; 32 mm; CrV 50BV30;
127 mm; CrV 50BV30;
1/2"; CrV 50BV30;
255 mm, 1/2", 72T; CrV 6140;
1/2"x255 mm; CrV 50BV30;
16; 21 mm, 1/2"; CrV 50BV30

YATO	size (mm)	drawers
YT-5537	391x180	1/3

Drawer insert / Deep sockets

14 PCS CrV 50BV30



1/2": 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21 mm
(L=76 mm); CrV 50BV30

YATO	size (mm)	drawers
YT-5539	391x180	1/3

Drawer insert / Bi-hexagonal ring spanner

4 PCS CrV



21x23; 24x27; 25x28; 30x32mm; CrV

YATO	size (mm)	drawers
YT-5543	391x180	1/3

Drawer insert / Phillips screwdrivers

7 PCS S2



PH0x100; PH1x75; PH1x100;
PH2x38; PH2x100; PH2x150; PH3x150 mm; S2

YATO	size (mm)	drawers
YT-5536	391x180	1/3

Drawer insert / Socket set

25 PCS CrV 50BV30



1/4": 3.5; 4.0; 4.5; 5.0; 5.5; 6.0; 7.0; 8.0; 9.0;
10.0; 11.0; 12.0; 13.0; 14.0 mm; CrV 50BV30;
1/4": 8; 10; 11; 12; 13 mm; CrV 50BV30;
50.8; 101.6 mm, 1/4"; CrV 6140;
1/4"; CrV 50BV30; 1/4" (150 mm); CrV 50BV30;
155 mm, 1/4", 72T; CrV 6140;
1/4"x152.4 mm; CrV 50BV30

YATO	size (mm)	drawers
YT-5541	391x180	1/3

Drawer insert / Files set

8 PCS CrV




8" (200mm); 中齿; 8" (200mm); 中齿; 5x180; 中齿; 5x180; 中齿; 5x180; 中齿

YATO	size (mm)	drawers
YT-55440	391x180	1/3

Drawer insert / Screwdriver bits

40 PCS S2



H4; H5; H6; H7; H8; H10; H12 (L=30 mm);
H4; H5; H6; H7; H8; H10; H12 (L=75 mm); AISI S2;
M5; M6; M8; M10; M12 (L=30 mm);
M5; M6; M8; M10; M12 (L=75 mm); AISI S2;
T20; T25; T30; T40; T45; T50; T55 (L=30 mm);
T20; T25; T30; T40; T45; T50; T55 (L=75 mm); AISI S2;
1/2"; 3/8"

YATO	size (mm)	drawers
YT-5538	391x180	1/3

Drawer insert / Socket set

22 PCS CrV 50BV30




3/8": 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16;
17; 18; 19; 20; 21; 22 mm; CrV 50BV30;
76; 152.4 mm, 3/8"; CrV 50BV30;
3/8"; CrV 50BV30;
200 mm, 3/8", 72T; CrV 6140;
3/8"x198 mm; CrV 50BV30

YATO	size (mm)	drawers
YT-5542	391x180	1/3

Drawer insert / Circlip pliers set

4 PCS CrV 50BV30



180mm; CrV50; 180mm; CrV50;
180mm; CrV50; 180mm; CrV50;

YATO	size (mm)	drawers
YT-55443	391x180	1/3

Drawer insert / Socket set
14
PCS
CrV
50BV30

NEW



3/4" (19.0 mm): 19, 21, 22, 24, 27, 28, 30, 32, 34, 36, 41, 46, 50, 55 mm

YATO
YT-55457 4

Drawer insert / Automotive workshop tools
10
PCS
CrV
NEW


□ 1/2" (12.7 mm) x 5/16" (7.9 mm);
 PH3 (L=35 mm); PH1, PH2, PH3 (L=75 mm);
 6 mm (L=35 mm); 8 mm (L=75 mm);
 12-38 mm; 3" (75 mm); 02 mm

YATO
YT-55476 4

Drawer insert / Taps and die set
35
PCS
HCS
NEW


3x: M3x0.5, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25,
 M10x1.5, M12x1.75; M3x0.5, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25,
 M10x1.5, M12x1.75; 0.5 - 1.75 mm; 27G; 28G;
 M7-M8; M3-M12

YATO
YT-55465 8

Drawer insert / Tool set
4
PCS
CrV
NEW


3/4" (19.0 mm); (200 mm); CrV 6140;
 3/4" (19.0 mm); CrV 50BV30;
 3/4" (19.0 mm); (500 mm); 72T; CrV 6140;
 3/4" (19.0 mm); (500 mm); CrV 50BV30

YATO
YT-55458 4

Drawer insert / Automotive workshop tools
5
PCS
CrV
NEW


200 mm; 135 mm;
 300, 400, 500 mm

YATO
YT-55477 4

Drawer insert / Hand riveter with rivets
6
PCS
CrMo
NEW


2.4, 3.2, 4.0, 4.8 mm;
 9.6x3.2, 9.6x4.0, 12.7x4.0, 9.6x4.8, 12.7x4.8 mm


YATO
YT-55466 8

Drawer insert / Pliers
3
PCS
CrMo **CrV**
NEW


180 mm; 250 mm;
 280 mm

YATO
YT-55472 8

Drawer insert / Steel file set
5
PCS
T12
STEEL

NEW


#2 → 200 mm;
 #2 □ → 200 mm;
 #2 △ → 200 mm;
 #2 ▽ → 200 mm;
 #2 ○ → 200 mm

YATO
YT-55453 8

Drawer insert / Go-through screwdrivers
4
PCS
CrV
NEW


6x150, 8x200, PH2x150, PH3x200 mm

YATO
YT-55469 8

Drawer insert / Tool set

23
PCS

NEW



140 mm; 200 mm;
19 mm x 20 mm; 4x190 mm; 250 V;
1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5,
6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0 mm

YATO 	
YT-55471	8

Drawer insert / Pliers

3
PCS

CrMo

CrV

NEW



250 mm; 125 mm;
300 mm

YATO 	
YT-55473	8

Drawer insert / Measuring tools

5
PCS

NEW



300 mm; 0-150 mm;
2 m;
3m x 16 mm; 0.02-1.00 mm

YATO 	
YT-55474	8

Roller trolley



YATO 	size (mm)		
YT-09101	520X320X720	17.2	1



Roller trolley



YATO 	size (mm)		
YT-09102	520x320x720	16.5	1




Chest



YATO	size (mm)	kg	box
YT-09151	690x465x400	29	1

Chest



YATO	size (mm)	kg	box
YT-09152	690x465x400	29	1

Chest



YATO	size (mm)	kg	box
YT-09155	690x465x535	38	1

组合图

YT-09061



YT-09152



YT-08922



YT-08921



YT-08920



Workbench

1500x780
x830mm

NON SLIP
ABS WORKTOP



- ABS worktop
- central cross-bar
- weight 64KG

YATO 	size (mm)		
YT-08920	1500x780x830	64	1

Connection steel pipes set



YATO 	size (mm)	
YT-09071	450x28	20

Legs for workbench



YATO 	size (mm)	
YT-08921	1400	1

Chest assembly



YATO 	size (mm)	
YT-08922	500 x100x350	2

Compartmented shelf and paper roll holder



for YT-0902, YT-0903, YT-0904, YT-0905

YATO 	size (mm)	
YT-0907	305x305x145	4

Shutter cabinet



- effective storage space: 1375x600x190mm;
- both sliding doors can be moved to opposite and locked for security;
- 10mm square mesh;
- weight: 27kg

YATO 	size (mm)	
YT-09061	1500x600x180	1


Double project center back wall



YATO 	size (mm)	
YT-09072	652X610X55	1

Tool box with tools

80 PCS	1/2"	6.3 mm	CrV S2	460x220x245 mm
CrV 6140	S2	AS-DRIVE	72T	



- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19 mm (L=38 mm);
- 1/4" (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
- 1/2" (12.7 mm): 21 mm; CrV 50BV30;
- 1/2" (12.7 mm): (255 mm); 72T; CrV 6140;
- 1/4" (6.3 mm): (150 mm); CrV 50BV30;
- 1/4" (6.3 mm) x 1/4" (6.3 mm): CrV 50BV30;
- 1/4" (6.3 mm): 3 (x2), 4 (x2), 5 (x2), 5.5 (x2), 6 (x2) mm (L=25 mm); ANSI S2;
- 1/4" (6.3 mm): PH0, PH1 (x2), PH2 (x2), PH3 (L=25 mm); ANSI S2;
- 1/4" (6.3 mm): PZ0, PZ1 (x2), PZ2 (L=25 mm); ANSI S2;
- 5x75 mm, 6x100 mm, 8x150 mm, PH1x75 mm, PH2x100 mm; S2;
- 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm;
- T10, T15, T20, T25, T27, T30, T40; CrV;
- 180 mm; CrV; 160 mm; CrV;
- 160 mm; CrV; 250 mm;
- 300 g; 18 mm; SK2; 18x0.5 mm; SK2

YATO	size (mm)		
YT-38951	460x220x245	10	1

Four wheel positioning toolbox set

53 件数	1/2"	6.3 mm	CrV S2	460x220x245 mm
CrV 6140	S2	AS-DRIVE	72T	



- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19 mm (L=38 mm);
- 1/4" (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
- 1/2" (12.7 mm): 21 mm; CrV 50BV30;
- 1/2" (12.7 mm): (255 mm); 72T; CrV 6140;
- 1/4" (6.3 mm): (150 mm); CrV 50BV30;
- 1/4" (6.3 mm) x 1/4" (6.3 mm): CrV 50BV30;
- 1/2" (12.7 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm; CrV;
- 5x75 mm, 6x100 mm, 8x150 mm, PH1x75 mm, PH2x100 mm; S2;
- 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm;
- T10, T15, T20, T25, T27, T30, T40; CrV;
- 180 mm; CrV; 160 mm; CrV;
- 160 mm; CrV; 250 mm;
- 300 g; 18 mm; SK2; 18x0.5 mm; SK2

YATO	size (mm)		
YT-38952	460x220x245	1	

Tool box with tools

63 PCS	1/2"	AS-DRIVE	12.5 mm	CrV 6140
CrV 6150	CrV 50BV30	72T		


YT-3895-1

YT-3895-2

YT-3895-3

YT-3895-4

YT-3895-5

YT-3895-6


- 1/2" (12.5 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm;
- 1/2" (12.5 mm): 21 mm; CrV 50BV30;
- 1/2" (12.5 mm): (127, 254 mm); 1/2" (12.5 mm) (76 mm); CrV 50BV30;
- 1/2" (12.5 mm): (430 mm); CrV 50BV30;
- 1/2" (12.5 mm): 255 mm; CrV 50BV30;
- 1/2" (12.5 mm): 72T; CrV 6140;
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150;
- 6x100 mm, 8x150 mm, 8x200 mm; CrV 6150;
- PH2x100 mm, PH3x150 mm, PH4x200 mm; CrV 6150;
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm

YATO	size (mm)		
YT-3895	475x230x365	1	

Tool box with tools

65 PCS	1/2" 12.5mm	CrV 508V30	CrV 6150	CrV 6140	CrMo
AS-DRIVE	72T	⊖	⊕	495x200x290 mm	



- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=36 mm); 27, 30, 32 mm (L=42 mm); CrV 508V30;
- 1/2" (12.7 mm): (76, 127, 254 mm); CrV 508V30;
- 1/2" (12.7 mm): 21 mm; CrV 508V30;
- 1/2" (12.7 mm): (255 mm); CrV 508V30;
- 1/2" (12.7 mm): (255 mm); 72T; CrV 6140;
- 1/2" (12.7 mm): (457 mm); CrV 508V30;
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm; CrV
- 5x100, 6x150, 8x200, PH1x100, PH2x150, PH3x200 mm, S2
- 180 mm; CrV;
- 160 mm; CrV; 160 mm; CrV;
- 250 mm; CrV; 180 mm; CrMo;
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

YATO	size (mm)		
YT-38950	495x200x290	10	1

Cantilever tool box



- black satin painting, resistant scratch, rusty and solvents
- 5 foldable inside trays

YATO	size (mm)	
YT-0887	475x230x365	1

Tool box

PP



- tool box with removable tray, suitable and portable for tools use, fishing use, painting use and students

YATO	size(mm)		
YT-88880	350x180x160	1060	1
YT-88881	420x210x195	1380	1
YT-88882	475x230x210	1680	1

Hermetic toolbox



YATO	size (mm)	
YT-08900	232x192x111	1/12
YT-08901	270x246x124	1/2
YT-08902	339x295x152	1/4
YT-08903	406x330x174	1/2
YT-08904	470x357x176	1/2
YT-08906	569x425x215	1/2

Pull rod type safety box



YATO	size (mm)	
YT-08905	559x351x229	1/2

Hermetic toolbox



YATO	size (mm)	
YT-08907	430x244x341	1/2

Cantilever tool box


- black satin painting, resistant scratch, rusty and solvents
- 5 foldable inside trays

YATO	size (mm)	
YT-0881	495x200x290	1

Cantilever tool box


- black satin painting, resistant scratch, rusty and solvents
- 3 foldable inside trays

YATO	size (mm)	
YT-0884	460x200x180	1

Cantilever tool box


- black satin painting, resistant scratch, rusty and solvents

YATO	size (mm)	
YT-0882	360x150x115	4

Cantilever tool box


- black satin painting, resistant scratch, rusty and solvents
- 5 foldable inside trays

YATO	size (mm)	
YT-0885	460x200x225	1

Cantilever tool box


- black satin painting, resistant scratch, rusty and solvents

YATO	size (mm)	
YT-0883	428x180x180	1

Cantilever tool box


- black satin painting, resistant scratch, rusty and solvents

YATO	size (mm)	
YT-0886	510x220x240	1