

# PRODUCT SPECIFICATION

Page:1

Revised edition no: 01

P-528 PAINT REMOVER

Effective Date: 30-6-2014

#### **DESCRIPTION**

**P-528 Paint Remover** is a very strong cold dip paint remover specially designed for removing synthetic paint finishes. P-528 is a two-phase product comprising a lower layer of strong solvent for stripping off the paint as well as an upper layer aqueous adultion designed to prevent evaporation of solvent.

#### **FEATURE**

- Excellent stripping power
- No mixing required
- Can be used on all types of metal
- Excellent bath life
- Economical

# PRECAUTION MEASURE

- (a) Corrosive to skin! Handle with extra care. Wear chemical resistant glove, goggle while handling.
- (b) Bottom layer of solvent is flammable. Keep away from spark, heat and naked flame. DO NOT smoke while handling.
- © DO NOT agitate or shake the drum before open. It will create high pressure internally.
- (d) Contains M.C. & T.C.E. DO NOT swallow or contact with skin. Refer to MSDS for first-aid measures.

### **DIRECTION FOR USE**

Pour the full drum of P-528 into a cold dip tank. If whole drum is not used, mix the content well before de-caning. Remove heavy soil / dust / dirt from the parts to be stripped. Immerse and remove stripped process will take about 2 - 15 minutes. Occasionally remove sludge from bottom tank to avoid deterioration of the product.

# **PHYSICAL PROPERTIES**

Appearance : Slightly Milky. PH value : 5.5 +/-0.5

Odor : peculiar sweet bitter odor.

Specific Gravity : 1.05 @ 25°C

## **DISPOSAL METHOD**

Dispose in accordance to incineration method.

#### SHELF LIFE

2 years in unopened container, stored in dry and cool place.

#### **PACKING**

500ml, 1000ml, 4Ltr.

#### TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



# PRODUCT SPECIFICATION Page :2 Revised edition no : 01 P-528 PAINT REMOVER Effective Date: 30-6-2014

# **Note**

All recommendations for use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge at the time such recommendations are made. As additional information is learned, these recommendations may be updated. They may also be impacted by circumstances outside our control. Notwithstanding any such recommendations, the user shall remain responsible for satisfying himself that the product as supplied by us are suitable or his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot responsibility therefore. The user shall ensure that the intended use of the products will not infringe any third party's intellectual property rights.

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com