

PRODUCT SPECIFICATION

Page:1

Revised edition no: 01

P-118 COOLING SYSTEM TREATMENT

Effective Date: 18-6-2014

DESCRIPTION

P-118 Cooling System Treatment is a product for keeping the temperature of the engine low and at the same time prevents scale build-up in the radiator. This ensures smooth running of the vehicles and prevents over heating of the engine. Anti freeze to -40°C.

SPECIFICATIONS

Appearance : Clear Liquid

Colour : Light Blue / Light Pink
Odour : Chemical Odour

Anti-Freeze : -40°C

DIRECTIONS FOR USE

A) Remove dirty or rusty water via opening of the valve at the bottom of radiator.

- B) Spray clean water from hose into the raditor to remove excess rust or dirt.
- C) Close valve and add P-118 into circulating system to full tankor add 1000ml then add water to full.
- D) Start engine and circulate coolant for a few minutes.

SAFETY PRECAUTION

Avoid prolonged contact with skin or eyes. If accidentally in contact, flush immediately with plenty of clean water.

STORAGE

Store in cool place and away from direct sunlight and heat.

Note

All recommendations for use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge at the time such recommendations are made. As additional information is learned, these recommendations may be updated. They may also be impacted by circumstances outside our control. Notwithstanding any such recommendations, the user shall remain responsible for satisfying himself that the product as supplied by us are suitable or his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot responsibility therefore. The user shall ensure that the intended use of the products will not infringe any third party's intellectual property rights.

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com