Revised edition no : 01

P-627 ANTI -TERMITE PAINT

Effective Date: 14-7-2014

1 Identification of the Product and the company

	Chemical Name Type of product chemical family Producer Emergency phone nr	: Anti-termite Paint : N/A : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia. Tel: 607-8675798 Fax: 607-8675799 Website: www.koyachemicals.com Email: admin@koyachemicals.com : See producer
2	Hazard Identification	
	Skin Contact Eye Contact Inhalation Ingestion	 This product is irritation when contact with skin. Irritation when contact with eyes. When solutions of this product are swallowed, it can cause irritation to the mouth, esophagus and stomach. Cause slight irritation to the mouth, esophagus and stomach. Amount ingested incidental to industrial handling are not likely to cause injury, however, ingestion of large amounts may cause injury.
3	Composition / Information on Ingredier	nts
	Hazardous ingredients	: Hydrocarbon 50 - 70%
4	First Aid Measures	
	Eye Contact Skin Contact	 : Flush with cool running water, lifting the upper and lower eyelids occasionally until discomfort is relieved. : Not expected to present a significant skin hazard under anticipated condition of normal use.
	Ingestion	 Not expected to present a significant ingestion hazard under anticipated condition of normal use. Treatment base on judgment of physician in response to reaction of patient.
5	Fire-Fighting Measures	
	Flash Point (Tag Closed Tester) Fire Hazard Extinguishing media	 Below 80°C Product is water based and in wet form, its fire hazard is low. The dried product is combustible, decomposition products can be toxic. Water, powder, CO2, sandall extinguishing media are suitable. Protective clothing and seld-contained breathing equipment should be available for firemen. To prevent environmental damage, if possible collect water used to extinguish the fire in containers.



Page :2

Revised edition no : 01

P-627 ANTI -TERMITE PAINT

6 Accidental Release Measures

	Personal protection	: Wear PVC-gloves and goggles to contain spillage.
	Environment precautions	Avoid repeated skin contact : Prevent the product contaminating soil and groundwater. Prevent the product enetring sewers and waterways.
	Cleaning / recovery	Cfr. Section 12. : Large spillages ; contain and pump into containers. Small spillages : absorb on sand, earthand collect into containers for disposal. Disposal should always comply with local, national or EEC regulations. Cfr. Section 13.
7	Handling and Storage	
	Handling	: Good industrial and personal hygiene practice should be followed. No eating and drink in the workplace. Ensure adequate ventilation.
	Storage	: Storage temperature : between +5 and +40°C. Protect from frost and direct sunlight.
	Specific use	 Drums and bottles : material is plastic or steel. Bulk tanks : stainless steel, plastic coated materialsClean bulk tanks periodically to prevent accumulation of bacteria. Use the best available methods of handling our Products whereby the employees enjoy maximum safety and whereby the environment is minimally affected.
8	Exposure Controls / Personal Protection	on
	Exposure limit values	: No danger in normal ambient conditions. There are no specific limiting values for professional exposure. There are no biological limiting values. User should determine the conditions for safe use of the product. Cfr. Section 7 "Handling and Storage".
	Exposure controls:	Section 7 Thanding and Storage .
	- Occupational exposure controls	: Respiratory protection : not applicable Hand protection : waterproof PVC-gloves (CE) Eye protection : goggles or safety glasses (CE) Skin protection : N/A Avoid repeated skin contact.
	- Environmental exposure controls	: The product must not be discharge directly into drains or waterways without treatment.
9	Physical and Chemical Properties	
	Flash point (°C) Vapor Pressure (mm hg) Vapor Density (Air=1) Thinning Specific Gravity (H20=1) Percent Volatile by Weight Evaporation Rate	: below 80°C : N/A : >1 : Turpentine : 1.10 : 50 : 50



MATERIAL SAFETY DATA SHEET

P-627 ANTI -TERMITE PAINT

Page :3

Revised edition no : 01

Effective Date: 14-7-2014

10 Stability and Reactivity

Conditions to avoid	: Stable under the recommended storage conditions. Cfr. Section 7 "Storage' Bacterial degradation can occur if the Product is stored for an unuasually
Materials to avoid Hazardous decomposition pro	long period or is stored under unsuitable conditions.
1 Toxicological Information	
On product	: Low toxicity is indicated by available data. Under normal industrial conditions, there is no indication that the Product can be considered as a health risk. Skin contact should be avoided to prevent possible long-term or short-term sensitation.
2 Ecological Information	
Ecotoxicity	: The Product is soluble with water and as such could cover considerable distances if spilled into waterways. Even a small spillage will whiten the Appearance of water. Water for sewage treatment, that has been contaminated. with small quantities of the Product, will not affect the biomass. High concentrations may be harmful to fish and micro organisms.
3 Disposal Considerations	
 CHEMICALS MANUFACTUF Empty packaging should be ta contractor. Care should in any case be ta This product is not suitable for 	lies to the product as supplied rials may well indicate another route of disposal. If in doubt, contact local TLC-KOYA RING SDN BHD or local authorities. aken for recycling, recovery or disposal through a suitably quantified or licensed aken to ensure compliance with national and local regulations. or disposal by either landfill or via municipal sewers, drains, and natural streams, the relationaship between livings things, plants and their environment.

General Information

: This Product is not regulated for regulated for road/rail & sea transport.



P-627 ANTI -TERMITE PAINT

Page :4

Revised edition no : 01

Effective Date: 14-7-2014

15 Regulatory Information

Classification and Labeling	: Classification / symbol - not regulated
Governinig directive	: Occupational safeety and Health (Classification, Packaging and Labeling of Hazardous Chemicals) Regulations 1997
Safety advice	 May contain information ix excess of requirements under applicable laws. S23 Do not breathe gas/fumes/vapor/spray S24 Avoid contact with skin S33 Take precautionary measures against static discharges S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
16 Other information	
Further information	: None
Print date	: 14-7-2014
N/A - Not Applicable	N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such reommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.