



Hardness Testing

Equotip Piccolo 2 - Bambino 2

Entry model of Leeb D/DL probe with integrated display



Resolution & depth

Fully integrated and handy Leeb D/DL hardness tester with a compact and robust housing.

Ideally suited for quick on-site hardness tests.



Versatility

Compact housing and automatic angle correction allow flexible use and can be automated (Piccolo 2 only).



User Experience

Comes with the high accuracy known for all Equotip products.





Processing Unit / Sensor

Native Scale	HLD /HLDL
Available Scales	HB, HV, HRB, HRC, HS, MPA (Equotip Piccolo 2 only)
Available Probes	Leeb D / DL
Average Roughness Ra (μm / μinch)	2 / 80
Minimum Mass (kg / lbs)	0.05 / 0.2
Minimum Thickness (mm / inch)	3 / 0.12
Instrument Firmware	Automatic compensation for impact direction Integration in automated testing environments (incl. remote control): Equotip Piccolo 2 only Language independent
Pc Software	Piccolink software (Equotip Piccolo 2 only)
Display	Monochrome 4-digit
Memory	32 KB (~ 2'000 readings) (Equotip Piccolo 2 only)
Connections	USB interface to PC
Measuring Range	150 – 950 HL
Measuring Accuracy	± 4 HL (0.5% at 800 HL)
Coefficient of variation	± 4 HL (0.5% at 800 HL)