

FAST AND EFFICIENT CLEANING WITH KARCHER SCRUBBER

Maintaining cleanliness in large areas such as warehouses, factory areas, shopping centers and wide areas are never easy. With Karcher range of scrubbers, the cleaning jobs can be done quickly and easily. Karcher range of scrubber machines are German engineered to clean and dry floors efficiently and effectively.



Single disc scrubber

Cleaning area:
50 to 500m²

Suitable for cleaning:

Small and medium-sized areas that are largely or mostly clear of objects, e.g. supermarkets, corridors and hallways, shopping centres.

Properties:

- High versatility
- Easy to operate
- Attractive price-performance ratio
- Robust & long-lasting



Compact scrubber drier

Cleaning surface:
200 to 1,000 m²

Suitable for cleaning:

Small surfaces that are full of objects and furniture, e.g. bistros, boutiques, service stations, showrooms, spa areas, GP surgeries, kitchens, bakeries

Properties:

- High manoeuvrability
- Mobility (transport)
- Low weight
- Runtimes of up to 3 hours



Walk-behind scrubber drier

Cleaning surface:
400 to 5,000 m²

Suitable for cleaning:

Medium-sized surfaces that are largely or mostly clear of objects, e.g. retail, sports halls, corridors and hallways, educational institutions, swimming pools, entrance halls

Properties:

- Good control of the result
- Extremely safe thanks to easy handling
- Runtimes of up to 5.5 hours

Ride-on scrubber drier

Cleaning surface:
1,200 to 30,000 m²

Suitable for cleaning:


Large surfaces that are mostly clear of objects, e.g. storage spaces, production halls, shopping centres, multi-storey car parks, trade fairs, airports

Properties:

- High area performance
- Long runtimes of up to 6 hours
- High operating comfort for effortless working





THE PERFECT MACHINE FOR EVERY AREA SIZE.




BRUSH HEAD & SQUEEGEE SELECTION

Brush head with disc engineering




- Particularly for unstructured floor coverings
- Ideal for delicate floors
- Low level of brush wear
- Particularly quiet running

Brush head with roller technology




- Particularly for structured floor coverings
- High contact pressure
- For heavily soiled surfaces
- Sweeping function
- Self-cleaning effect of the rollers
- Good corner cleaning

Straight squeegees



- Particularly for crevice-free floor coverings
- Easy to adjust
- Sufficient for numerous floor coverings

Curved/V-shape squeegees



- Particularly for floor coverings with joints
- Optimum joints drying
- Improved coarse dirt pick-up (V-shape)



Compact Scrubbers



BD 17/5 C



BDS 43/150 C Classic



BDP 50/1500 C



BR 30/1 C Bp Pack



BR 30/4 C

Technical data					
Working width of brushes (mm)	170	430	560	300	300
Max. area performance (m ² /h)	-	-	900	200	200
Fresh/dirty water tank (l)	-	10 / -	-	1 / 0.7	4 / 4
Rated input power (W)	120 / Corded	1500 / Corded	1100 / Corded	80 / Battery	820 / Corded
Brush rotational speed (rpm)	470	150	1500	500 / 650	1450
Order no.	1.737-107.0	1.291-247.0	1.291-141.0	1.783-050.0	1.783-220.0



BR 30/4 C Bp



BR 40/10 C I



BR 35/12 C Bp Pack



BR 38/12 C Bp Pack

Technical data				
Working width of brushes (mm)	300	400	350	380
Max. area performance (m ² /h)	200	400	1400	1520
Fresh/dirty water tank (l)	4 / 4	10 / 10	12 / 12	12 / 12
Rated input power (W)	550 / Battery	2300 / Corded	500 / Battery	500 / Battery
Brush rotational speed (rpm)	1270	1100	700 / 1500	180
Order no.	1.783-234.0	1.783-316.0	1.783-467.0	1.783-430.0

Walk-behind Scrubbers



BD 50/60 C Classic Ep



BD 50/50 C Classic Bp



BD 70/75 W Classic Bp



BD 80/100 W Classic Bp

Technical data				
Working width of brushes (mm)	510	510	705	810
Max. area performance (m ² /h)	2040	2040	3195	3645
Fresh/dirty water tank (l)	60 / 60	50 / 50	75 / 75	100 / 100
Rated input power (W)	1100 / Corded	1100 / Battery	1850 / Battery	1900 / Battery
Brush rotational speed (rpm)	180	155	180	180
Order no.	1.127-002.0	1.127-007.0	1.127-013.0	1.127-012.0

Ride-on Scrubbers



BD 50/70 R Bp Classic



B 90 R Classic Bp



BD 90/160 R Classic Bp

Technical data			
Working width of brushes (mm)	510	750	900
Max. area performance (m ² /h)	2805	4500	5400
Fresh/dirty water tank (l)	70 / 70	90 / 90	160 / 160
Battery runtime (h)	max. 3	max. 2.5	NA
Rated input power (W)	max. 1400 / Battery	max. 2200 / Battery	NA / Battery
Brush rotational speed (rpm)	155	160	100-190
Brush contact pressure (kg)	19.5	38	30
Order no.	1.161-076.0	0.300-463.0	1.246-041.0

Scrubbers - Sweeper



B 250 R Bp



B 300 R ID

Technical data			
Working width of brushes (mm)	1000	1045 - 1400	
Max. area performance (m ² /h)	8000	16550	
Fresh/dirty water tank (l)	250 / 250	300 / 300	
Battery runtime (h)	max. 6	-	
Rated input power (W)	up to 5200 / Battery	- / Diesel	
Brush rotational speed (rpm)	600 - 1200	460	
Brush contact pressure (kg)	260	25 - 150	
Order no.	1.480-231.2	0.300-281.0	