



**BATTERY CHARGER PORTABLE POWER
DRILLING
FASTENING
TRANSPORTATION
CARPENTRY
CONCRETE
METALWORKING
OUTDOOR POWER EQUIPMENT
JOBSITE CLEANUP
PLUMBING & MECHANICAL
ELECTRICAL & POWER UTILITY
LASER
LIGHTING
SYSTEM ENHANCEMENT
JOBSITE APPAREL
HANDTOOLS
PACKOUT & STORAGE
PERSONAL PROTECTIVE EQUIPMENT
ACCESSORIES**



ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898

M18 REDLITHIUM[™] FORGE[™]



M18 REDLITHIUM[™] FORGE[™] 12.0Ah BATTERY

REDLINK[™] INTELLIGENCE

Provides optimum performance and prevents overheating

IMPROVED THERMAL MANAGEMENT

Runs 35% cooler than High Output[™] 12.0 in high demanding applications



BATTERY FUEL GAUGE

Displays remaining battery life with readability in direct sunlight



COOL-CYCLE[™] CAPABLE

High-speed cooling feature works with COOL-CYCLE[™] capable charger

RUBBER OVERMOLD

Protects pack for longest life

SIZE/WEIGHT

- Length: 147.3mm
- Height: 104.1mm
- Width: 86.4mm
- Weight: 1.5kg

WATER PROTECTION BARRIER

Patented ingress coating routes water away from electronics and out of battery

RESISTANT HOUSING

Protection against common oils, greases and solvents

MOST POWER



- ✓ RUNS 35% COOLER THAN HIGH OUTPUT[™] 12.0

FASTEST CHARGING



W/ M18[™] DUAL BAY SUPER CHARGER

- ✓ 35 MIN FOR M18 FB12, 25% FASTER CHARGING THAN M18 HB12
- ✓ HIGH SPEED COOL-CYCLE[™] CHARGING FOR M18 FB8 AND M18 FB12

LONGEST LIFE



- ✓ ADVANCED THERMAL MANAGEMENT
- ✓ RESISTANT TO OILS, GREASES & SOLVENTS
- ✓ LONGER CYCLE LIFE

ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898



NEW

REDLITHIUM **FORGE**

MOST POWER
FASTEST CHARGING
LONGEST LIFE

VS REDLITHIUM HIGH OUTPUT™



REDLITHIUM



FITS M18 TOOLS

ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898

MX FUEL

MX FUEL REDLITHIUM FORGE 12.0Ah BATTERY PACK

MXF HD812

Capacity	12.0Ah
Battery Type	Lithium-Ion
Length (mm)	274
Width (mm)	180
Height (mm)	117
Weight (kg)	6.0



MX FUEL REDLITHIUM FORGE 8.0Ah BATTERY PACK

MXF XC608

Capacity	8.0Ah
Battery Type	Lithium-Ion
Length (mm)	274
Width (mm)	180
Height (mm)	96
Weight (kg)	4.4



MX FUEL REDLITHIUM 6.0 BATTERY PACK

MXF XC406

Capacity	6.0 Ah
Battery Type	Lithium-Ion
Length (mm)	269
Width (mm)	183
Height (mm)	107
Weight (kg)	4.8



MX FUEL REDLITHIUM 3.0Ah BATTERY PACK

MXF CP203

Capacity	3.0 Ah
Battery Type	Lithium-Ion
Length (mm)	262
Width (mm)	102
Height (mm)	107
Weight (kg)	2.7



MX FUEL SUPER CHARGER

MXF SC

Charge Time CP203 Battery (min)	45
Charge Time XC406 Battery (min)	45
Charge Time XC608 Battery (min)	45
Charge Time HD812 Battery (min)	65
Cool Cycle Capable	Yes
Weight (kg)	9.0



MX FUEL FAST CHARGER

MXF FC

Charge Time CP203 Battery (min)	45
Charge Time XC406 Battery (min)	50
Charge Time XC608 Battery (min)	65
Charge Time HD812 Battery (min)	100
Cool Cycle Capable	Yes
Weight (kg)	2.3



MX FUEL CHARGER

MXF C

Charge Time CP203 Battery(min)	45
Charge Time XC406 Battery (min)	90
Charge Time XC608 Battery (min)	110
Charge Time HD812 Battery (min)	160
Cool Cycle Capable	No
Weight (kg)	2.7



MX FUEL 3600W/1800W PORTABLE POWER SUPPLY

MXF PS

Starting Wattage (W)	3600
Running Wattage (W)	1800
Number of Outlets	2
Weight w/ 2 XC406 Battery Packs (kg)	28.2
Integrated Charger	Yes



M18

M18 REDLITHIUM FORGE 12.0Ah BATTERY PACK

M18 FB12

Voltage	18V
Capacity	12.0Ah
Battery Type	Lithium-Ion
Weight (kg)	1.5



M18 REDLITHIUM FORGE 8.0Ah BATTERY PACK

M18 FB8

Voltage	18V
Capacity	8.0Ah
Battery Type	Lithium-Ion
Weight (kg)	1.1



M18 REDLITHIUM FORGE 6.0Ah BATTERY PACK

M18 FB6

Voltage	18V
Capacity	6.0Ah
Battery Type	Lithium-Ion
Weight (kg)	0.93



M18 REDLITHIUM HIGH OUTPUT 12.0Ah BATTERY PACK

M18 HB12

Voltage	18V
Capacity	12.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	1.7



M18 REDLITHIUM HIGH OUTPUT 8.0Ah BATTERY PACK

M18 HB8

Voltage	18V
Capacity	8.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	1.1



M18 REDLITHIUM HIGH OUTPUT 6.0Ah BATTERY PACK

M18 HB6

Voltage	18V
Capacity	6.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	1.1



M18 REDLITHIUM HIGH OUTPUT 3.0Ah BATTERY PACK

M18 HB3

Voltage	18V
Capacity	3.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	0.6



M18 REDLITHIUM 5.0Ah BATTERY PACK

M18B5

Voltage	18V
Capacity	5.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	0.7



M18 REDLITHIUM 5.0Ah RESISTANT BATTERY PACK

M18 B5-CR

Voltage	18V
Capacity	5.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	0.7



M18 REDLITHIUM 4.0Ah BATTERY PACK

M18B4

Voltage	18V
Capacity	4.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	0.7



M18 REDLITHIUM 2.0Ah BATTERY PACK

M18B2

Voltage	18V
Capacity	2.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	0.4



M18 DUAL BAY SUPER CHARGER

M18 DBSC

System	M18
Charging Time	M18 B2 27 min
	M18 B4 48 min
	M18 B5 63 min
	M18 HB3 35 min
	M18 HB6 60 min
	M18 HB8 45 min
	M18 HB12 60 min
	M18 FB6 25 min
Weight (kg)	2.5



M18 6-BAY PACKOUT FAST CHARGER

M18 PC6

System	M18
Charging Time	M18 B2 26 min
	M18 B4 47 min
	M18 B5 59 min
	M18 HB3 35 min
	M18 HB8 83 min
	M18 HB12 130 min
	M18 FB6 62 min
Weight (kg)	4.1



M18 DUAL BAY FAST CHARGER

M18 DFC

System	M18
Charging Time	M18 B2 26 min
	M18 B4 47 min
	M18 B5 59 min
	M18 HB3 35 min
	M18 HB8 83 min
	M18 HB12 130 min
	M18 FB6 62 min
Weight (kg)	1.8



M12 M18 RAPID CHARGE STATION

M12-18C3

System	M12 / M18
Charging Time	M18 B2 26 min
	M18 B5 59 min
	M18 HB3 35 min
	M18 HB8 87 min
	M18 HB12 130 min
Weight (kg)	3.8



M12 M18
RAPID CHARGER

System	M12 / M18	
Charging Time	M18 B2	26 min
	M18 B5	59 min
	M18 HB3	35 min
	M18 HB8	87 min
	M18 HB12	130 min
	M18 FB6	62 min
Weight (kg)	0.7	



M12-18FC

M12 M18
CHARGER

System	M12 / M18	
Charging Time	M18 B2	40 min
	M18 B5	100 min
	M18 HB3	65 min
	M18 HB8	167 min
	M18 HB12	250 min
	M18 FB6	115 min
Weight (kg)	0.7	



M12-18C

M12 M18
VEHICLE CHARGER

System	M12 / M18	
Charging Time	M12 B3	90 min
	M12 B6	165 min
	M18 B2	70 min
	M18 B5	140 min
	M18 FB6	136 min
Weight (kg)	0.7	



M12-18AC

M18
POWER SUPPLY

System	M18
Length (mm)	83
USB Port	2.1 Amps
Weight w/ 2.0Ah Battery Pack (kg)	1.0



M18 USB PS HJ2

M12

M12 REDLITHIUM
HIGH OUTPUT 5.0Ah BATTERY PACK

M12 HB5

Voltage	12V
Capacity	5.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	0.4



M12 REDLITHIUM
HIGH OUTPUT 2.5Ah BATTERY PACK

M12 HB2.5

Voltage	12V
Capacity	2.5 Ah
Battery Type	Lithium-Ion
Weight (kg)	0.2



M12 REDLITHIUM
6.0Ah BATTERY PACK

M12B6

Voltage	12V
Capacity	6.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	0.4



M12 REDLITHIUM
4.0Ah BATTERY PACK

M12B4

Voltage	12V
Capacity	4.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	0.4



M12 REDLITHIUM 3.0Ah BATTERY PACK

M12B3

Voltage	12V
Capacity	3.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	0.2



M12 REDLITHIUM 2.0Ah BATTERY PACK

M12B2

Voltage	12V
Capacity	2.0 Ah
Battery Type	Lithium-Ion
Weight (kg)	0.2



M12 CHARGER

C12C

System	M12	
Charging time	M12 B2	40 min
	M12 B3	70 min
	M12 B4	80 min
	M12 B6	130 min
Weight (kg)	0.5	



M12 TRAVEL CHARGER

M12 TC

System	M12	
Charging time	M12 B2	174 min
	M12 B4	347 min
	M12 B6	525 min
Weight (kg)	0.2	



SUPER, RAPID & STANDARD CHARGING SOLUTIONS



CHARGE
FASTER
with **SUPERCHARGER**

REDLITHIUM[™]
FORGE



M18 FB12

45 mins **SUPER[®]**

130 mins **RAPID**

231 mins **STANDARD**

CHARGE TIME

	SUPER	RAPID				STANDARD			
FEATURES	M18 DBSC	M12-18FC	M18 DFC	M18PC6	M12-18C3	M12-18C	M12-18AC	C12C	M12 TC
M18 Ports	2	1	2	6	3	1	1		
M12 Ports		1			3	1	1	1	1
USB Ports				1					1
Charge Type	Simultaneous	Sequential	Simultaneous	2 Packs Simultaneous	3 Packs Simultaneous	Sequential	Sequential	Single	Single
Power Source	AC	AC	AC	AC	AC	AC	DC	AC	AC or USB
Carry Handle				✓	✓				
Wall Mountable	✓	✓	✓	✓	✓	✓	✓	✓	

VZ

	M18 REDLITHIUM [™] FORGE			REDLITHIUM [™] HIGH OUTPUT [™]										
DUAL BAY SUPER CHARGER M18 DBSC	45 min	45 min	25 min	60 min	45 min	60 min	35 min	63 min	48 min	27 min	N/A	N/A	N/A	N/A
RAPID CHARGER M12-18FC	130 min	83 min	62 min	130 min	83 min	65 min	35 min	59 min	47 min	26 min	103 min	60 min	67 min	28 min
STANDARD CHARGER M12-18C	231 min	162 min	115 min	250 min	162 min	123 min	65 min	100 min	80 min	40 min	134 min	77 min	67 min	43 min

*Estimated charge durations based on testing conducted by Milwaukee tool at room temperature. Actual results may vary.

ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898