



**BATTERY CHARGER PORTABLE POWER
DRILLING
FASTENING
TRANSPORTATION
CARPENTRY
CONCRETE
METALWORKING
OUTDOOR POWER EQUIPMENT
JOBSITE CLEANUP
PLUMBING & MECHANICAL
ELECTRICAL & POWER UTILITY
LASER
LIGHTING
SYSTEM ENHANCEMENT
JOBSITE APPAREL
HANDTOOLS
PACKOUT & STORAGE
PERSONAL PROTECTIVE EQUIPMENT
ACCESSORIES**



ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898



28MM HEX BREAKER

MXF DH2528H

Chuck Size	28mm HEX
Impact Energy (J)	64
Full Load Hammer Action (bpm)	1300
Vibration (m/s ²)	5.17
Weight w/ XC406 Battery Pack (kg)	29.6





BREAKER TROLLEY

MXF DHT

Length (mm)	492
Width (mm)	550
Height (mm)	1078
Weight (kg)	15.7



ACCESSORIES FOR MX FUEL 28MM HEX BREAKER

Description	Total Length (mm)	Blade Width (mm)	Shank	Part No.	Image
Point Chisel	400	N/A	28mm Hex	4932459774	
Flat Chisel	400	35	28mm Hex	4932459775	
Wide Chisel	400	80	28mm Hex	4932459776	
Spade Chisel	400	125	28mm Hex	4932459777	
Asphalt Cutter	400	90	28mm Hex	4932459778	
Tamping Plate Holder	N/A	N/A	28mm Hex	4932459779	
Tamping Plate	200	200	N/A	4932459780	

M18

M18 FUEL 32MM SDS-PLUS D-HANDLE ROTARY HAMMER

M18 FHACOD32

Voltage	18V
Impact Energy (J)	4.9
Max. Hammer Rate (bpm)	4600
No Load Speed (rpm)	800
Max. Drilling Concrete (mm)	32
Max. Drilling Steel (mm)	13
Max. Drilling Wood (mm)	30
Vibration Drilling (m/s ²)	10.5
Vibration Chiseling (m/s ²)	9.4
Weight w/ 5.0Ah Battery Pack (kg)	5.3



M18 FUEL 32MM HAMMERVAC DUST EXTRACTOR

M18 FDDEL32

Voltage	18V
Max. Drill Bit Diameter (mm)	32
Max. Drill Bit Length (mm)	260
Max. Drilling Depth (mm)	203
Stroke Length (mm)	203
Weight (kg)	1.9



MX FUEL

MX FUEL 350MM CUT-OFF SAW

MXF COS350G2

No Load Speed (rpm)	5370
Disc Diameter (mm)	350
Max. Cutting Depth (mm)	124
Arbor Size (mm)	20/25.4/27
Weight w/ XC608 Battery Pack (kg)	13.3
*Model Replacement	MXF COS350G2



MX FUEL 350MM CUT-OFF SAW CART

MXF COSCG2

Water Tank Capacity (L)	15
Maximum Loading Weight (kg)	85
*Model Replacement	MXF COSCG2



ACCESSORIES FOR MX FUEL 350MM CUT-OFF SAW

Type	Disc Diameter (mm)	Thickness (mm)	Bore Size (mm)	Part No.	Image
Premium Diamond Blade for Concrete	350	2.7	25.4	4932471985	
Diamond Blade for Concrete	350	3.3	25.4	4932471986	
Diamond Blade for Soft Concrete	350	3.3	25.4	4932471987	
SteelHead	350	3	25.4	4932471988	

MX FUEL PLATE COMPACTOR

MXF PC50

Centrifugal Force (kN)	16
Max Travel Speed (m/min)	26
Gradeability	25°
Plate Dimensions (mm)	574 x 500
Weight w/ HD812 Battery Pack (kg)	79



MX FUEL 350MM CORE DRILL WITH STAND

MXF DCD350DD
MXF DCD350DR

Bit Capacity (mm)	356
Spindle Size	1-1/4"-7 UNC
No Load Speed (rpm)	389/847/1,652/2,233
Adaptor Size (mm)	A-Rod (32.0 mm)
Weight w/ HD812 Battery Pack (kg)	26.4



MX FUEL 152MM / 6" HANDHELD CORE DRILL

MXF DCD150

Bit Capacity	152mm / 6"
Spindle Size	1-1/4"-7 UNC & 1/2" G
Speed	
Low (rpm)	800
High (rpm)	1600
Adaptor Size (mm)	A-Rod (32.0 mm)
Weight w/ CP203 Battery Pack (kg)	10.3



MX FUEL CORE DRILL STAND

MXF DR255TV

Length (mm)	467
Width (mm)	276
Height (mm)	892
Weight (kg)	13.2



M18 FUEL 26MM SDS-PLUS ROTARY HAMMER (3-MODE)

M18 FH / M18 FHXL

Voltage	18V
Impact Energy (J)	2.7
Max. Hammer Rate (bpm)	0-4800
No Load Speed (rpm)	0-1330
Max. Drilling Concrete (mm)	26
Max. Drilling Steel (mm)	13
Max. Drilling Wood (mm)	28
Vibration Drilling (m/s ²)	12.87
Vibration Chiseling (m/s ²)	13.41
Weight w/ 5.0Ah Battery pack (kg)	4.1/4.3 (FIXTEC)



M18 FUEL 26MM HAMMERCAC COMPACT DEDICATED DUST EXTRACTOR

M18 FCDDEXL

Voltage	18V
Max. Drill Bit Diameter (mm)	16 / 26
Max. Drill Bit Length (mm)	160
Max. Drilling Depth (mm)	96
Stroke Length (mm)	96
Weight (kg)	1.3



M18 FUEL 32MM SDS-PLUS ROTARY HAMMER (3 MODE)

M18 FHP / M18 FHPX

Voltage	18V
Impact Energy (J)	5
Max. Hammer Rate (bpm)	0-4600
No Load Speed (rpm)	0-800
Max. Drilling Concrete (mm)	32
Max. Drilling Steel (mm)	13
Max. Drilling Wood (mm)	30
Weight w/ 5.0Ah Battery Pack (kg)	4.7/4.9 (FIXTEC)



M18 FUEL HAMMERCAC 26MM DEDICATED DUST EXTRACTOR

M18 FDDDEXL

Voltage	18V
Max. Drill Bit Diameter (mm)	26
Max. Drill Bit Length (mm)	210
Max. Drilling Depth (mm)	152
Stroke Length (mm)	152
Weight (kg)	1.9



M18 FUEL 8 KG SDS-MAX DRILLING AND BREAKING HAMMER

M18 FHM

Voltage	18V
Impact Energy (J)	11
Max. Hammer Rate (bpm)	0-2900
No Load Speed (rpm)	0-380
Max. Drilling Concrete (mm)	45
Max. Drilling Core Bit (mm)	150
Max. Drilling Tunnel Bit (mm)	65
Vibration Drilling (m/s ²)	9.4
Vibration Chiseling (m/s ²)	9.4
Weight w/ 12.0Ah Battery Pack (kg)	10.2



M18 FUEL HAMMERCAC 32MM DEDICATED DUST EXTRACTOR

M18 FPDDEXL

Voltage	18V
Max. Drill Bit Diameter (mm)	32
Max. Drill Bit Length (mm)	260
Max. Drilling Depth (mm)	203
Stroke Length (mm)	203
Weight (kg)	2.0



M18 FUEL OVERHEAD 16MM SDS-PLUS ROTARY HAMMER AND INTEGRATED DUST EXTRACTOR

M18 FHAFH16

Voltage	18V
Impact Energy (J)	2.3
Max. Hammer Rate (bpm)	4740
No Load Speed (rpm)	1310
Max. Drilling Concrete (mm)	16
Max. Drilling Bit Length (mm)	165
Max. Drilling Depth (mm)	100
Weight w/ 3.0Ah Battery Pack (kg)	3.2



M18 FUEL 1.2 M NEEDLE CONCRETE VIBRATOR

M18 FCVN12

Voltage	18V
Vibrations Per Minute (VPM)	0-12500
Vibrator Diameter (mm)	25
Flexible Shaft Length (m)	1.2
Weight w/ 5.0Ah Battery Pack (kg)	4.7



M18 FUEL 2.4 M NEEDLE CONCRETE VIBRATOR

M18 FCVN24

Voltage	18V
Vibrations Per Minute (VPM)	0-12500
Vibrator Diameter (mm)	25
Flexible Shaft Length (m)	2.4
Weight w/ 5.0Ah Battery Pack (kg)	6.2



M18 FUEL 230MM CUT OFF SAW

M18 FCOS230

Voltage	18V
No Load Speed (rpm)	0-6600
Disc Diameter (mm)	230
Max. Cutting Depth (mm)	85
Arbor Size (mm)	22.2
Weight w/ 12.0Ah Battery Pack (kg)	6.2



M18 COMPACT SDS-PLUS ROTARY HAMMER (2-MODE)

M18 BH

Voltage	18V
Impact Energy (J)	1.2
Max. Hammer Rate (bpm)	0-7000
No Load Speed (rpm)	0-1300
Max. Drilling Concrete (mm)	16
Max. Drilling Steel (mm)	10
Max. Drilling Wood (mm)	16
Vibration Drilling (m/s ²)	10.3
Weight w/ 4.0Ah Battery Pack (kg)	2.5



M18 26MM BRUSHLESS SDS-PLUS D-HANDLE ROTARY HAMMER

M18 BLHACD26

Voltage	18V
Impact Energy (J)	2.6
Max. Hammer Rate (bpm)	4600
No Load Speed (rpm)	1270
Max. Drilling Concrete (mm)	26
Max. Drilling Steel (mm)	13
Max. Drilling Wood (mm)	28
Vibration Drilling (m/s ²)	17.39
Vibration Chiseling (m/s ²)	13.15
Weight w/ 5.0Ah Battery Pack (kg)	3.1



M12

M12 FUEL SDS-PLUS ROTARY HAMMER (2-MODE)

M12 CH

Voltage	12V
Impact Energy (J)	1.1
Max. Hammer Rate (bpm)	0-6575
No Load Speed (rpm)	0-900
Max. Drilling Concrete (mm)	13
Max. Drilling Steel (mm)	10
Max. Drilling Wood (mm)	13
Vibration Drilling (m/s ²)	4.4
Weight w/ 6.0Ah Battery Pack (kg)	1.9



M12 HAMMervac UNIVERSAL DUST EXTRACTOR

M12 UDEL

Voltage	12V
Max. Drill Bit Diameter (mm)	30
Max. Drill Bit Length (mm)	210
Max. Drilling Depth (mm)	203
Stroke Length (mm)	203
Weight w/ 2.0Ah Battery Pack (kg)	2.2

