



**BATTERY CHARGER PORTABLE POWER
DRILLING
FASTENING
TRANSPORTATION
CARPENTRY
CONCRETE
METALWORKING
OUTDOOR POWER EQUIPMENT
JOBSITE CLEANUP
PLUMBING & MECHANICAL
ELECTRICAL & POWER UTILITY
LASER
LIGHTING
SYSTEM ENHANCEMENT
JOBSITE APPAREL
HANDTOOLS
PACKOUT & STORAGE
PERSONAL PROTECTIVE EQUIPMENT
ACCESSORIES**



ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898

MOST VERSATILE **DURABLE** MODULAR STORAGE SYSTEM



MILWAUKEE PACKOUT
Jobsite Storage Totes

MILWAUKEE PACKOUT
Organizers

MILWAUKEE PACKOUT
Tool Boxes

MILWAUKEE PACKOUT
Rolling Tool Box



ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898

PACKOUT ROLLING STORAGE

ROLLING TOOL BOX



- IMPACT RESISTANT BASE
- 9" ALL TERRAIN WHEELS
- IP65 RATED PROTECTION

PART #	DESCRIPTION	WEIGHT CAPACITY	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8426	PACKOUT Rolling Tool Box	113 kg	485	371	353
48-22-8427	PACKOUT Low Profile Rolling Tool Box	113 kg	485	371	353

2-WHEEL CART



- STACK OR HANG
- 10" FLAT-FREE WHEELS
- CAPACITY 182 KG

PART #	DESCRIPTION
48-22-8415	PACKOUT 2-Wheel Cart

ROLLING TOOL CHEST



- DUAL STACK TOP
- IMPACT RESISTANT BASE
- 9" ALL-TERRAIN WHEELS
- PROTECTIVE LID SEAL
- 132 LITER CAPACITY

PART #	DESCRIPTION	WEIGHT CAPACITY	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8428	PACKOUT Rolling Tool Chest	113 kg	825	495	305

DOLLY



- LOCKING CASTERS
- QUICKSTOP LOADING LEVER
- SMOOTH ROLL WHEELS

PART #	DESCRIPTION	WEIGHT CAPACITY
48-22-8410	PACKOUT Dolly	113 kg



PACKOUT HARD STORAGE

DRAWER TOOL BOXES



- LOCKING SECURITY BAR
- 23KG WEIGHT CAPACITY
- IMPACT RESISTANT BODY

PART #	DESCRIPTION	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8442	PACKOUT 2-Drawer	414	318	127
48-22-8443	PACKOUT 3-Drawer	414	318	76
48-22-8444	PACKOUT 4-Drawer	414	318	58
48-22-8447	PACKOUT Multi Depth 3 Drawer	414	318	64/127

TOOL CASE WITH CUSTOMIZABLE INSERT



- IMPACT RESISTANT BASE
- IP65 RATED PROTECTION
- CUSTOMIZE YOUR INSERT

PART #	DESCRIPTION	WEIGHT CAPACITY	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8450	PACKOUT Tool Case with Customizable Insert	34 kg	482	320	114

PART #	DESCRIPTION
48-22-8451	PACKOUT Customizable Foam Insert
48-22-8452	Customizable Foam Insert for PACKOUT 2 & 3-Drawer
48-22-8453	Customizable Low Profile Foam Insert for PACKOUT 4-Drawer & Multi-Depth 3-Drawer

PACKOUT HARD STORAGE

TOOL BOXES

- IMPACT RESISTANT BODY
- INTERIOR ORGANIZER TRAY
- IP65 RATED PROTECTION



PART #	DESCRIPTION	WEIGHT CAPACITY	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8424	PACKOUT Tool Box	34 kg	500	335	114
48-22-8425	PACKOUT Large Tool Box	45 kg	500	335	216
48-22-8429	PACKOUT XL Tool Box	45 kg	485	371	353



COMPACT TOOL BOX

- IMPACT RESISTANT BASE
- QUICK-ADJUST DIVIDERS
- IP65 RATED PROTECTION



PART #	DESCRIPTION	WEIGHT CAPACITY	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8422	PACKOUT Compact Tool Box	34 kg	229	363	269



TOOL CADDY

- STACK OR STORE
- STORES INSIDE: ROLLING TOOL CHEST, ROLLING TOOL BOX, XL TOOL BOX, LARGE TOOL BOX
- QUICK-ADJUST DIVIDERS
- IMPACT RESISTANT BODY WITH METAL REINFORCED HANDLE



PART #	DESCRIPTION
48-22-8045	PACKOUT Tool Caddy



CRATE

- IMPACT RESISTANT BASE
- STACK OR HANG
- CAPACITY 23 KG



PART #	DESCRIPTION	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8440	PACKOUT Crate	406	335	234



TOOL CABINET

- SECURE HANG OR STACK
- QUICK ACCESS DOOR
- IMPACT RESISTANT BODY



PART #	DESCRIPTION	WEIGHT CAPACITY
48-22-8445	PACKOUT Cabinet	23 kg



PACKOUT ORGANIZERS

ORGANIZERS

- IMPACT RESISTANT BASE
- IP65 RATED PROTECTION
- NO-TRAVEL BIN SEALS



PART #	DESCRIPTION	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8430	PACKOUT Organizer	457	305	99
48-22-8435	PACKOUT Compact Organizer	203	305	99

DEEP ORGANIZER

- IMPACT RESISTANT BASE
- IP65 RATED PROTECTION
- QUICK-ADJUST DIVIDERS



PART #	DESCRIPTION	WEIGHT CAPACITY	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8432	PACKOUT Deep Organizer	23kg	457	305	139

LOW-PROFILE ORGANIZERS

- IMPACT RESISTANT BASE
- IP65 RATED PROTECTION
- NO-TRAVEL BIN SEALS



PART #	DESCRIPTION	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8431	PACKOUT Low-Profile Organizer	457	305	46
48-22-8436	PACKOUT Low-Profile Compact Organizer	203	305	46



PACKOUT SOFT STORAGE

TOTES

- TEAR RESISTANT MATERIAL
- IMPACT RESISTANT BASE
- ALL METAL HARDWARE



PART #	DESCRIPTION	TOOLS POCKETS
48-22-8310	PACKOUT 10" Tote	28
48-22-8315	PACKOUT 15" Tote	31
48-22-8320	PACKOUT 20" Tote	32

TECH BAG

- TEAR RESISTANT MATERIAL
- IMPACT RESISTANT BASE
- OPTIMIZED STORAGE CAPACITY



PART #	DESCRIPTION
48-22-8300	PACKOUT Tech Bag

STRUCTURED BAGS

- TEAR-RESISTANT LAYERED MATERIAL
- REINFORCED STRUCTURE HOLDS SHAPE
- 23KG CAPACITY



PART #	DESCRIPTION	TOOLS POCKETS
48-22-8311	PACKOUT 10" Structured Tote	35
48-22-8316	PACKOUT 15" Structured Tool Bag	65

TOOL BAGS

- TEAR RESISTANT MATERIAL
- IMPACT RESISTANT BASE
- ALL METAL HARDWARE



PART #	DESCRIPTION
48-22-8321	PACKOUT 15" Tool Bag
48-22-8322	PACKOUT 20" Tool Bag

BACK PACK

- TEAR RESISTANT MATERIAL
- IMPACT RESISTANT BASE
- OPTIMIZED STORAGE CAPACITY



PART #	DESCRIPTION
48-22-8301	PACKOUT Backpack



PACKOUT COOLERS AND DRINKWARES

15L COMPACT COOLER

- IMPACT RESISTANT BASE
- IP65 RATED PROTECTION
- HOLDS ICE FOR 30 HOURS



PART #	DESCRIPTION	WEIGHT CAPACITY	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8460	PACKOUT 15L Compact Cooler	15L	198	241	330

XL COOLER

- HOLDS ICE FOR 5 DAYS
- IP65 RATED PROTECTION
- 38 LITER CAPACITY (HOLDS 48 CANS)
- REMOVABLE INTERIOR TRAY



PART #	DESCRIPTION	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT
48-22-8462	PACKOUT XL Cooler	406	267	318
48-22-8041	Divider for PACKOUT XL Cooler			

INSULATED BOTTLES WITH CHUG LID

- PACKOUT CONNECTIVITY. TWIST TO LOCK
- ALL-DAY HOT & COLD RETENTION
- IMPACT RESISTANT BODY



PART #	DESCRIPTION
48-22-8382R	PACKOUT 530ml Insulated Bottle - Red
48-22-8382B	PACKOUT 530ml Insulated Bottle - Black
48-22-8396R	PACKOUT 710ml Insulated Bottle - Red
48-22-8396B	PACKOUT 710ml Insulated Bottle - Black
48-22-8397R	PACKOUT 1060ml Insulated Bottle - Red
48-22-8397B	PACKOUT 1060ml Insulated Bottle - Black
48-22-8388	PACKOUT Chug Lid
48-22-8399	PACKOUT Twist to Lock Mount

COOLER

- HOLDS ICE FOR 24 HOURS
- IMPACT RESISTANT BASE
- ALL METAL HARDWARE



PART #	DESCRIPTION
48-22-8302	PACKOUT Cooler

TUMBLERS

- DOUBLE WALL VACUUM INSULATION FOR BOTH HOT AND COLD RETENTION
- ROTATING MAGNETIC CLOSURE FOR EASY OPEN/ CLOSE
- 18/8 STAINLESS STEEL FOR DURABILITY



PART #	DESCRIPTION
48-22-8392B	PACKOUT 591ml Tumbler - Black
48-22-8393B	PACKOUT 887ml Tumbler - Black
48-22-8392R	PACKOUT 591ml Tumbler - Red
48-22-8393R	PACKOUT 887ml Tumbler - Red



PACKOUT SURFACES

CUSTOMIZABLE WORK TOP

- FASTENER READY
- CAPACITY 23 KG
- IMPACT RESISTANT BODY



PART #	DESCRIPTION
48-22-8488	PACKOUT Customizable Work Top



PACKOUT MOUNTING

SHELVES

- METAL-REINFORCED FRAME
- VERSATILE MOUNTING
- QUICK RELEASE LEVERS
- IMPACT RESISTANT BODY



PART #	DESCRIPTION	WEIGHT CAPACITY
48-22-8480	PACKOUT Shelving Kit	23 kg
48-22-8481	PACKOUT Shelf	23 kg
48-22-8482	Vertical E-Track for PACKOUT Shelf	

MOUNTING PLATE

- MULTIPLE MOUNTING OPTIONS
- IMPACT RESISTANT BASE
- ALL METAL HARDWARE



PART #	DESCRIPTION	WEIGHT CAPACITY
48-22-8485	PACKOUT Mounting Plate	45 kg (Floor) / 23 kg (Wall)

WALL PLATES

- IMPACT RESISTANT BODY
- QUICK ALIGNMENT TABS
- METAL REINFORCED MOUNTING POINTS (FOR GEN 1) / TRACKS (FOR GEN 2)



PART #	DESCRIPTION	WALL MOUNTED WEIGHT CAPACITY	TRANSIT WEIGHT CAPACITY
48-22-8486	PACKOUT Compact Wall Plate Gen 1	23kg	11kg
48-22-8496	PACKOUT Compact Wall Plate Gen 2	23kg	11kg
48-22-8487	PACKOUT Large Wall Plate Gen 1	68kg	34kg
48-22-8497	PACKOUT Large Wall Plate Gen 2	68kg	34kg



PACKOUT MOUNTING ACCESSORIES AND BINS

M18™ BATTERY RACK

- SECURE LOCKING MECHANISM
- CLIP-IN BATTERY STORAGE
- QUICK ACCESS ORGANIZATION



STORES



FITS ALL M18 BATTERIES

MODEL #	DESCRIPTION
48-22-8339	PACKOUT M18™ Battery Rack

MAGNETIC BIN

- SECURE LOCKING MECHANISM
- ANTI-SLIP RUBBER GRIPS
- QUICK ACCESS TOOL CLAMPS
- STORES IN:
PACKOUT LOW-PROFILE ORGANIZER
PACKOUT COMPACT LOW-PROFILE ORGANIZER



STORES



MODEL #	DESCRIPTION
48-22-8070	PACKOUT 4" x 4" Magnetic Bin
48-22-8071	PACKOUT 4" x 8" Magnetic Bin

COMPACT SHELF

- SECURE LOCKING MECHANISM
- 9KG WEIGHT CAPACITY
- QUICK ACCESS ORGANIZATION



STORES



CAN OF PAINT
STORAGE BINS
AND MORE

MODEL #	DESCRIPTION
48-22-8347	PACKOUT Compact Shelf



PACKOUT MOUNTING ACCESSORIES AND BINS

TOOL STATION

- SECURE LOCKING MECHANISM
- QUICK ACCESS TOOL SLOTS
- IMPACT RESISTANT BODY
- FITS M18 & M12 RAPID CHARGER ON TOP SHELF



STORES



MODEL #	DESCRIPTION
48-22-8343	PACKOUT Tool Station

LONG HANDLE TOOL RACK

- SECURE LOCKING MECHANISM
- QUICK ACCESS TOOL SLOTS
- ANTI-SLIP RUBBER GRIPS
- 23 KG WEIGHT CAPACITY



STORES



PLIERS RACK

- SECURE LOCKING MECHANISM
- QUICK ACCESS BARS
- 6.8 KG WEIGHT CAPACITY



STORES



MODEL #	DESCRIPTION
48-22-8349	PACKOUT Long Handle Tool Rack

MODEL #	DESCRIPTION
48-22-8340	PACKOUT Tool Rack

M12™ BATTERY RACK

- SECURE LOCKING MECHANISM
- CLIP-IN BATTERY STORAGE
- QUICK ACCESS ORGANIZATION



STORES



MODEL #	DESCRIPTION
48-22-8338	PACKOUT M12™ Battery Pack

SCREWDRIVER RACK

- SECURE LOCKING MECHANISM
- 34 MULTI-SIZE SLOTS
- 6.8 KG WEIGHT CAPACITY



STORES



MODEL #	DESCRIPTION
48-22-8341	PACKOUT Screwdriver Rack

ROLL HOLDER

- SECURE LOCKING MECHANISM
- QUICK ROLL REPLACEMENT LATCH™
- 2.3 KG WEIGHT CAPACITY



STORES



ORGANIZER CUP

- SECURE LOCKING MECHANISM
- QUICK ACCESS ORGANIZATION
- 4.5 KG WEIGHT CAPACITY



STORES



MODEL #	DESCRIPTION
48-22-8337	PACKOUT Roll Holder

MODEL #	DESCRIPTION
48-22-8336	PACKOUT Organizer Cup

PACKOUT MOUNTING ACCESSORIES AND BINS

HOOKS

- SECURE LOCKING MECHANISM
- REINFORCED HOOK MAINTAINS SHAPE
- HANGS ON PACKOUT PLATES
- PROTECTIVE ANTI-SLIP RUBBER GRIPS



MODEL #	DESCRIPTION	STORES
48-22-8330	PACKOUT Straight Utility Hook	Outdoor Power Equipment, Multiple Long Tools, and More
48-22-8331	PACKOUT Curved Utility Hook	Cords, Sledge Hammers, and More
48-22-8332	PACKOUT Large Hook	Ladders, Cords, and More
48-22-8333	PACKOUT Large S Hook	Shovels, Outdoor Power Equipment, and More
48-22-8334	PACKOUT Small Straight Utility Hook	Power Tools, Hand Tools, and More
48-22-8335	PACKOUT Small Curved Utility Hook	Hand Tools, Tool Bags, and More



4" SINGLE STRAIGHT HOOK

- SECURE LOCKING MECHANISM
- REINFORCED HOOK MAINTAINS SHAPE
- 6.8KG WEIGHT CAPACITY



STORES



MODEL #	DESCRIPTION
48-22-8328	PACKOUT 4" Single Straight Hook

7-HOOK ROW

- SECURE LOCKING MECHANISM
- REINFORCED HOOK MAINTAINS SHAPE
- 11KG WEIGHT CAPACITY



STORES



MODEL #	DESCRIPTION
48-22-8329	PACKOUT 7-Hook Row

NESTING BINS

- HANGS ON PACKOUT PLATES
- STORES IN:
PACKOUT ORGANIZER
PACKOUT COMPACT ORGANIZER
- INTERIOR ORGANIZATION TRAY AND DIVIDER
- IMPACT RESISTANT BODY



MODEL #	DESCRIPTION
48-22-8062	4" x 4" Nesting Regular Organizer Bin (2PK)
48-22-8063	4" x 8" Nesting Regular Organizer Bin (2PK)

MAGNETIC RACK

- 3 MAGNETIC FACES
- SECURE LOCKING MECHANISM
- QUICK ACCESS ORGANIZATION



STORES



MODEL #	DESCRIPTION
48-22-8346	PACKOUT Magnetic Rack

BELT CLIP RACK

- SECURE LOCKING MECHANISM
- REINFORCED RACK MAINTAINS SHAPE
- 9KG WEIGHT CAPACITY



STORES



MODEL #	DESCRIPTION
48-22-8344	PACKOUT Belt Clip Rack

LONG HANDLE TOOL HOLDER

- SECURE LOCKING MECHANISM
- ANTI-SLIP RUBBER GRIPS
- NON-MARRING MAGNETIC DISH
- QUICK ACCESS MAGNETIC DISH



STORES



MODEL #	DESCRIPTION
48-22-8348	PACKOUT Long Handle Tool Holder

COMPACT WALL BASKET

- SECURE LOCKING MECHANISM
- QUICK ACCESS ORGANIZATION
- 9KG WEIGHT CAPACITY



STORES



MODEL #	DESCRIPTION
48-22-8342	PACKOUT Compact Wall Basket



PACKOUT™

MODULAR STORAGE SYSTEM




SHOP



SITE



TRANSIT



SOFT STORAGES & TOOL BOXES

BACKPACK

- 1680D BALLISTIC MATERIAL
- REINFORCED BASE
- RUGGED METAL ZIPPERS



PART #	DESCRIPTION
48-22-8201	Ultimate Jobsite Backpack
48-22-8200	Jobsite Backpack
48-22-8202	Low-Profile Backpack
48-22-8620	Tradesman Backpack

JOBSITE TECH BAG

- 1680D BALLISTIC NYLON
- MOLDED BASE
- INTERGRATED RAIN FLY



PART #	DESCRIPTION
48-22-8210	Jobsite Tech Bag

JOBSITE COOLER

- 1680D BALLISTIC MATERIAL
- 2X THE INSULATION
- LEAK-PROOF LINER



PART #	DESCRIPTION
48-22-8250	Jobsite Cooler

PARACHUTE ORGANIZER & BUCKET ORGANIZER

- 1680D CONSTRUCTION
- OPEN BUCKET DESIGN
- WATER RESISTANT BASE



PART #	DESCRIPTION
48-22-8170	Parachute Organizer Bag
48-22-8175	Bucket Organizer Bag

TOOL BELTS

- 1680D BALLISTIC NYLON
- RIVETED SEAMS
- STANDUP BASE



PART #	DESCRIPTION
48-22-8110	Electricians Work Belt
48-22-8120	Contractor Work Belt w/ Suspension Rig
48-22-8140	Tool Belt accessory - Padded Work Belt
48-22-8121	Tool Belt accessory - Carpenters Pouch
48-22-8122	Tool Belt accessory - 3 Tier Material Pouch
48-22-8111	Tool Belt accessory - Compact Electricians Work Pouch
48-22-8149	Tool Belt accessory - Hammer Loop
48-22-8145	Tool Belt accessory - Padded Rig

POUCHES

- 1680D BALLISTIC MATERIAL
- QUICK-ATTACH BELT LOOP
- RIVETED SEAMS



PART #	DESCRIPTION
48-22-8112	Electrician's Pouch
48-22-8118	Compact Utility Pouch
48-22-8119	Utility Pouch
48-22-8180	Zipper Pouch
48-22-8193	3-Pack Zipper Pouches

POWER UTILITY STORAGE

- UTILITY BUCKET
- UNDERGROUND OVAL BAG
- AERIAL TOOL APRON



PART #	DESCRIPTION
48-22-8270	Utility Bucket
48-22-8275	Underground Utility Oval Bag
48-22-8276	Aerial Utility Oval Bag
48-22-8290	Lineman's Aerial Tool Apron



PACKOUT COMPATIBLE PRODUCTS

M18 PACKOUT LIGHT / CHARGER

M18 POALC

Voltage	18V		
Modes	High	Medium	Low
Lumens	3000	1500	1000
Runtime on 5.0Ah Battery (H)	4	8	12
AC (V)	110-240		
M18 Battery Charger	Yes		
Weight without Battery Pack (kg)	5.5		



M18 PACKOUT RADIO + CHARGER

M18 PRC

Voltage	18V
Run Time (h)	3 (5.0Ah)
Power (Watt)	90
M18 Battery Charge Current (A)	3.5
USB Charging Output (V/A)	2.1
Weight (kg)	10.5



M18 6-BAY PACKOUT FAST CHARGER

M18 PC6

Voltage	18V	
Charging Time	M18B2	26 min
	M18B4	47 min
	M18B5	59 min
	M18 HB3	35 min
	M18 HB8	83 min
	M18 HB12	130 min
Weight (kg)	4.1	



M18 FUEL PACKOUT WET/DRY VACUUM

M18 FPOVCL

Voltage	18V
Air Volume (L/m)	1416
Max. Vacuum (mbar)	117
Capacity (L)	9.5
Weight w/ 5.0Ah Battery Pack (kg)	5.9



M12 PACKOUT AREA LIGHT

M12 POAL

Voltage	12V
Modes	High / Medium / Low
Lumens	1400 / 700 / 350
Run Time (6.0A)	6 / 9 / 17 hrs
Run Time (4.0A)	4 / 7 / 12 hrs

