



CORDLESS LITHIUM-ION TOOLS



STANLEY cordless drills are designed for strong performance, quality and precision.

The lithium-ion range also boasts about their compact size and light weight. Well suited for challenging drilling and screw driving tasks, the range is essential for the tradesman.

ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898



TOWER UP AND DRILL

COMPACT, LIGHTWEIGHT & DURABLE



30NM MAX TORQUE

Delivering class leading professional performance

20 TORQUE POSITIONS & 2 SPEED SELECTOR

Controlled torque & speed for precision in multiple applications

LED LIGHT

To perform jobs efficiently in low-light spaces

BATTERY STATUS INDICATOR

Lets you know battery status to work efficiently

COMPACT & ERGONOMIC DESIGN

Rubber overmould handle for increased comfort

+33% LONGER RUNTIME*

Improved 2.0Ah battery for longer runtime


12V HAMMER DRILL DRIVER
12V DRILL DRIVER
SCH10 & SCD10



PROFESSIONAL
PERFORMANCE



COMPACT DESIGN



33%
CONVENIENT &
EFFICIENT

ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898

SCREWDRIIVER

SCS4K 4V Max Screwdriver



- 90min fast USB charger ensures capable run time
- High working efficiency and precise performance
- 4.5Nm torque to meet the general application request
- Pivot design for quick in-straight and pistol operation
- 0.4kg ultra light weight for comfort use



SPECIFICATIONS

Voltage	4 V
Battery Chemistry	Li-Ion
No Load Speed	0 - 220 RPM
Max Torque	4.5 Nm
Chuck Type	6.35 mm (1/4")

DRILL DRIVER

SCD121S2K 12V Max Drill Driver



- Class leading drilling speed : 0-400/ 1500 RPM
- Powerful torque (26Nm) for drilling and screw driving
- 20 torque settings for precise control
- Powerful motor for longer durability
- Switch durability, chuck durability for minimum down time
- Durable battery and charger
- Compact design and light weight for easy handling
- Rubber handle for long duration fatigue free usage
- Variable switch on handle for better control
- LED for working in dark places

SPECIFICATIONS

Voltage	12 V
Battery Chemistry	Li-Ion
No Load Speed	0 - 1500 RPM
Max Torque	26 Nm
Chuck Capacity	10 MM
Max Drilling Capacity In Wood	20 MM
Max Drilling Capacity In Metal	10 MM
Weight Without Battery	1 KG
Battery Type	2 x 1.5Ah Battery

SCD10D2K 12V Max Tower Up Drill Driver



- Improved torque, durability and reduced vibration for higher productivity
- Lightweight tower-up battery pack designed for maximum comfort
- 30Nm max torque delivering class leading controlled performance
- Rubber overmould handle for increased comfort
- 20 torque positions & 2 speed selector for precision in multiple applications
- Battery status indicator lets you know battery status to work efficiently
- LED light to perform jobs efficiently in low-light spaces

SPECIFICATIONS

Voltage	12 V
Battery Chemistry	Li-Ion
No Load Speed	0 - 1500 RPM
Max Torque	30 Nm
Chuck Capacity	10 MM
Max Drilling Capacity In Wood	20 MM
Max Drilling Capacity In Metal	10 MM
Weight Without Battery	1 KG
Battery Type	2 x 2Ah Battery

IMPACT DRIVER

SCI121S2 12V Max Impact Driver



- 6.35mm Hex Quick Chuck Easy to change bits
- Powerful DC Motor Maximum Performance
- Bright LED Work Light Improve Visibility
- Ergonomics Handle Maximum Comfortable
- Variable Switch Easy to Control
- 1.5Ah Battery High Quality Cells

SPECIFICATIONS

Voltage	12 V
Battery Chemistry	Li-Ion
No Load Speed	0 - 2500 RPM
Impact Rate	0 - 3400 IPM
Max Torque	110 Nm
Chuck Type	6.35 mm (1/4")
Weight Without Battery	1 KG
Battery Type	2 x 1.5Ah Battery

HAMMER DRILL DRIVER

SCH121S2 12V Max Hammer Drill Driver



- Class leading drilling speed : 0-400/ 1500 RPM
- Powerful torque (26Nm) for drilling and screw driving
- 20 torque settings for precise control
- Powerful motor for longer durability
- Switch durability, chuck durability for minimum down time
- Durable battery and charger
- Compact design and light weight for easy handling
- Rubber handle for long duration fatigue free usage
- Variable switch on handle for better control
- LED for working in dark places

SPECIFICATIONS

Voltage	12 V
Battery Chemistry	Li-Ion
No Load Speed	0 - 1500 RPM
Impact Rate	0 - 22500 IPM
Max Torque	26 Nm
Chuck Capacity	10 MM
Max Drilling Capacity In Wood	20 MM
Max Drilling Capacity In Metal	10 MM
Max Drilling Capacity In Masonry	8 MM
Weight Without Battery	1 KG
Battery Type	2 x 1.5Ah Battery

SCH121S1H 12V Max Hammer Drill Driver with 48pcs Professional Hand Tools Combo Set



48pcs Power Tool and Hand Tools Combo Set

10 pcs Screwdriver Bits Set	Screwdriver Handle	8" Adjustable Wrench
9 pcs Socket Set	18mm Cutter Knife	10" Pocket Hacksaw
9 pcs Folding Hex Key Set	6" Long Nose Plier	7oz Steel Handle Hammer
6 pcs Precision Screwdriver Set	6" Combination Plier	3mx13mm Stanley Tape
Charger	SCH121 Power Tool	Lithium Battery
#1x100mm Phillips Screwdriver	5mmx100mm Slotted Screwdriver	Test Pencil
Tray		Toolkit Box
Battery Type		1 x 1.5Ah Battery

SCH10D2K 12V Max Tower Up Hammer Drill Driver



- Improved torque, durability and reduced vibration for higher productivity
- Lightweight tower-up battery pack designed for maximum comfort
- 30Nm max torque delivering class leading controlled performance
- Rubber overmould handle for increased comfort
- 20 torque positions & 2 speed selector for precision in multiple applications
- Battery status indicator lets you know battery status to work efficiently
- LED light to perform jobs efficiently in low-light spaces

SPECIFICATIONS

Voltage	12 V
Battery Chemistry	Li-Ion
No Load Speed	0 - 1500 RPM
Max Torque	30 Nm
Chuck Capacity	10 MM
Max Drilling Capacity In Wood	20 MM
Max Drilling Capacity In Metal	10 MM
Max Drilling Capacity In Masonry	8 MM
Weight Without Battery	1 KG
Battery Type	2 x 2Ah Battery

SAW

SCR121S2K 12V Max Reciprocating Saw



- Powerful motor delivering increased power 0-2700 SPM for faster cutting
- 20mm stroke length for longer cutting for a variety of applications
- Tool free adjustable blade for controlled depth of cut and easier use
- Compact light weight design with impact resistant housing

SPECIFICATIONS

Voltage	12 V
Battery Chemistry	Li-Ion
Stroke Per Min	0 - 2700 SPM
Stroke Length	20 MM
Weight Without Battery	1.1 KG
Battery Type	2 x 1.5Ah Battery

BATTERY

SCB12S 12V Max 1.5Ah Battery



CHARGER

SC122 12V Max Cup Charger



SPECIFICATIONS

Charger Type	Cup Charger
Battery Voltage	10.8/12V Max
Output current	12V /1.25A
Charge time	70min
Charge Temp. range	0-40
Battery failure detection	Yes

SB10D 12V Max Tower Up 2.0Ah Battery



SC101 12V Max Tower Up 1.5A Charger



SPECIFICATIONS

Battery Voltage	12 V
Output Current	0.3 A
Approx. Charge Time	80 Min