

# CONCRETE



Highly durable and best-in-class performance – two traits of the STANLEY Concrete range. While the full range of rotary hammers with the SDS-Plus chuck configuration provides excellent power to weight ratio, the demolition hammers with a choice between SDS-Max and Hex Chuck is designed to give comfort during long usages. The tile cutter comes also with a wet kit variant.



#### **ROTARY HAMMER**

#### SHR243KA 24mm 780W 3 Mode SDS Plus Hammer with Stanley Bits



- 780W high performance motor for powerful drilling solutions
- Excellent drilling speed from 6~14mm concrete drilling applications
- · Good chipping capability for light chipping applications
- · Class leading 40+ hours of consistent durability
- Precisely designed internal parts offering smooth running for longer duration

Rated Power	780 V	
No Load Speed	0 - 1250 RPA	
No Load Beats	0 - 4670 BPN	
Impact Energy	3.1	
Max Drilling Capacity In Co	ncrete 24 MN	
Chuck Type	SDS Plu	
Weight	2.6 KG	

#### SHR263KA 26mm 800W 3 Mode SDS Plus Hammer with Stanley Bits



STA54401 (1pc) - SDS PLUS POINT chisel 14mm x 250mm

- 800W high performance motor for powerful drilling solutions
- Good chipping capability for light chipping applications
   Durability
- · Class leading 42+ hours of consistent durability
- Precisely designed internal parts offering smooth running for longer duration

#### Ergonomics

 10-15% more &1 0-15% light weight than tradesman competition

Stanley Brand high Drill Bits and Chisel

Rated Power	800 \
Rated Power	8001
No Load Speed	0 - 1150 RPI
No Load Beats	0 - 4300 BPI
Impact Energy	3.4
Max Drilling Capacity In Co	ncrete 26 Mil
Chuck Type	SDS Plu
Weight	2.6 K

### STHR272K 26mm 850W 5kg L-Shape Hammer



- Powerful 850W Motor For High Drilling Speed
- 4.1J Of Impact Energy For High Impact Energy For 12-16mm Drilling & Good Chipping
- Safety Clutch Unique Safety Feature To Prevent End-User From Sudden Shock In Case Of Drill Bit Jam/Re-Bar

Rated Power	850 W
No Load Speed	0 - 700 RPM
No Load Beats	0 - 3400 BPM
Impact Energy	4.1 J
Max Drilling Capacity In Concret	e 26 MM
Chuck Type	SDS Plus
Weight	5.1 KG

#### BREAKER

#### STHM5KHV 5KG 17mm Hex Chipping Hammer



- 1010W Powerful Motor Delivers Outstanding Chipping And Chiseling Performance
- Anti-Vibration System For Low Vibration And More Comfort
- Rubber Coated Back Handle Design For Improved Comfort In Use

SPECIFICATIONS	
Rated Power	1010 W
No Load Beats	2900 BPM
Impact Energy	8.5 J
Chuck Type	17mm HEX
Weight	6.1 KG

#### STHM10K 10KG SDS-Max Demolition Hammer



- Powerful 1600W Motor For Light-Heavy Duty Demolition, Chipping & Chiseling Applications
- · SDS Max Chuck For Easy Accessory Availability
- Rubber Grip For Comfortable Long Duration Usage
- Service indicator identifies Brush Change & Service requirement.
   Enhancing product durability

SPECIFICATIONS	
Rated Power	1600 W
No Load Beats	900 - 1890 BPM
Impact Energy	25 J
Chuck Type	SDS Max
Weight	10.5 KG

#### MIXER

#### SDR1400 1400W Mud Mixer



- Delivering 2 speed Variable speed with soft start for efficient mixing
- Power Appropriate motor torque
- Multi-use for tradesman environment
- . D shape twin-handle design & light weight

SPECIFICATIONS	
Rated Power	1400 W
No Load Speed	0 - 800 RPM
Max Mixture Volume	120 L
Max Paddle Diameter	140 MM
Spindle Thread	M 14
Weight	3.5 KG

#### **TILE CUTTER**

## **STSP125** High Power Tile Cutter



- Powerful 1320W Motor For Highest Working Efficiency
- Optimized 13000 RPM For High Cutting Efficiency
- 125mm Capacity Guard For All Job-site Applications
- Optimized Gear Set For Less Vibration, Lower Noise & Longer Life Span

SPECIFICATIONS	
Rated Power	1320 W
No Load Speed	13500 RPM
Max Disc Diameter	125 MM
Max Cutting Depth	41 MM
Spindle Thread	M 7
Weight	3.1 KG