



CONSTRUCTION SAW & WOOD WORKING



Cutting through a variety of materials, the STANLEY Saw range takes on the strain of cutting and sawing with ease. The range is designed to provide a powerful, precise and comfortable experience to the user.

STANLEY woodworking range also caters to routing, planing and sanding. While durability is a given in any STANLEY tool, the router boasts of controlled power, Planers with high depth of cut and safety and Sanders providing smooth results every time, all the time.

SAW

SJ45 450W Jig Saw



- Variable speed dial provides 500 to 3000/min multi speed for optimal cutting result.
- Safety pin maximize the finger protection during working.
- Dust Blow-off design keeping cutting line free of dust.
- Anti-slip textile helps hold the tool comfortably.
- 450w rating motor with optimum performance & efficiency.
- 2.3mm thickness base for better durability ± 45 degree adjustment for bevel cutting options.

SPECIFICATIONS

Rated Power	450 W
No Load Speed	500 - 3000 RPM
Stroke Length	19 MM
Max Cutting Depth In Wood	65 MM
Max Cutting Depth In Aluminum	10 MM
Max Cutting Depth In Steel	6 MM
Weight	1.8 KG

SJ60 600W Jig Saw



- 6-position speed dial (500 to 3000/min) provides multiple speed setting for optional cutting result
- High cutting performance at 4-stage pendulum actions
- Keyless clamp makes the blade replacement fast and easy

SPECIFICATIONS

Rated Power	600 W
No Load Speed	500 - 3000 RPM
Stroke Length	19 MM
Max Cutting Depth In Wood	75 MM
Max Cutting Depth In Aluminum	10 MM
Max Cutting Depth In Steel	6 MM
Weight	1.9 KG

SST1801 1800W Table Saw



- Self aligning fence design ensures High Accurate Cuts
- Dovetail shape rail helps fence setup without any deviation
- Frame, easy transportation and storage
- Smart bi-scale reading
- Tool free extendable table
- Easy transportation and storage
- 1800W powerful motor offering heavy load working
- Max rip capacity up to 660mm
- Cutting capacity up to 80mm at 90 degree & 50mm at 45 degree

SPECIFICATIONS

Rated Power	1800 W
No Load Speed	4800 RPM
Blade Diameter	254 MM
Blade Bore	25.4 MM
Max Blade Thickness	1.8 MM
Max Cutting Depth 45° / 90°	50 / 80 MM
Weight	27.2 KG

SC16 1600W Circular Saw



- Best-in-Class 1600W motor with optimized transmission to deliver highest productivity amongst all Tradesman units;
- Cutting depth up to 65mm & 190mm guard size suitable for all accessory
- Consistent cutting accuracy in the range of 0° to 45°, with good finishing quality
- State-of art design, compact size and light weight
- Ergonomics handle design for long time comfortable working
- Low vibration for comfort use
- Robust & Optimized design at motor, transmission, guard and base, ensures higher durability

SPECIFICATIONS

Rated Power	1600 W
No Load Speed	5500 RPM
Blade Diameter	190 MM
Blade Bore	20 / 25.4 MM
Bevel Angle Adjustment	45°
Max Cutting Depth 45° / 90°	50 / 65 MM
Weight	3.9 KG

SM16 1650W Compound Miter Saw



- 1650W motor offer enough torque for heavy duty application
- Maximum cutting capacity H75x140mm H48x140mm
- Precise design and manufacture offer excellent accuracy
- Durable motor keep long term application use
- Longer ABR life to provide high-qualified machine in sever application environment
- Compact size and Light weight easy transform
- Comfortable horizontal ergonomic handle
- Sliding fence and scale offer easy quick operation.

SPECIFICATIONS

Rated Power	1650 W
No Load Speed	4800 RPM
Blade Diameter	254 MM
Blade Bore	25.4 MM
Max Blade Thickness	2.8 MM
Cutting Capacity 90° / 90°	140 x 75 MM
Cutting Capacity 45° / 90°	95 x 75 MM
Cutting Capacity 90° / 45°	140 x 48 MM
Cutting Capacity 45° / 45°	95 x 48 MM
Weight	10.5 KG

SM18 1800W Sliding Miter Saw



- 1800W motor offer enough torque for heavy duty application
- Maximum cutting capacity H90x 305mm
- Precise design and manufacture offer excellent accuracy
- Durable motor keep long term application use
- Longer ABR life to provide high-qualified machine in sever application environment
- Compact size and Light weight easy transform
- Comfortable horizontal ergonomic handle
- Sliding fence and scale offer easy quick operation.

SPECIFICATIONS

Rated Power	1800 W
No Load Speed	4800 RPM
Blade Diameter	254 MM
Blade Bore	25.4 MM
Max Blade Thickness	2.8 MM
Cutting Capacity 90° / 90°	92 x 285 / 80 x 310 MM
Cutting Capacity 45° / 90°	92 x 190 / 80 x 210 MM
Cutting Capacity 0° / 45° [Left]	47 x 285 / 45 x 310 MM
Cutting Capacity 45° / 45° [Left]	47 x 190 / 45 x 210 MM
Cutting Capacity 0° / 45° [Right]	35 x 285 / 25 x 310 MM
Cutting Capacity 45° / 45° [Right]	35 x 190 / 25 x 210 MM
Weight	18.6 KG

WOOD WORKING

SS24 ¼ Sheet Sander



- 240W Powerful motor with higher sanding efficiency to provide optimal removal rate in different materials
- 16000/min higher speed with low vibration to deliver optimal sanding result to
- Longer hanging life and first brush life ensure longest durability in class
- Longer ABR life to provide high-qualified machine in sever application environment
- Compact design with lower height to give better balance and control
- Rubber gripping surfaces for comfortable handling
- Dust extraction system for a better work environment

SPECIFICATIONS

Rated Power	240 W
Orbits Per Minute	16000 OPM
Sandpaper Size	110 x 105 MM
Weight	1.1 KG

SS30 300W ROS Sander



- 300W Powerful motor with higher efficiency for optimal removal rate in different application
- 0-13000/min variable speed with extreme low vibration to deliver optimal sanding result to End-user
- Longer product hanging life ensure longest in class durability
- Longer ABR life to provide high-qualified machine in sever application environment
- Compact design with lower height to give better balance and control
- Rubber gripping surfaces for comfortable handling
- Dust extraction system for a better work environment

SPECIFICATIONS

Rated Power	300 W
Orbits Per Minute	0 - 13000 OPM
Sandpaper Size	125 MM
Weight	1.4 KG

SSS310 ½ Sheet Sander



- Orbital sander suitable for all general sanding applications
- Thumb lever clamping system holds paper fast whilst sanding
- Dust extraction bag for a cleaner working environment
- Ergonomic front handle for comfortable operation
- Surface finishing of large flat areas e.g. doors and tables
- Removal of paint, varnish, and other surface coatings

SPECIFICATIONS

Rated Power	310 W
Orbits Per Minute	6000 - 11000 OPM
Sandpaper Size	115 x 230 MM
Weight	2.5 KG

STEL630 750W Planer



- 750W Powerful Motor
- Substantial Depth Of Cut Without Compromising The Finish
- 12mm Rabbeting Depth With 0.2mm Accuracy

SPECIFICATIONS

Rated Power	750 W
No Load Speed	16500 RPM
Max Planing Depth	1.6 MM
Max Planing Width	82 MM
Weight	2.7 KG

STP18 1800W Thickness Planer



- Powerful 1800W motor delivering productive solution for thickness control
- High durability long service life high-speed steel re-sharpenable blades & first carbon brush
- Large capacity & stock removal up to 12.5" Planing width & circular section cutter head for optimum depth of cut
- Precision cutting 0.4mm to 1.6mm depth adjustment settings for good accuracy
- Ease-of-use quick-change hss blades. Easy to read dual metric & imperial markings

SPECIFICATIONS

Rated Power	1800 W
No Load Speed	10000 RPM
Feed Speed	7.9 M/Min
Max Cutting Height	150 MM
Max Cutting Width	318 MM
Weight	27 KG

ST55 550W 6.35mm Corded Trimmer



- 550W powerful motor with upto 700W max output
- 35,000 rpm optimized speed and high torque for quick operation speed
- Premium collet material for Accurate trimming

SPECIFICATIONS

Rated Power	550 W
No Load Speed	35000 RPM
Collet Size	6.35 MM
Weight	1.4 KG

STEL670 2000W Heatgun



- Spherical Nozzle
- Two Air Flow Stages, Variable Temperature Settings To Meet Different Use Requirements
- Designed For Free-Standing Base

SPECIFICATIONS

Rated Power	2000 W
Heat Setting	Variable
Operating Temperature	50 - 450 / 90 - 600 °C
Air Flow	300 / 500 L/Min

STPT600 600W Blower



- 600W Powerful Motor For Higher Tool Performance
- Variable Speed Control To Achieve Different Applications
- 2 Tools In 1: Blower And Vacuum Cleaner

SPECIFICATIONS

Rated Power	600 W
No Load Speed	0 - 16000 RPM
Max Air Flow	3.5 m3 / min
Weight	1.6 KG

PRESSURE WASHER

SW19 PREMIUM 130Bar / 1900W



SPECIFICATIONS

Rated voltage	220-240 V~
Frequency	50Hz
Power	1900 W
Max water flow	6,6 l/min.
Max. Pressure	130 bar
weight	13kg
Motor type	Induction
Max. Temperature	50°C
Pump material	Aluminum
Total Stop System	-
Self priming	-

SW21 PREMIUM 145Bar / 2100W



SPECIFICATIONS

Rated voltage	220-240 V~
Frequency	50Hz
Power	2100 W
Max water flow	7,5 l/min.
Max. Pressure	145 bar
weight	14,2kg
Motor type	Induction
Max. Temperature	50°C
Pump material	Aluminum
Total Stop System	-
Self priming	-



STANLEY®

Distributor
Information