

SAFETY DATA SHEET

FILE NO.002

NAME OF PRODUCT

RUBBER OIL GLUE

SDS DATE: 01/07/2022

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : RUBBER OIL GLUE

CHEMICAL : RUBBER OIL

IMPORTER : X-Way Sdn. Bhd.
31, Jalan 9/118B, Desa Tun Razak,
56000 Kuala Lumpur, Malaysia.

EMERGENCY PHONE : +603 9174 7436 / 7468

PRODUCT USE: Rodent glue trap.

SECTION 2: HAZARDS IDENTIFICATION

Not classified as HAZARDOUS

EMERGENCY OVERVIEW:

ROUTES OF ENTRY:

ROUTES OF ENTRY:	POTENTIAL HEALTH EFFECTS
EYES	N/A
SKIN	N/A
INGESTION	N/A
INHALATION	N/A

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH HAZARDS	None
CHRONIC HEALTH HAZARDS	None
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE	None

CARCINOGENICITY:

AGENCY	None
OSHA	None
ACGIH	None
NTP	None
IARC	None
OTHER	None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

	ppm	mg/m ³
OSHA PEL-TWA	None Established	None Established
OSHA PEL STEL	None Established	None Established
OSHA PEL CEILING	None Established	None Established
ACGIH TLV-TWA	None Established	None Established
ACGIH TLV STEL	None Established	None Established
ACGIH TLV CEILING	None Established	None Established

SAFETY DATA SHEET

FILE NO.002

NAME OF PRODUCT

RUBBER OIL GLUE

SDS DATE: 01/07/2022

SECTION 4: FIRST AID MEASURES

EYES	N/A
SKIN	Wash skin with soap and water after wiping off with solvent such as normal paraffin
INGESTION	Unable to swallow because too sticky to swallow
INHALATION	N/A

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: NONE

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR (% BY VOLUME)	
UPPER	N/A
LOWER	N/A

METHOD USED:

AUTOIGNITION TEMPERATURE	
°F	N/A
°C	N/A

NFPA HAZARD CLASSIFICATION	
HEALTH	0 (Minimal)
FLAMMABILITY	0 (Minimal)
REACTIVITY	0 (Minimal)
OTHER	0 (Minimal)
HMIS HAZARD CLASSIFICATION	
HEALTH	0 (Minimal)
FLAMMABILITY	0 (Minimal)
REACTIVITY	0 (Minimal)
OTHER	0 (Minimal)

COMMENTS	
EXTINGUISHING MEDIA	Spray water jet, foam, extinguishing powder and sand
SPECIAL FIRE FIGHTING PROCEDURES	None
UNUSUAL FIRE AND EXPLOSION HAZARDS	None
HAZARDOUS DECOMPOSITION PRODUCTS	None

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Scoop up in case of large quantity.

Mop up with waste immersed normal paraffin or solvent in case of a small quantity.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Use plastic or rubber glove to minimize skin contact. Protective grade industrial eyeglasses with side shield.

SAFETY DATA SHEET

FILE NO.002

NAME OF PRODUCT

RUBBER OIL GLUE

SDS DATE: 01/07/2022

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

ENGINEERING CONTROLS: The use of local exhaust ventilation is recommended to control processing emissions near the source.

PROTECTIVE CLOTHING: Wear protective gloves to prevent skin contact. Protective grade industrial eyeglasses with side shield. If there is potential contact with hot material. Wear heat resistant clothing and footwear.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

PARAMETER	COMMENTS
ODOR	Odorless
PHYSICAL STATE	Sticky substance (yellow green)
pH AS SUPPLIED	N/A
pH (Other)	N/A
BOILING POINT (°F)	N/A
BOILING POINT (°C)	N/A
MELTING POINT (°F)	N/A
MELTING POINT (°C)	70.00
VAPOR PRESSURE (mm Hg) @ °F	N/A
VAPOR PRESSURE (mm Hg) @ °C	N/A
VAPOR DENSITY (AIR = 1) @ °F	N/A
VAPOR DENSITY (AIR = 1) @ °C	N/A
SPECIFIC GRAVITY (H2O = 1) @ °F	N/A
SPECIFIC GRAVITY (H2O = 1) @ °C	N/A
EVAPORATION RATE BASIS (=1)	
SOLUBILITY IN WATER	N/A
PERCENT SOLIDS BY WEIGHT	100%
PERCENT VOLATILE BY WEIGHT @ °F	N/A
PERCENT VOLATILE BY VOLUME @ °F	N/A
PERCENT VOLATILE BY VOLUME @ °C	N/A
VOLATILE ORGANIC COMPOUNDS (VOC) WITH WATER: LBS/GAL	N/A
VOLATILE ORGANIC COMPOUNDS (VOC) WITHOUT WATER: LBS/GAL	N/A

SECTION 10: STABILITY AND REACTIVITY

Hi-Temperature can melt the product to be liquid, but the product will reset again when keep it in normal temperature

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: None

SECTION 12: ECOLOGICAL INFORMATION

SAFETY DATA SHEET

FILE NO.002

NAME OF PRODUCT

RUBBER OIL GLUE

SDS DATE: 01/07/2022

No specific data available. Avoid dumping or releasing in oceans or water areas to prevent possible intake by marine organism and birds.

SECTION 13: DISPOSAL CONSIDERATIONS

Preferred options for disposal are incineration with energy recovery. The disposal practice must be in compliance with local state and federal laws and regulations.

SECTION 14: TRANSPORT INFORMATION

Follow all regulations in your country

SECTION 15: REGULATORY INFORMATION

Follow all regulations in your country

SECTION 16: OTHER INFORMATION

TO THE BEST OF OUR KNOWLEDGE. THE INFORMATION CONTAINED HEREIN IS ACCURATE, HOWEVER. X-WAY SDN BHD DOES NOT ASSUME ANY LIABILITY WHATSOEVER FOR THE ACCURACY OR COMPLETNESS OF THE INFORMATION CONTAINED HEREIN. FINAL DETERMINATION OF SUITABILITY OF ANY METERIAL IS THE SOLE RESPONSIBILITY OF THE USER. ALL MATERIAL SHOULD BE USED WITH CAUTION TO GUARD AGAINST UNKNOWN HAZARDS. ALTHOUGH CERTAIN HAZARDS ARE DESCRIBED HEREIN, WE CANNOT GUARANTEE THAT THESE ARE THE ONLY HAZARDS WHICH EXIST.