

EFFICIENT AND ACCURATE INSPECTION. COMPACT FOOTPRINT. GETTING THE JOB DONE.

Designed for productivity, the compact VE Cam 50 & VE Cam 80 offer the power, speed and efficiency of digital imaging in a compact package. Packed with new and established features, VE Cam enables you to do more with maximum space efficiency.

Available with 80mm or 50mm field of view, VE Cam is ideal for many routine inspection tasks. Suitable applications include: electronics, mechanical engineering, plastics, additive manufacturing, and ceramics.



Digital working efficiency

Digital technology supports immediate information capture and share across teams.




Intuitive technology

User friendly interface and common functions make digital systems easy to understand and use.



Wireless viewing

WiFi image mirroring mean colleagues and supervisors can view live images without interrupting workflow.



Features for productivity

Enhanced productivity features include:

- 10 User programmable presets
 - Users can configure and swiftly recall preferred settings for up to 10 settings, for example image settings and functional grids, time stamp and other options. Saves time when changing subjects and aids consistency between users
- 6 hotkeys for instant one touch access to most commonly used presets
- Configurable interface allows most commonly used settings to be shown direct on the screen. Choose to see the features you need







Features for viewing quality

- Precise lighting for precise images: Control of the builtin 8-point ring-light direct from the screen and add transmitted, oblique and flexible illumination through a selection of accessories
- Display two magnifications on screen at one time allowing overview and detail view without changes in settings
- Graphical overlays over the image aid speedy assessment of the subject and can be saved as part of the captured image. Addition of an optional time stamp add traceability

Control as you like

Get the most from the system by controlling it as you need. Intuitive menus can be accessed by mouse, touchscreen, keypad or keyboard with shortcuts configured on a programmable footswitch allowing direct, hands free access to three selectable features.

Multi-language menus: using English, German, Spanish, French, Italian, Portuguese, Chinese, Japanese, Russian









Touch screen



Large field of view



Long working distance



10 programmable presets



Grid overlays



Built-in ring light




On-axis imaging



Pan & zoom live images

TECHNICAL INFORMATION + STAND OPTIONS

Optical	VE Cam 50	VE Cam 80
Diagonal FOV	50mm	80mm
Max. FOV (H x V)	40mm x 30mm	64mm x 48mm
Min. magnification*	9.97x	6.23x
Min. FOV (H x V)	8mm x 6mm	12.8mm x 9.6mm
Max. magnification	49.9x	31.15x
Working distance	163mm	148mm
Maximum subject height when mounted to stand		
Bench stand	75mm	90mm
Single arm stand	119mm	134mm
Double arm stand with clamp	262mm	277mm
Double arm stand with base	407mm	422mm
Articulated arm stand	505mm	520mm





Bench stand



Single arm stand



Double arm stand



Articulated arm stand

Shared features

Sales Partner

WiFi hotspot - screen mirroring, on-screen quick buttons, save images, pan & zoom of live image, replay saved images, pan and zoom of saved image, area magnifier, pinch zoom (mouse pad/touch screen), 10 presets, time stamp, crosshair & colours, grids & colours, exposure options, white balance options

To see our focused quality, please contact your Vision Engineering branch, local authorised distributor, or visit our website: visioneng.com

CA

Disclaimer- Vision Engineering Ltd. has a policy of continuous development and reserves the right to change of update, without notice, the design, materials or specification of any products, the information containe this brochure/datasheet and to discontinue production or distribution of any of the products described. EO&E: Errors and omissions excepted.

Vision Engineering Ltd.

(UK Manufacturing & Commercial) The Freeman Building, Galileo

Drive, Send, Surrey, GU23 7ER, UK T+44 (0) 1483 248300

E generalinfo@visioneng.co.uk

Vision Engineering Ltd. (Central Europe)

Anton-Pendele-Str. 3, 82275 Emmering, Deutschland T+49 (0) 8141 40167-0 E info@visioneng.de

Nippon Vision Engineering (Japan)

272-2 Saedo-cho, Tsuduki-ku, Yokohama-shi, Kanagawa 224-0054, Japan T+81 (45) 935 1117 E info@visioneng.jp

Vision Engineering (India)

T + 91 (0) 80-5555-33-60 E info@visioneng.co.in

Vision Engineering (South East Asia) P-03A-20, Impian Meridian,

Jalan Subang 1, USJ 1, 47600 Subang Jaya, Selangor Darul Ehsan, Malaysia T+604-619 2622

E info@visioneng.asia

Vision Engineering (Latin America) E infomx@visioneng.com

T 800 099 5325

Vision Engineering (Brazil)

Vision Engineering Inc.

570 Danbury Road,

T+1 (860) 355 3776

Via G. Paisiello 106

T+39 02 6129 3518

E info@visioneng.it

Shanghai, 200235,

T+86 (0) 21 5036 7556

E info@visioneng.com.cn Vision Engineering (Mexico)

E infomx@visioneng.com

P.R. China

Vision Engineering (China)

Room 904B, Building B, No.970,

Nanning Road, Xuhui Vanke Center

E info@visioneng.com

(NA Manufacturing & Commercial)

New Milford, CT 06776, USA

Vision Engineering Ltd. (Italia)

20092 Cinisello Balsamo MI, Italia

E info@visioneng.com.br

Vision Engineering Technology Centre

16 Technology Drive, Unit 148, Irvine, CA 92618, USA T + 1 (800) 644 7264 (Toll free) **E** info@visioneng.com

Vision Engineering Ltd. (France)

ZAC de la Tremblaie, Av. de la Tremblaie 91220 Le Plessis Paté, France **T** +33 (0) 160 76 60 00 E info@visioneng.fr

Vision Engineering (Costa Rica) Centro

Coyol Innovación y Servicios 50 mts Sur de Riteve Coyol, Alajuela T 0.800.0320059 E info@visioneng.com.br



FM 557119

Vision Engineering Ltd. has been certified for the quality management system ISO 9001:2015 and calibration accreditation ISO 17025:2017.