

WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TANEX ALLROUND 10 X 1 L

Identification number : 61386

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH

Rheinallee 96 55120 Mainz

Telephone : +49613196403 Telefax : +4961319642414

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

### 1.4 Emergency telephone number

112

+49(0)6131-19240

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Safety data sheet available on request.

### 2.3 Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Hazardous components

Hazardous components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
DECETH-6 (INCI)	26183-52-8	Eye Irrit. 2; H319	>= 2 - < 5
	500-046-6	Acute Tox. 4; H302	



WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

Decan-1-ol.ethoxylated	26183-52-8	Eye Irrit. 2; H319	>= 2 - < 5
	Polymer		
2-phenoxyethanol	122-99-6 204-589-7 01-2119488943-21	Acute Tox. 4; H302 Eye Irrit. 2; H319	>= 1 - < 2
sodium octyl sulphate	142-31-4 205-535-5 01-2119966154-35	Skin Irrit. 2; H315 Eye Dam. 1; H318 SCL 10 - < 20 % 2; H319 >= 20,0 % 1; H318	>= 1 - < 2

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes

from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

according to Regulation (EC) No. 1907/2006



## TANEX ALLROUND 10 X 1 L

WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for

firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up and shovel.

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. No special handling advice

required. Dispose of rinse water in accordance with local and

national regulations.

Advice on protection against fire

and explosion

: Normal measures for preventive fire protection.

according to Regulation (EC) No. 1907/2006



## TANEX ALLROUND 10 X 1 L

WM 1113327 Order number: 0713327

Print Date 13.08.2020 Version 6.1 Revision Date 08.05.2020

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

: Keep container tightly closed in a dry and well-ventilated place. Store

at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**DNEL** 

2-phenoxyethanol : End Use: Workers

122-99-6:

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 8,07 mg/m3

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term local effects

Value: 8,07 mg/m3

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 34,72 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 2,41 mg/m3

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term local effects

Value: 2,41 mg/m3

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 20,83 mg/kg



WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

End Use: Consumers
Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 17,43 mg/kg

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Acute systemic effects, Short-term exposure

Value: 17,43 mg/kg

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Acute systemic effects

Value: 9,23 mg/kg

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 9,23 mg/kg

End Use: Consumers Exposure routes: Dermal

Potential health effects: Long-term systemic effects

Value: 10,42 mg/kg

sodium octyl sulphate

142-31-4:

: End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 4060 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 285 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 2440 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 85 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 24 mg/kg

**PNEC** 

2-phenoxyethanol

122-99-6:

Fresh water Value: 0,943 mg/l

Marine water Value: 0,0943 mg/l

\_\_\_\_\_



WM 1113327 Order number: 0713327

Revision Date 08.05.2020 Version 6.1 Print Date 13.08.2020

> intermittent release Value: 3,44 mg/l

STP

Value: 24,8 mg/l

Fresh water sediment Value: 7,2366 mg/kg

Marine sediment Value: 0,7237 mg/kg

Value: 1,26 mg/kg

sodium octyl sulphate

142-31-4:

: Fresh water

Value: 0,1357 mg/l

Marine water

Value: 0,01357 mg/l

STP

Value: 1,35 mg/l

Fresh water sediment Value: 1,5 mg/kg

Marine sediment Value: 0,15 mg/kg

Value: 0,22 mg/kg

### 8.2 Exposure controls

### Personal protective equipment

: not required under normal use Eye protection

Hand protection

Material For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4

mm).

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of

protection.

not required under normal use

Remarks Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

according to Regulation (EC) No. 1907/2006



## TANEX ALLROUND 10 X 1 L

WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

Respiratory protection : not required under normal use

### **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : blue

Odour : characteristic

Odour Threshold : No data available
pH : ca. 9,1, at20 °C

Melting point/range No data available Boiling point/boiling range : No data available Flash point Not applicable Evaporation rate No data available Flammability (solid, gas) : No data available Flammability (liquids) No data available Burning rate No data available Lower explosion limit No data available Upper explosion limit : No data available Vapour pressure No data available : No data available Relative vapour density Relative density : No data available

Density : ca. 1,025 g/cm3 at 20 °C

Water solubility : soluble

Solubility in other solvents : No data available
Partition coefficient: n- : No data available

octanol/water

Ignition temperature : No data available
Thermal decomposition : No data available
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available

according to Regulation (EC) No. 1907/2006



## TANEX ALLROUND 10 X 1 L

WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

Explosive properties : No data available

Oxidizing properties : No data available

#### 9.2 Other information

none

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

Other information : No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg

Method: Calculation method

Skin corrosion/irritation : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

Serious eye damage/eye

irritation

: Causes serious eye irritation.

According to the classification criteria of the European Union, the

product is not considered as being an eye irritant.

Respiratory or skin sensitisation : No data available

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

according to Regulation (EC) No. 1907/2006



## TANEX ALLROUND 10 X 1 L

WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

Aspiration toxicity : Not Rated

Further information : No data available

Components: DECETH-6 (INCI) 26183-52-8:

Acute oral toxicity : LD50 Oral : > 2.000 mg/kg

Decan-1-ol.ethoxylated

26183-52-8:

Skin corrosion/irritation : Result: No skin irritation

Serious eye damage/eye

irritation

: Result: Eye irritation

2-phenoxyethanol

122-99-6:

Acute oral toxicity : LD50 Oral Rat: 1.260 mg/kg

LD50 Oral Mouse: 933 mg/kg

LD50 Oral Rat: 1.850 mg/kg

Acute toxicity estimate: 500,0 mg/kg

Method: Converted acute toxicity point estimate

LD50 Rat: 2.740 mg/kg Method: Calculation method

Acute dermal toxicity : LD50 Dermal Rabbit: > 5.000 mg/kg

LD50 Rat: 14.422 mg/kg

Reproductive toxicity : Fertility and developmental toxicity tests did not reveal any effect on

reproduction.

according to Regulation (EC) No. 1907/2006



## TANEX ALLROUND 10 X 1 L

WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

sodium octyl sulphate

142-31-4:

: LD50 Oral Rat: > 2.000 mg/kg Acute oral toxicity

Method: OECD Test Guideline 423

: LD50 Dermal Rabbit: > 2.000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

Skin corrosion/irritation : Result: Skin irritation

Serious eye damage/eye

irritation

: Result: Causes serious eye damage.

Repeated dose toxicity : No observed adverse effect level: Rat: 488 mg/kg

Application Route: Oral

Method: OECD Test Guideline 408

Lowest observed adverse effect level: Rat: 1016 mg/kg

Application Route: Oral

Method: OECD Test Guideline 408

No observed adverse effect level: Mouse: 400 mg/kg

Application Route: Dermal

Method: OECD Test Guideline 411

### **SECTION 12: Ecological information**

### 12.1 Toxicity

**Components:** 

**DECETH-6 (INCI)** 26183-52-8:

Toxicity to fish : LC50:1-10 mg/l

Test Type: semi-static test

Toxicity to daphnia and other

aquatic invertebrates

(Daphnia magna (Water flea)): 13,5 mg/l

Test Type: Immobilization

Method: OECD Test Guideline 202

Toxicity to algae (Desmodesmus subspicatus (green algae)): 12,0 mg/l

Test Type: Growth inhibition Method: OECD Test Guideline 201

Toxicity to bacteria : EC0 (Bacteria): > 100 mg/l

Decan-1-ol.ethoxylated

26183-52-8:

Toxicity to daphnia and other

: EC50 (Daphnia (water flea)): 7,2 mg/l aquatic invertebrates

Exposure time: 48 h

Method: OECD Test Guideline 202

according to Regulation (EC) No. 1907/2006



## TANEX ALLROUND 10 X 1 L

WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

Toxicity to algae : EC50 : 4,2 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

2-phenoxyethanol

122-99-6:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 344 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Leuciscus idus (Golden orfe)): 220 - 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae : EC50 : > 500 mg/l

Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Toxicity to bacteria : EC50 (Pseudomonas putida): 880 mg/l

Exposure time: 17 h

EC20 (activated sludge): 620 mg/l

Exposure time: 30 min

EC10 (Pseudomonas putida): 320 mg/l

Exposure time: 17 h Method: DIN 38 412 Part 8

Toxicity to fish (Chronic toxicity)

: NOEC: 23 mg/l Exposure time: 34 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic

toxicity)

NOEC: 9,43 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

: LC50: 1.000 mg/kg

Toxicity to soil dwelling

organisms

Exposure time: 14 d

Species: Eisenia fetida (earthworms)

sodium octyl sulphate

142-31-4:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

according to Regulation (EC) No. 1907/2006



## TANEX ALLROUND 10 X 1 L

WM 1113327 Order number: 0713327

Print Date 13.08.2020 Version 6.1 Revision Date 08.05.2020

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae : EC50 : > 100 mg/l

EC50 (Desmodesmus subspicatus (green algae)): > 511 mg/l

Exposure time: 72 h

Toxicity to bacteria : EC0: > 100 mg/l

Toxicity to fish (Chronic toxicity) : Lowest Observed Effect Concentration: > 1,357 mg/l

Exposure time: 42 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other

aquatic invertebrates (Chronic

: NOEC: 1,4 mg/l Exposure time: 21 d

toxicity)

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies

(comply) with the biodegradability criteria as laid down in Regulation

(EC) No. 648/2004 on detergents.

**Components:** 

**DECETH-6 (INCI)** 26183-52-8:

Biodegradability : Biodegradation: 89 % Exposure time: 28 d

Method: OECD 301 F

2-phenoxyethanol

122-99-6:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 70 % Exposure time: 15 d Method: OECD 301 A

sodium octyl sulphate

142-31-4:

Biodegradability : Biodegradation: 98,2 %

Remarks: Expected to be biodegradable

### 12.3 Bioaccumulative potential

Components:

2-phenoxyethanol

122-99-6:

Bioaccumulation : Bioconcentration factor (BCF): 2

Partition coefficient: n-

: log Pow: 1,2 (23 °C)

octanol/water

pH: 5 - 9 GLP: yes

according to Regulation (EC) No. 1907/2006



## TANEX ALLROUND 10 X 1 L

WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

### 12.4 Mobility in soil

### **Components:**

2-phenoxyethanol

122-99-6:

Distribution among : Koc: 16 - 102Remarks: Highly mobile in soils

environmental compartments

### 12.5 Results of PBT and vPvB assessment

Not relevant

#### 12.6 Other adverse effects

**Product:** 

Additional ecological information : There is no data available for this product.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Offer surplus and non-recyclable solutions to a licensed disposal

company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste handling

site for recycling or disposal.

### **SECTION 14: Transport information**

### 14.1 UN number

ADR

Not dangerous goods

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

### 14.2 Proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class

ADR

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

### 14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

**IATA** 

Not dangerous goods



WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

#### 14.5 Environmental hazards

**ADR** 

Not dangerous goods

**IMDG** 

Not regulated as a dangerous good

**IATA** 

Not dangerous goods

14.6 Special precautions for user

Remarks Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and : Not applicable

the Council concerning the export and import of dangerous

chemicals

Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations

and articles (Annex XVII)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

TA Luft List (Germany)

Not applicable

: Total dust: Not applicable

Inorganic substances in powdered form: Not applicable

Inorganic substances in vapour or gaseous form: : portionClass 3:

0,02 %

Organic Substances: : portionClass 1: 2 %

Carcinogenic substances: : portionClass 2: < 0,01 %

Mutagenic: : < 0,01 %

Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 0,02 %

1,89 g/l

VOC content excluding water

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 0,02 %

0,25 g/l

VOC content valid only for coating materials used on wood surfaces

according to Detergents : 5 - <15% Non-ionic surfactants, <5% Anionic surfactants, soap,

according to Regulation (EC) No. 1907/2006



## TANEX ALLROUND 10 X 1 L

WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

Regulation EC 648/2004 Perfumes

GISBAU (D) : GU 40

#### 15.2 Chemical safety assessment

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

#### **Further information**

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure: Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

according to Regulation (EC) No. 1907/2006



# **TANEX ALLROUND 10 X 1 L**

WM 1113327 Order number: 0713327

Version 6.1 Revision Date 08.05.2020 Print Date 13.08.2020

500000003942