



## KM 75/40 W Bp

Compact, manoeuvrable and simple to operate: Our battery-powered KM 75/40 W Bp push vacuum sweeper impresses when cleaning indoor areas of more than 600 m<sup>2</sup>.



### 1 Waste container with trolley handle

- Waste container with recessed grips – easy to remove and empty.
- Short disposal times.



### 2 Efficient filter system with mechanical filter cleaning

- 1.8 m<sup>2</sup> filter area for long operating periods.
- Long-lasting thanks to washable polyester material.



### 3 EASY Operation operating concept

- Simple, convenient operation thanks to the logical arrangement of all control elements.
- Standard symbols for all Kärcher sweepers.



## KM 75/40 W Bp

- Waste container with trolley handle
- Roller brush replacement without tools
- Effective filter cleaning system with filter replacement on the clean side without tools

### Technical data

<b>Order no.</b>	1.049-206.0	
<b>EAN code</b>	4039784467538	
<b>Drive type</b>	Electric	
<b>Drive</b>	DC motor	
<b>Drive-performance</b>	<b>V / W</b>	24 / 400
<b>Max. area performance</b>	<b>m<sup>2</sup>/h</b>	3375
<b>Working width</b>	<b>mm</b>	550
<b>Working width with 1 side brush</b>	<b>mm</b>	750
<b>Waste container</b>	<b>l</b>	40
<b>Climbing ability</b>	<b>%</b>	12
<b>Working speed</b>	<b>km/h</b>	4.5
<b>Filter areas</b>	<b>m<sup>2</sup></b>	1.8
<b>Battery runtime</b>	<b>h</b>	max. 2.5
<b>Weight</b>	<b>kg</b>	78
<b>Dimensions (L × W × H)</b>	<b>mm</b>	1430 × 780 × 1180

### Equipment

Polyester flat pleated filter	■	Side brush, can be lifted/adjusted	■
Filter cleaning manual	■		
Forwards traction drive	■		
Main sweeper roller adjustable	■		
Waste container, mobile	■		
Coarse dirt flap	■		
Foldable push handle	■		
Overhead sweeping principle	■		
Suction	■		
Battery indicator	■		
Suction volume regulation	■		

■ Included in the scope of supply.

# KM 75/40 W BP

## 1.049-206.0



		Order no.	Installation ex works	Length / width	Diame-ter	Price	Description	
<b>Flat pleated filter</b>								
Flat pleated filter	1	5.731-635.0					Moisture-proof, washable flat pleated filter for Kärcher sweepers. Filter noticeably reduces maintenance costs.	■
<b>Standard roller brush</b>								
Standard roller brush	2	6.906-884.0		550 mm			Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	■
<b>Main sweeper roller, soft</b>								
Main sweeper roller soft / natural	3	6.906-886.0		550 mm			Specially designed with natural bristles for sweeping fine dust on smooth floors indoors	□
<b>Main sweeper roller, hard</b>								
Main sweeper roller, hard	4	6.906-885.0		550 mm			Hard main roller brush for removing stubborn, adhering dirt outdoors.	□
<b>Main sweeper roller, antistatic</b>								
Main sweeper roller, antistatic	5	6.906-950.0		550 mm			For sweeping surfaces subject to static build up (e.g. carpets, artificial turf)	□
<b>Filter conversion kit</b>								
Double filter shaker	6	2.851-040.0					The dual filter scraper increases cleaning performance in areas subject to high dust levels.	□

■ Included in the scope of supply. □ Available accessories.

# KM 75/40 W BP

## 1.049-206.0



1



2-3

		Order no.	Installation ex works	Length / width	Diame-ter	Price	Description	
<b>Standard side brushes</b>								
Standard side brushes	1	6.906-132.0			420 mm		Moisture-proof universal bristles, longlife, suitable for all surfaces	■
<b>Side brush, hard</b>								
Side broom hard	2	6.905-625.0			420 mm		Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
<b>Side brush, soft</b>								
Side broom soft	3	6.905-626.0			420 mm		Moisture-proof, soft side brush for sweeping fine dust on all surfaces indoors and outdoors. Ideal for dirt with a high dust content.	□

■ Included in the scope of supply. □ Available accessories.

# KM 75/40 W BP 1.049-206.0



		Order no.	Installation ex works				Price	Description
<b>Other mounting kits</b>								
Carpet sweeping kit	1	2.641-571.0						Carpet sweeping kit including fluff filter, triple steering roller and antistatic roller brush for cleaning carpet surfaces. <input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# KM 75/40 W BP 1.049-206.0



1



2

		Order no.	Installation ex-works	Battery voltage	Battery capacity	Battery type	Price	Description	
<b>Traction batteries</b>									
Battery	1	6.654-226.0		12 V	60 Ah	mainte-nance-free		2 required.	<input type="checkbox"/>
<b>Chargers</b>									
Charger	2	6.654-068.0		24 V		separate		For charging battery 6.654-021.0.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.