

- ◉ **RPSB established in 1982, is the pioneer and leader in PolyEthylene (PE) plastic rotational moulding industry in Malaysia.**
- ◉ **Almost 4 decades of experiences and know-how producing the highest quality and durability possible, which sets us apart from All others.**
- ◉ **Known for producing the Original POLYTANK® and later diversified into producing other most reliable industrial brands such as the POLAR™, FLEX-WALL™ and ETER®.**
- ◉ **Only ‘non-recycled’ 1st grade virgin raw material sourced locally from PE Malaysia (subsidiary of Petronas) is used for melt-compounding UV stabiliser, colourant, and other additives.**
- ◉ **Using reliable and advanced machines from the USA, Europe and Asia with technology transfer via Dow Chemicals, Dupont of Canada, Mitsubishi of Japan and other MNEs.**
- ◉ **As a result, RPSB is able to provide the longest warranty in the market; ‘Limited Product Warranty’ up to 15 years (black colour) against sunlight UV penetration and degradation that causes discolouring, brittleness, chip, crack, break and deformation.**




THE ORIGINAL



- ◉ **The 1st PolyEthylene (PE) Plastic Tank Made In Malaysia, 1982**
- ◉ **Trusted Household Brand Name For 4 Decades – The Original ‘POLYTANK’ Registered Trade Mark**
- ◉ **Complies To FDA Food Grade, H.A.C.C.P. & British Standards BS:3412 & BS:4213**
- ◉ **Made Of In-House Melt-Compounded 1st Grade Virgin Raw Material. No Recycled Material Used!**
- ◉ **The Strongest & Longest Lasting Water Tank (Highest Tensile And Elongation Strength)**
- ◉ **One-Piece Seamless Rotational Moulded (7-8mm Thickness)**
- ◉ **Anti-Microbial & Anti-Algae Due To Zero Sunlight Penetration**
- ◉ **Withstand Heat Up To 135°C**
- ◉ **With 15 years ‘Limited Product Warranty’ Against Discolouring, Brittleness, Chip, Crack, Break & Deformation Caused By Sunlight UV Penetration**
- ◉ **Life-Expectancy Of Over 20 years For Outdoor And Life-Time For Indoor**

THE ORIGINAL



Applications And Uses:

- ◉ Developers / Constructions
- ◉ Farms & Plantations
- ◉ Factories
- ◉ Hospitals, Schools, Camps
- ◉ Residential Properties
- ◉ Aquaponics
- ◉ Industrial Buildings
- ◉ Hydroponics
- ◉ Commercial Buildings
- ◉ Recreation / Theme Parks



THE ORIGINAL



Compact

N20, N25, N40 (White)



N20, N25, N40, N50 (Black)



N70, N80, N100, N150 (Black)



THE ORIGINAL



Camel

N25, N40, N50, N70, N100



N100H, N150, N200, N250, N300, N400, N500



Buffalo

700L, 1000L, 1500L, 2000L, 2500L, 3000L, 4000L



THE ORIGINAL




King Kong

N25, N40, N50, N70, N100, N150



Hercules

N200, N250, N300



THE ORIGINAL



THE ORIGINAL CLEAN POLYETHYLENE WATER STORAGE TANKS



POLYTANK® KING KONG

| KING KONG | | | | | | | | | | |
|-----------|----------|----------|------------------------------|-------|--------|-------|--------|------|--------|-------|
| MODEL | CAPACITY | | EXTERNAL DIMENSION C/W COVER | | | | | | | |
| | NOMINAL | | WIDTH | | LENGTH | | HEIGHT | | BASE | |
| | IMP GAL | (LITRES) | INCHES | (MM) | INCHES | (MM) | INCHES | (MM) | INCHES | (MM) |
| N25 | 50 | 227 | 41 | 1,041 | 41 | 1,041 | 15 | 381 | 34 | 864 |
| N40 | 60 | 273 | 46 | 1,168 | 46 | 1,168 | 16 | 406 | 38 | 965 |
| N50 | 80 | 364 | 41 | 1,041 | 41 | 1,041 | 22 | 559 | 31 | 787 |
| N70 | 100 | 455 | 45 | 1,143 | 45 | 1,143 | 25 | 635 | 37 | 940 |
| N100 | 150 | 682 | 51 | 1,295 | 51 | 1,295 | 27 | 686 | 42 | 1,067 |
| N150 | 200 | 909 | 58 | 1,473 | 58 | 1,473 | 28 | 711 | 49 | 1,245 |



POLYTANK® HERCULES

| HERCULES | | | | | | | | | | |
|----------|----------|----------|------------------------------|-------|--------|-------|--------|-------|--------|-------|
| MODEL | CAPACITY | | EXTERNAL DIMENSION C/W COVER | | | | | | | |
| | NOMINAL | | WIDTH | | LENGTH | | HEIGHT | | BASE | |
| | IMP GAL | (LITRES) | INCHES | (MM) | INCHES | (MM) | INCHES | (MM) | INCHES | (MM) |
| N200 | 250 | 1,137 | 58 | 1,473 | 58 | 1,473 | 36 | 914 | 47 | 1,194 |
| N250 | 300 | 1,364 | 57 | 1,448 | 57 | 1,448 | 47 | 1,194 | 45 | 1,143 |
| N300 | 400 | 1,818 | 59 | 1,499 | 59 | 1,499 | 56 | 1,422 | 46 | 1,168 |



POLYTANK® CAMEL

| CAMEL | | | | | | | | |
|-------|----------|----------|------------------------------|-------|--------|-------|-----------|-------|
| MODEL | CAPACITY | | EXTERNAL DIMENSION C/W COVER | | | | | |
| | NOMINAL | | DIA. TOP | | HEIGHT | | DIA. BASE | |
| | IMP GAL | (LITRES) | INCHES | (MM) | INCHES | MM | INCHES | MM |
| N25 | 50 | 228 | 38 | 965 | 21 | 533 | 33 | 838 |
| N40 | 60 | 273 | 41 | 1,041 | 23 | 572 | 34 | 851 |
| N50 | 80 | 364 | 45 | 1,130 | 25 | 635 | 37 | 940 |
| N70 | 100 | 455 | 47 | 1,194 | 28 | 711 | 39 | 991 |
| N100 | 150 | 683 | 56 | 1,422 | 30 | 762 | 46 | 1,168 |
| N100H | 150 | 683 | 41 | 1,041 | 38 | 965 | 36 | 914 |
| N150 | 200 | 910 | 61 | 1,549 | 32 | 800 | 50 | 1,270 |
| N200 | 250 | 1,138 | 55 | 1,384 | 50 | 1,270 | 42 | 1,067 |
| N250 | 300 | 1,365 | 56 | 1,422 | 53 | 1,346 | 45 | 1,143 |
| N300 | 400 | 1,820 | 59 | 1,486 | 57 | 1,435 | 49 | 1,245 |
| N400 | 500 | 2,275 | 65 | 1,651 | 62 | 1,562 | 52 | 1,321 |
| N500 | 600 | 2,730 | 68 | 1,727 | 65 | 1,651 | 56 | 1,422 |



POLYTANK® COMPACT

| COMPACT | | | | | | | | |
|---------|----------|----------|------------------------------|-------|--------|-------|--------|------|
| MODEL | CAPACITY | | EXTERNAL DIMENSION C/W COVER | | | | | |
| | NOMINAL | | WIDTH | | LENGTH | | HEIGHT | |
| | IMP GAL | (LITRES) | INCHES | (MM) | INCHES | (MM) | INCHES | (MM) |
| N20 | 30 | 137 | 21 | 533 | 30 | 762 | 16 | 406 |
| N25 | 40 | 182 | 28 | 711 | 34 | 864 | 16 | 406 |
| N40 | 60 | 273 | 30 | 762 | 42 | 1,067 | 16 | 406 |
| N50 | 80 | 364 | 32 | 813 | 48 | 1,219 | 16 | 406 |
| N70 | 100 | 455 | 44 | 1,118 | 44 | 1,118 | 16 | 406 |
| N80 | 120 | 546 | 51 | 1,295 | 51 | 1,295 | 16 | 406 |
| N100 | 150 | 683 | 46 | 1,168 | 60 | 1,524 | 17 | 432 |
| N150 | 200 | 910 | 52 | 1,321 | 67 | 1,702 | 17 | 432 |

NOTE:

1. Tank dimensions are rounded-off to the nearest inches (0.5 + /-).
2. All figures are of approximation only.
3. Our company reserve the rights to change the prices, dimensions, designs & specifications without prior notice.
4. Standardised discounts for bulk or container orders.
5. Colours available - Black, for other colours MOQ 20 units.
6. Prices are ex-factory; transportation, insurance and special packaging are not inclusive.

*15 years limited Warranty valid only if proper installation instructions provided are adhered to.



POLYTANK® BUFFALO

| BUFFALO | | | | | |
|----------|---------|------------------------------|-------|--------|-------|
| CAPACITY | | EXTERNAL DIMENSION W/O COVER | | | |
| | | Diameter | | Height | |
| LITRES | IMP GAL | INCHES | (MM) | INCHES | (MM) |
| 700 | 160 | 41 | 1,041 | 41 | 1,041 |
| 1000 | 220 | 41 | 1,041 | 51 | 1,295 |
| 1500 | 330 | 46 | 1,168 | 71 | 1,803 |
| 2000 | 440 | 57 | 1,448 | 57 | 1,448 |
| 2500 | 550 | 61 | 1,549 | 63 | 1,600 |
| 3000 | 660 | 62 | 1,575 | 69 | 1,740 |
| 4000 | 880 | 68 | 1,727 | 75 | 1,905 |