

Sumithion 50 EC

SDS No.: SDS-P/EC-S/08

Revision: 0, 1st Issue

Page 1 of 7

Section 1: Identification of the Hazardous Chemical and of the Supplier

1.1 Product Identifier

Product Name: Fenitrothion 50% EC Trade Name: Sumithion 50 EC

Active Ingredient: O,O-Dimethyl-O-(3-methyl-4-nitrophenyl) phosphorothioate

CAS No.(AI): 122-14-5

Structural Formula:

Fenitrothion

Recommended Usage: Insecticide

1.2 Supplier's Information

Address: Agricultural Chemicals (M) Sdn. Bhd.

962, Lorong Perusahaan 8 Taman Perindustrian Perai 13600 Perai, Pulau Pinang

Malaysia

Tel.: +6-04-3907988 Fax: +6-04-3905703

Web: www.agrichem.com.my

Emergency Phone: +6-04-3907988

Section 2: Hazard Identification

Classification: Flammable Liquids, category 3

Acute (Oral) Toxicity, category 4 Acute (Dermal) Toxicity, category 4 Acute (Inhalation) Toxicity, category 2

Skin Irritation, category 2 Eye Irritation, category 2 Carcinogenicity, category 2

Specific Target Organ Toxicity-Single Exposure, category 3

Aspiration Hazard, category 1

Hazardous to the Aquatic Environment-Acute Hazard, category 1 Hazardous to the Aquatic Environment-Chronic Hazard, category 1



SDS No.: SDS-P/EC-S/08

Revision: 0, 1st Issue

Page 2 of 7

Sumithion 50 EC

Pictogram:









Signal Word: Danger

Hazard Statement:

H226 Flammable liquid and vapour

H302 + H312 Harmful if swallowed or in contact with skin
H304 May be fatal if swallowed and enters airways

H330 Fatal if inhaled

H315 Causes skin irritation

H319 Causes serious eye irritation
H351 Suspected of causing cancer
H335 May cause respiratory irritation

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statement:

P210 Keep away from heat/sparks/open flames/hot surfaces -

No smoking.

P243 Take precautionary measures against static discharge.

P260 Do not breathe mist/vapours.

P270 Do not eat, drink, or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P312 Call a POISON CENTER or doctor/physician if you fell unwell.

Section 3: Composition and Information of the Ingredients of the Hazardous Chemical

Component	CAS No.	Weight, %	Hazard Code
Fenitrothion Technical	122-14-5	50	H301, H312, H330, H400, H410
Surfactant	-	<10	H351
Xylene 1330-20-7 Balance	Dalanca	H226, H312, H315, H319, H332,	
	1330-20-7	Dalatice	H335, H304

Section 4: First-aid Measures

Call a POISON CENTER or doctor/physician if you feel unwell.

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a



SDS No.: SDS-P/EC-S/08

Revision: 0, 1st Issue

Page 3 of 7

Sumithion 50 EC

position comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower. Take off contaminated clothing and wash before reuse. If skin rritation

occurs: Get medical advice/attention.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician. Rinse mouth. Do NOT induce vomiting.

Symptoms: No data available. Notes to Physician: No data available.

Section 5: Fire-fighting Measures

Suitable Extinguishing Media: Carbon dioxide (CO₂), dry chemical.

Specific Hazard During Fire: No data available.

Special Protective Equipment: Fire fighters should wear full-faced self contained breathing

apparatus and protective clothing.

Section 6: Accidental Release Measures

Personal Precautions: Wear protective gloves/protective clothing/eye protection/face

protection.

Environmental Precautions:

Avoid release to the environment.

Method for Cleaning Up: Evacuate non essential personnel. Eliminate ignition source.

Ventilate area. Absorb spills with inert material such as clay, sand,

earth, sawdust etc. and collect in a drum. Cover up the

contaminated area with household detergent and a small amount of water. Brush the slurry and spread inert absorbents on the slurry liquid and collect the absorbed material in a drum. Seal drum and

dispose of. Do not contaminate water resources.

Section 7: Handling and Storage

Precautions for Safe Handling: Wear protective gloves/protective clothing/eye protection/face

protection. Wash skin thoroughly after handling. Do not eat, drink, or smoke when using this product. Avoid breathing mist or vapours. Use only outdoors or in a well-ventilated area. Avoid release to the

environment.

Conditions for Safe Storage: Store in a well-ventilated place. Keep cool. Keep container tightly

closed.

Incompatibles: No data available.



Sumithion 50 EC

SDS No.: SDS-P/EC-S/08

Revision: 0, 1st Issue

Page 4 of 7

Section 8: Exposure Control and Personal Protection

Exposure Limit:

Source	Component	CAS No.		Limit
ACGIH	Xylene	1330-20-7	TWA	100ppm (434mg/m ³)
			STEL	150ppm (651mg/m³)
JSOH (2013)	Surfactant (As 1,2,4-Trimethylbenzene)	-	OEL	25ppm, 120mg/m ³
ACGIH (2005) TLV-TWA	Surfactant (As Trimethylbenzene)	-	TWA	25ppm

Engineering Control: Local exhaust ventilation.

Individual Protection Measure: Wash hands thoroughly after handling. Do not breathe mist or

vapours. Use personal protective equipment as required.

Personal Protective Equipment:

Eye Protection: Wear eye protection, goggles.

Skin Protection: Wear protective gloves and protective clothing.

Respiratory Protection: Wear face protection, pesticide respiratory masks.

Section 9: Physical and Chemical Properties

Appearance: Yellowish liquid
Odour: Characteristic odour
Odour Threshold: No data available
pH: 3 – 7 (10% Emulsion)
Melting/Freezing Point: No data available

Initial Boiling Point: 118°C at 0.07 hPa (Fenitrothion Technical)

Boiling Range: No data available

Flash Point: 33°C

No data available **Evaporation Rate:** Flammability: No data available **Upper Flammability Limit:** No data available Lower Flammability Limit: No data available Vapour Pressure: No data available Vapour Density: No data available Relative Density: No data available Solubility in Water: Miscible with water

Partition Coefficient P_{o/w}: 3.3 (Fenitrothion Technical)

Auto-ignition Temperature: No data available
Decomposition Temperature: No data available
Viscosity: No data available

Section 10: Stability and Reactivity

Reactivity: No data available.



SDS No.: SDS-P/EC-S/08

Revision: 0, 1st Issue

Page 5 of 7

Sumithion 50 EC

Chemical Stability: Stable under normal conditions.

Hazardous Reaction: No data available.

Condition to Avoid: Direct sunlight, heat and extreme temperature.

Incompatible Material: No data available.

Hazardous Decomposition

Product: No data available.

Section 11: Toxicological Information

11.1 Acute Toxicity

Component: Fenitrothion Technical	
Oral LD ₅₀ :	
Rat	250 mg/kg
Dermal LD ₅₀ :	
Rabbit	1250 mg/kg
Inhalation, LC ₅₀ :	
Rat (4h)	378 mg/m ³
Component: Xylene	
Ingestion, Oral LD ₅₀ :	> 2000 - ≤ 5000mg/kg
Skin Contact, Dermal LD ₅₀ :	> 1000 - ≤ 2000mg/kg
Inhalation, LC ₅₀ :	>10.0 - ≤ 20.0mg/L

11.2 Chronic Effect from Short and Long Term Exposure

Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye irritation. Inhalation: May cause respiratory irritation.

Ingestion: May be fatal if swallowed and enters airways.

Carcinogenicity: Suspected of causing cancer.

Mutagenicity: No data available. Teratogenecity: No data available.

<u>11.3 Symptoms</u> No data available.

Section 12: Ecological Information

Ecotoxicity:

	· · · · · · · · · · · · · · · · · · ·	
Com	ponent: Fenitrothion Technical	
	Toxicity to fish:	
	Carassius auratus (goldfish), LC ₅₀ (96h)	2.8 mg/l
	Oncorhynchus mykiss (rainbow trout), LC ₅₀ (96h)	1 - 2 mg/l
	Toxicity to daphnia and other aquatic invertebrates:	
	Daphnia magna (water flea), EC ₅₀ (48h)	0.01 mg/l



SDS No.: SDS-P/EC-S/08

Revision: 0, 1st Issue Page 6 of 7

Sumithion 50 EC

Component: X	ylene		
Acute Ac	quatic Toxicity LL/EL/IL ₅₀ :		
	Fish	> 1 - ≤ 10mg/L	
	Aquatic crustacea	> 1 - ≤ 10mg/L	
	Algae/aquatic plants	> 1 - ≤ 10mg/L	
	Microorganisms	> 100mg/L	
Chronic	Toxicity, NOEC/NOEL:		
	Fish, 56 days	> 1mg/L	
	Aquatic crustacea, 21 days	> 1mg/L	

Persistence and Degradability: No data available.

Bioaccumulative Potential: Fenitrothion Technical

Oncorhynchus mykiss (rainbow trout)-72h : 20 μg/l

Bioconcentration factor (BCF): 250

Mobility in Soil: No data available. Other Adverse Effect: No data available.

Section 13: Disposal Information

Dispose of contents/container to Kualiti Alam or in accordance to local regulation.

Section 14: Transportation Information

Land (ADR/RID)	
Proper Shipping Name	Pesticide, Liquid, Toxic, Flammable, N.O.S. flashpoint not less than 23°C
Hazard Class	6.1
Hazchem Code	-
UN number	2903
Packing Group	III
Label/Mark	6(3)
Sea (IMDG)	
Proper Shipping Name	Pesticide, Liquid, Toxic, Flammable, N.O.S. flashpoint not less than 23°C
Hazard Class	6.1
UN Number	2903
Packing Group	III
Marine Pollutant	-
Label	6(3)
Transport Document Name	-



SDS No.: SDS-P/EC-S/08

Revision: 0, 1st Issue

Page 7 of 7

Sumithion 50 EC

Air (IATA)	
Proper Shipping Name	Pesticide, Liquid, Toxic, Flammable, N.O.S. flashpoint not less than 23°C
Hazard Class	6.1
UN number	2903
Packing Group	III
Label/Mark	6(3)
Transport Document Name	-

Section 15: Regulatory Information

Classification: Flammable Liquids, category 3

Acute (Oral) Toxicity, category 4
Acute (Dermal) Toxicity, category 4
Acute (Inhalation) Toxicity, category 2

Skin Irritation, category 2 Eye Irritation, category 2 Carcinogenicity, category 2

Specific Target Organ Toxicity-Single Exposure, category 3

Aspiration Hazard, category 1

Hazardous to the Aquatic Environment-Acute Hazard, category 1 Hazardous to the Aquatic Environment-Chronic Hazard, category 1

Signal Word: Danger

Pictogram:



Pesticides Act: Class II
Classification: Poisonous

Section 16: Other Information

Date of Preparation: 18 November 2015

Date of Revision: -

Reference Document: ICOP on Chemicals Classification and Hazard Communication 2014

GHS Purple Book

Disclaimer: To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability whatsoever for the accuracy or completeness of the information contained herein.