# SAFETY DATA SHEET

### 1. Identification

**Product identifier** ECO SMART™ Boric Acid Free Flux - Paste

Other means of identification Not available. Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information Manufacturer/Supplier Harris Products Group

> 4501 Quality Place Mason, Ohio 45040 US custservmason@jwharris.com

513-754-2000 **Telephone Number** 

**Emergency Telephone** 

1-888-609-1762 (US, Canada, Mexico only)

**Numbers** 

Please quote 333988

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health Hazards** Acute toxicity, oral Category 4

> Reproductive toxicity Category 2

**OSHA** defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Harmful if swallowed. Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wash thoroughly after handling. Do not eat, drink or smoke when using this

product. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell. If exposed or concerned: Get medical Response

advice/attention. Rinse mouth.

Storage Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise classified (HNOC)

None known.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Potassium difluorodihydroxyborate	85392-66-1	>50
Potassium fluoroborate	14075-53-7	15 - 40
Fumed silica	7631-86-9	< 3

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**Composition comments** All concentrations are in percent by weight unless otherwise indicated.

1/7 914092 Version #: 01 Revision date: 2-Dec-2014 Issue date: 2-Dec-2014

## 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Never give anything by mouth to an unconscious person. Rinse mouth. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you

feel unwell.

Most important

symptoms/effects, acute and delayed

Absorbed fluoride can cause metabolic imbalances with irregular heartbeat, nausea, dizziness, vomiting and seizures.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed. A 2.5 pct calcium gluconate gel applied topically after skin has been thoroughly washed will help reduce severity of symptoms. A 1.0 pct calcium gluconate gel solution can be used as an eye wash.

**General information** 

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

# 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use fire-extinguishing media appropriate for surrounding materials. Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire. None known.

Specific hazards arising from the chemical

Hydrogen fluoride, a corrosive and toxic gas, and other potentially hazardous fluorine-containing compounds may be released upon combustion.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Move containers from fire area if you can do so without risk.

General fire hazards

This product is not flammable. No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. For waste disposal, see Section 13 of the SDS. Scrape up spillage or absorb with absorbing material. Store in a closed container for later disposal. Neutralize spill area and wash with plenty of water.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground. Do not allow to enter drains, sewers or watercourses. Reporting of releases to appropriate regulatory agencies may be required.

914092 Version #: 01 Revision date: 2-Dec-2014 Issue date: 2-Dec-2014

# 7. Handling and storage

### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Do not get this material on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Provide adequate ventilation if fumes or vapors are generated. Avoid inhalation of fumes from heated product. Wear appropriate personal protective equipment (See Section 8). Do not eat, drink or smoke when using the product.

Conditions for safe storage, including any incompatibilities

Store locked up. Store away from incompatible materials (see Section 10 of the SDS). Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from food, drink and animal feeding stuffs. Store away from incompatible materials.

# 8. Exposure controls/personal protection

# Occupational exposure limits

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Potassium fluoroborate (CAS 14075-53-7)	PEL	2.5 mg/m3	
US. OSHA Table Z-2 (29 CFR 191	0.1000)		
Components	Туре	Value	Form
Potassium fluoroborate (CAS 14075-53-7)	TWA	2.5 mg/m3	Dust.
US. OSHA Table Z-3 (29 CFR 191	0.1000)		
Components	Туре	Value	
Fumed silica (CAS	TWA	0.8 mg/m3	
631-86-9)		20 mppcf	
US. ACGIH Threshold Limit Valu	es		
Components	Туре	Value	Form
Potassium difluorodihydroxyborate	STEL	6 mg/m3	Inhalable fraction.
(CAS 85392-66-1)			
,	TWA	2 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Che	emical Hazards		
Components	Туре	Value	
Fumed silica (CAS	TWA	6 mg/m3	
7631-86-9)			
Potassium difluorodihydroxyborate (CAS 85392-66-1)	TWA	2.5 mg/m3	
Potassium fluoroborate (CAS 14075-53-7)	TWA	2.5 mg/m3	

## **Biological limit values**

### **ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time	
Potassium fluoroborate (CAS 14075-53-7)	3 mg/l	Fluoride	Urine	*	
,	2 mg/l	Fluoride	Urine	*	

<sup>\* -</sup> For sampling details, please see the source document.

Exposure guidelines

Occupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering controls

Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation. Provide eyewash station and safety shower.

914092 Version #: 01 Revision date: 2-Dec-2014 Issue date: 2-Dec-2014

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier. Wear chemical-resistant, impervious gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection**Chemical respirator with organic vapor cartridge and full facepiece. **Thermal hazards**Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.

Form Liquid. Paste.
Color Not available.
Odor Not available.
Odor threshold Not available.
PH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Stable under normal storage and handling conditions.

Possibility of hazardous

reactions

Corrosive to metals.

Conditions to avoid Contact with incompatible materials.

**Incompatible materials** Strong acids. Strong oxidizing agents. Reactive metals. Silicate-based materials.

ECO SMART™ Boric Acid Free Flux - Paste
914092 Version #: 01 Revision date: 2-Dec-2014 Issue date: 2-Dec-2014

products

Hydrogen fluoride, fluorine-, boron- and potassium-containing compounds.

# 11. Toxicological information

Information on likely routes of exposure

**Inhalation** When heated, the vapors/fumes given off may cause respiratory tract irritation.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

**Ingestion** Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Absorbed fluoride can cause metabolic imbalances with irregular heartbeat, nausea, dizziness,

vomiting and seizures.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Fumed silica (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

Further information Repeated exposure to fluorides may cause excessive calcification of the bone and calcification of

ligaments of the ribs, pelvis and spinal column. Exposure to extremely high levels of fluorides can cause abdominal pain, diarrhea, muscular weakness, and convulsions. In extreme cases it can

cause loss of consciousness and death.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability 
No data is available on the degradability of this product.

Bioaccumulative potential No data available.

**Mobility in soil**This product is water soluble and may disperse in soil.

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into

sewers/water supplies. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

914092 Version #: 01 Revision date: 2-Dec-2014 Issue date: 2-Dec-2014

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code This substance/mixture is not intended to be transported in bulk. Not established.

# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

No

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### US state regulations

## **US. Massachusetts RTK - Substance List**

Fumed silica (CAS 7631-86-9)

#### US. New Jersey Worker and Community Right-to-Know Act

Fumed silica (CAS 7631-86-9)

# US. Pennsylvania Worker and Community Right-to-Know Law

Fumed silica (CAS 7631-86-9)

Potassium fluoroborate (CAS 14075-53-7)

#### **US. Rhode Island RTK**

Not regulated.

ECO SMART™ Boric Acid Free Flux - Paste
914092 Version #: 01 Revision date: 2-Dec-2014 Issue date: 2-Dec-2014

### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

# US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

 Issue date
 12/2/14

 Revision date
 12/2/14

 Version #
 01

United States & Puerto Rico

**HMIS**® ratings Health: 2\*

Flammability: 0 Physical hazard: 0

**Disclaimer** Harris Products Group cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

ECO SMART™ Boric Acid Free Flux - Paste

SDS US

No

914092 Version #: 01 Revision date: 2-Dec-2014 Issue date: 2-Dec-2014 7 / 7

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).