

# Dewpoint®

## Horizontal & Vertical Freezer



R134a

DFHV-1014-B

## Freezer Product Line Up

Product Line Up

		Model	Total Capacity
TYPE OF REFRIGERANT <b>R134a</b>		• DFH 200A	200 Litre
		• DFH 310B	310 Litre
		• DFH 410B	410 Litre
		• DFH 560B	560 Litre
		• DFV 210A	210 Litre

## ● Attractive Exterior

- Dewpoint Chest Freezer is designed with a modern and stylish exterior to suit the modern design concept.
- Attractive finishing with epoxy powder coating for long lasting protection against moisture.
- Tropicalised cabinet eliminates sweating on the outer surface.

## ● Superior Insulation

- Efficient PU insulation ensures economic operation and provides maximum ratio of storage space to floor area.
- Even in the case of power failure, the storage time is possible to keep food cold for a longer period with the door keep closed.

## ● Neat Inner Cabinet

- Innovative engineering to ensure even cooling in the freezer.
- Flat interior surface makes cleaning maintenance more easier and effectively prevents corrosion.



## ● Temperature Control

- The temperature in the freezer is automatically controlled by the adjustable thermostat.
- A thermostat to regulate the temperature for various frozen load conditions.



## ● Security and Convenience

- Built-in lock on the handle to ensure privacy and security in use.
- Counter balanced hinges provides hands-free convenience at all times.



## ● Additional Accessories

- Basket for convenient stacking
- Four rollers for easy movement
- Drain for defrost water

## Auto Defrost Technology

- Dewpoint Vertical Freezer is equipped with the latest and leading auto defrosting technology.
- No more ice will be build up within the food surface using this feature.

## Easy of Storage and Management

- The freezer interior is divided into five parts by using independent drawer. Food can be sorted by category and stored into different part as required.
- This drawer is transparent so that monitoring and managing the food is much more easier.


## Energy Saving Star

- Unlike traditional freezer, the new magnetic door gasket will minimize the leakage of cold air from the freezer and save the energy consumption.

## Freezer Control

- Dewpoint Vertical Freezer is equipped with freezer control to control the temperature of the freezer.
- There are 7 settings of selection to regulate the temperature according to various frozen load conditions.

Usage	Setting
Light Frozen Load	1 or 2
Normal Use	4
Heavy Frozen Load	7



## 5 Years Warranty

The outstanding Dewpoint Freezer comes with 5 years warranty on the compressor.



## Horizontal Freezer

Model Name		DFH 200A	DFH 310B	DFH 410B	DFH 560B
Total Capacity	L	200	310	410	560
Input Power	W	110	121	140	183
Running Current	A	1.04	1.26	0.91	1.43
Unit Dimension (H x W x D)	mm	850 x 925 x 614	922 x 1030 x 695	922 x 1300 x 695	922 x 1655 x 695
Packing Dimension (H x W x D)	mm	875 x 975 x 640	1005 x 1070 x 750	1005 x 1340 x 750	1005 x 1695 x 750
Net Weight	kg	50	55	67	88
Unit Colour		Grey			
Cooling System		Direct Cooled			
Maximum Cooling Temperature	°C	-21°C			
Power Supply	V/Ph/Hz	220-240/1/ 50			
Cabinet Finish		Epoxy Power Coated Round Edges			
Door Finish		Epoxy Coated Metal Door With Plastic Door End Cap			
Insulation		Polyurethane ( Cyclo-Penthanes)			
Refrigerant Type		R134a			
Defrosting System		Manual			
Defrosting Drainage		Yes			
Compressor Type		Reciprocating			
Accessories					
Roller		Yes			
Cam lock		Yes			
No. of Basket		1	2	2	2

## Vertical Freezer

Model Name		DFV 210A
Total Capacity	L	210
Input Power	W	130
Running Current	A	1.01
Unit Dimension (H x W x D)	mm	1332 x 630 x 550
Packing Dimension (H x W x D)	mm	1375 x 740 x 595
Net Weight	kg	50
Unit Colour		Grey
Cooling System		Fan Cooled
Maximum Cooling Temperature	°C	-18°C
Power Supply	V/Ph/Hz	220-240/1/ 50
Cabinet Finish		Epoxy Powder Coated
Door Finish		PVC Laminated With Protection Film
Insulation		Polyurethane ( Cyclo-Penthanes)
Refrigerant Type		R134a
Defrosting System		Auto
Defrosting Drainage		Yes
Compressor Type		Reciprocating
Accessories		
No. of Basket		5

Notes:

- 1) ALL SPECIFICATIONS ARE SUBJECTED TO CHANGE BY THE MANUFACTURER WITHOUT PRIOR NOTICE.
- 2) COLD AIR TEMPERATURE OF HORIZONTAL & VERTICAL FREEZER TESTED IN TEST ROOM AT AMBIENT TEMPERATURE OF 32°C



**GROUP ASSOCIATED (C&L) SDN BHD** (109719-M)

Head Office: Tel: 03-7718 8388

Email: [sales\\_enquiry@daikinmalaysia.com.my](mailto:sales_enquiry@daikinmalaysia.com.my), [customer\\_service@daikinmalaysia.com.my](mailto:customer_service@daikinmalaysia.com.my)

Branches:

• Penang	Tel: 04-331 1670	• Johor	Tel: 07-557 7788
• Pahang	Tel: 09-567 6778	• Perak	Tel: 05-548 2307
• Melaka	Tel: 06-288 1133	• Sabah	Tel: 088-722 194
• Sarawak	Tel: 082-333 299	• Negeri Sembilan	Tel: 06-768 8969
• Kedah	Tel: 04-733 0235	• Kelantan	Tel: 09-747 4678

Authorized dealer: